



BIRD•B•GONE[®] Inc.

BirdBGone.com • 1 (800) 392-6915



Made in
the USA

The Worldwide Leader in Bird Control.



2015 Product Catalog

Professional Bird Control Solutions

Who is Bird•B•Gone?



The Industry Leader Since 1992

Bird•B•Gone, Inc. is the world's largest manufacturer of professional grade bird deterrents.

Since 1992, our products have helped solve pest bird problems in commercial, industrial, recreational, government and residential settings across the globe.

Our superior products, excellent customer support and cutting-edge innovation have secured our position as the number one manufacturer and supplier of bird control products.

**We look forward to serving you!
At Bird•B•Gone, it's more than just
bird control products,
IT'S FAITH, FAMILY & FRIENDS!**

Why Bird•B•Gone?

Our people, products, expertise and training make the difference!

- ▶ Bird•B•Gone® products are humane, effective and carry industry leading guarantees
- ▶ The #1 most specified products by architects, engineers and government agencies
- ▶ We manufacture a majority of our own products at our facility in the United States. This helps to the highest quality products at the lowest prices
- ▶ Our products have been used to successfully deter birds at high profile locations such as airports, schools, hospitals, military bases, historical buildings and more
- ▶ Our bird control engineers have a combined 90+ years of hands on experience
- ▶ We offer free training and support for all aspects of bird control, including on-site training and technical support
- ▶ We regularly host a free training course, Bird•B•Gone® University, that teaches everything from quoting a job to product installation
- ▶ We offer same day and express shipping, even on custom cut net
- ▶ Our products are available worldwide through a network of quality distributors

Our customer support team is just a phone call away to assist you in finding the best solution for your budget. Call 1-800-392-6915.





Why Bird•B•Gone®?

Why Bird•B•Gone®	2
Bird•B•Gone® Innovation	4
Bird•B•Gone® University	5
Partner with Bird•B•Gone	6
Bird Control Engineers	7
Why Bird Control?	8
Choose the Right Product	9
Bird•B•Gone® Gives Back	49



BIRD DETERRENTS

Bird Slope™	29
Bird Slope™ Installation Accessories	30
Bird Spider 360°™	31
Bird Wire	32

SPIKE SYSTEMS

Stainless Steel Bird Spikes	10
Mega Spike	12
Gutter Spike	12
Girder Spike	12
Polycarbonate Bird Spikes	13



BIRD REPELLENTS

Transparent Bird Gel	34
Bird-OFF Gel®	34
BeakGuard®	35
Goose Repellents	35
Bird•B•Gone® Hazer	37
EcoBird® 4.0	37
Thermal Fogging Equipment	38
Fogging Agents	38



BIRD NETTING

Bird Net 2000™ Heavy Duty Netting	15
No-Knot Netting	18
Straining Wire & Fasteners	19
Corner Attachments	19
Intermediate Attachments	20
Bird Netting Tools	21
Installer Kit	21
Bird Netting Accessories	22
Pond Netting	23
Bat Netting	23
Solar Panel Bird Deterrent Kit	23
Ultra Net	24
Vineyard Netting	24
Bird•B•Gone® Deer Fencing	24



BIRD TRAPPING & CAPTURE

Bird•B•Gone® Sparrow Charmer	39
AgriLaser® Lite	39
Mist Netting	40
Net Launcher	41
Sparrow Sky Trap	41
Professional Bird Traps	41-43



SOUND DETERRENTS

Bird Chase Super Sonic™	44
Solar Bird Chase Super Sonic™	44
ZON Mark IV Bird Scare Cannon™	45
ZON Electra Bird Scare Cannon™	45
HyperSpike® AirHawk™	45



ELECTRIC TRACK SYSTEMS

Bird Jolt Flat Track™	25
Bird Jolt Flat Track™ Kit	26
Installation Accessories	26
Installation Components	27
Electric Track Chargers	27
Shock Track	28
Shock Track Kit	28



MISCELLANEOUS

Cleaning Supplies	46
Adhesives & Sealants	46
Vinyl Strip Doors & Bird Net Curtain	47
Gutter Brush	47
Marketing Materials	48
Visual Bird Deterrents	48
Physical Bird Deterrents	48






At Bird•B•Gone, we make it our business to stay on top of the latest advancements in the bird control industry.

We are constantly improving current technologies and developing new products to meet the needs of our customers. We strive to provide the most effective, efficient and reliable bird control methods on the market.

Bird•B•Gone® has 42 issued patents worldwide and 35 pending patent applications—the most in the industry!

Some of these outstanding patented products:

- Bird•B•Gone invented and patented the original Plastic Bird Spike—a revolutionary tool in bird control that remains one of our best sellers.
- The Bird Jolt Flat Track™ received another patent on its innovative anti-arc and trough.
- Bird•B•Gone Stainless Steel Spikes™ patented “bend and crush” design ensures that the spikes stay firmly secure in their base.



Your Business Partner

We Measure Our Success by the Success We Create for our Customers!

The Bird•B•Gone family considers our customers friends. We partner with our friends by assisting, guiding and training you in all aspects of bird control. Rather than just “sell you product”, we help you find the optimal bird control solution available within your budget.



Because Bird•B•Gone is only involved in bird control, we make it our business to stay on top of the latest advancements in the industry. We continue to provide our customers with the products and services that give them a leading edge in bird control.



The Bird•B•Gone Difference

Julie and I started Bird•B•Gone in 1992. Since we couldn't afford anything... our first office was in our bedroom. The old oak desk pictured here was our first piece of “office furniture”. The desk held our telephone and fax machine. With your kindness and business we have steadily grown. Today we own and operate our own manufacturing facility which makes and ships our products all over the world. The old oak school desk still occupies the same space in our home as a daily reminder of where we started.

- ▶ We thank you for your friendship.
- ▶ We thank you for helping us realize our dream.
- ▶ We thank you for your business and will continue to work hard to earn it!



Julie & Bruce Donoho





Become an Authorized Installer

As an Authorized Bird•B•Gone® Installer, you will work with the highest quality bird control products and receive the best customer service. Whether you are looking to develop a primary bird control business or wish to add an additional service to your existing business, bird control can be a lucrative way to add extra dollars to your bottom line. We pride ourselves on the personal relationships we build with our customers and are here to assist you in building and growing your bird control business!

Bird•B•Gone® University

Earn your Authorized Installer Certificate at Bird•B•Gone® University—a free training course designed to teach the basics of bird control. Classes are taught by our bird control specialists and are held at the Bird•B•Gone training facility in Santa Ana, California. Those who attend receive a Certificate of Completion which can also be applied as credit hours toward a Pest Control Applicator's License in many states.

Topics include:

- How to market and make a profit in bird control
- Site evaluation
- Choosing the right product
- How to install products (hands-on training)
- Quoting bird jobs
- How to install netting (hands-on)
- How to avoid problems and troubleshooting

Marketing

We actively promote our line of professional bird control products and put a heavy emphasis on marketing your services. Bird•B•Gone offers free marketing materials to help build your bird control business.

Customer Service/Technical Support

Bird•B•Gone creates predictable success for our Authorized Installer by advising and supporting them on their jobs. Our goal is not to "sell" you products, but rather to position you to make the best quality decisions when it comes to designing, specifying, and installing the right products to fit your job. Our bird control engineers have 90+ years of combined experience and will help you in all aspects of bird control.

Worldwide On-Site Training

Need to train a group of employees? Have a complex bird job? Bird•B•Gone® will provide the expertise necessary to bring success to your job. To schedule on-site training, contact our installation experts at (800) 392-6915.



We offer worldwide on-site trainings - Bird•B•Gone® University has held class in India, Australia, Canada, Malaysia and many more.

Call us at 1-800-392-6915 for details!

Need an Authorized Installer?

If you don't have the time, resources or expertise to solve your bird problem, we can connect you with a Bird•B•Gone® Certified Authorized Installer.

Bird•B•Gone has trained an extensive network of Authorized Installers who can install our line of professional bird control products around the world. Whether it's a commercial, residential or industrial setting, our installers have the training and experience needed to solve your pest bird problem.

We work closely with our installers to make sure they are qualified to help you get rid of your pest birds while providing excellent customer service.



Quality Guaranteed

Bird•B•Gone® manufactures products in the United States ensuring they meet the highest standard of quality in the industry. All products go through an extensive quality control process before they leave our warehouse. All of our products are hand inspected and signed as they are packaged. This allows us to offer the industry's longest guarantees.

Stainless Steel Bird Spikes - 10 Years

Polycarbonate Bird Spikes - 5 Years

Bird Net 2000™ Heavy Duty (Black) - 10 Years

No-Knot Netting - 10 Years

Bird Wire - 5 Years

Bat Netting - 10 Years



Shipping


Bird•B•Gone provides the fastest and most efficient shipping in the industry. We manufacture our own products, which provides us with the greatest flexibility in offering customers convenient and expedited shipping options. We offer same-day shipping, even on custom nets! We use a variety of traceable shipping methods to guarantee your products arrive on time. Wherever you are in the world, Bird•B•Gone will ship to you!



Specifications & CAD Details

Bird•B•Gone is the #1 specified bird control company by architects, engineers and government agencies. Since 1992, we have worked closely with the AEC industry both in the design and implementation of effective, humane and cost efficient bird control solutions.

Specifications, CAD and BIM details can be found on the Bird•B•Gone website. If you need help specifying bird control on a project, contact our bird control specialists who can help you choose the right product and even put you in contact with an Authorized Installer.



More than 90 years of combined experience in the bird control industry!

A company or organization is only as good as its people and Bird•B•Gone has the best! Our bird control engineers lead the industry with more than 90 years of hands on experience. We've seen it all! Everyday we consult with large and small companies worldwide, helping them avoid costly mistakes and create "predictable success".



Ian Rowsby
19 years experience

"In my time with Bird•B•Gone I have developed strong relationships in the industry. I have helped our customers grow their businesses across the globe and I take great pride in the success they have achieved. I look forward to continued success."

– Ian Rowsby

"One of the best parts of my job is helping customers with difficult jobs on-site. Nothing beats getting the opportunity to teach people how to install bird control products and arm them with the skills to be able to do more in the future. We are truly helping them grow."

– Rich Martin



Rich Martin
19 years experience



Mike Dougherty
16 years experience

"My years with Bird•B•Gone have allowed me to meet great people in the industry. The range of products we cover challenges me to solve bird problems in a different and creative fashion each time."

– Mike Dougherty

"Bird•B•Gone is my home and I consider my customers as my friends. I have worked on amazing projects with some of the smartest people in the industry, giving me the chance to experience things I wouldn't trade for anything."

– Scott Swanson



Scott Swanson
16 years experience



Jeff Watts
12 years experience

"I deal with a variety of industries on a daily basis. Every day is unique. From architectural jobs to international skyscrapers, I get to help people across the globe create bird-free areas."

– Jeff Watts

"I have the pleasure of working with architects and engineers every day helping them plan for the future. Designing and developing plans to protect old and new structures from bird debris is something I take pride in."

– Chris Fields



Chris Fields
10 years experience



Shaun Johnson
3 years experience

"I have already learned so much about this business. I am excited to get on the road and help our customers with their bird control issues. There is so much we can do at Bird•B•Gone to help our customers grow - I can't wait to show them how."

– Shaun Johnson

"Working in a growing market is a pleasure because I get to meet new people and show them what the Bird•B•Gone product line is all about. Top-of-the-line products and top-of-the-line service are what we are about and I enjoy providing that to our customers."

– David Greenberg



David Greenberg
3 years experience

Why Bird Control?



It's important to take a proactive approach when dealing with pest birds. Birds not only carry and spread disease, but bird feces can corrode building materials.

The build-up of droppings or nesting materials is unsightly and can host parasites like bird mites. In the long run, Bird control can save you time and money.

Bird Control is an Investment

- ▶ Eliminate safety and health hazards - decrease your liability
- ▶ Eliminate the spread of diseases to your employees, patrons and you
- ▶ Decrease expenses/costs on maintenance and repair
- ▶ Protect your property value
- ▶ Improve/protect your image

Image

Birds on a ledge or sign, or droppings covering a sidewalk will send a message to visitors that the business is careless and should not be trusted.

Inventory Damage

Droppings can damage products and contaminate production lines.

Work Stoppages

Employees will not and should not work in areas that are unsafe due to an accumulation of droppings.

Slip and Fall Risk

Droppings can be slippery. If a customer or employee falls they could not only get seriously injured, but they could sue the building owner.

Clogged Drains

Droppings and nesting materials regularly clog drains, causing damage during heavy rains.

Property/Equipment Damage

Droppings are acidic and can corrode through paint, roofing materials and fabrics eventually. These will need restoration or complete replacement.

Health Risk

Birds, droppings and nesting materials can carry up to 60 different diseases that can be passed to humans and animals.

Cost of Cleanup

Businesses that clean up after birds on a daily or weekly basis incur high clean up costs.

Health Code Violations

Pest bird droppings found in food processing plants, restaurants, storage facilities or other areas may violate health codes resulting in fines, legal action or closures.



Health Risk



Slip & Fall Risk



Equipment Damage



Image

There are many factors to consider when choosing the right bird control product. It is important to do a site evaluation to determine the species of bird, location and the bird's behavior.

Not all products work for every situation and some situations may require multiple products. Choosing the correct product can mean the difference between success and failure.

Every situation is different.

Call us for advice!

1-800-392-6915

PIGEONS

Bird Spikes	10
Bird Netting	15
Electric Track	25
Bird Slope™	29
Bird Spider®	31
Bird Wire	32
Bird Gels	34
Hazing	37
Trapping	41



SWALLOWS

Bird Netting	15
Bird Slope™	29

CROWS

Bird Spikes	10
Bird Netting	15
Electric Track	25
Bird Gels	34
Super Sonics	44



SPARROWS

Bird Netting	15
Electric Track	25
Bird Slope™	29
Hazing	37
Sparrow Charmer™	39
Trapping	39
Super Sonics	44

GULLS

Bird Spikes	10
Electric Track	25
Bird Slope™	29
Bird Spider™	31
Gull Wire	33
Super Sonics	44



STARLINGS

Bird Netting	15
Bird Spikes	10
Electric Track	25
Bird Slope™	29
Hazing	37
Fogging	38
Trapping	41
Super Sonics	44

GEESE

Goose Repellents	35
Fogging	38
Visual Deterrents	48
Super Sonics	44



WOODPECKERS

Bird Netting	15
UltraNet™	24
BeakGuard®	35
Super Sonics	44
Visual Deterrents	48

VULTURES & RAPTORS

Mega Spike	12
Plastic Bird Spikes	13
Bird Netting	15
Electric Track	25



GRACKLES


Electric Track	25
Bird Gels	34
Fogging	38
Hazing	44

Bird Spikes

- ▶ Stainless Steel Bird Spikes P. 10
- ▶ Mega Spikes P. 12
- ▶ Gutter Spikes P. 12
- ▶ Girder Spikes P. 12
- ▶ Polycarbonate Bird Spikes P. 13
- ▶ Adhesives P. 46
- ▶ Cleaning Supplies P. 46

Bird•B•Gone® Stainless Steel Bird Spikes™

Bird Spikes




Bird Species	Pigeons, seagulls or larger birds
Where to Use	Ledges, I-beams, parapet walls, conduits, signs, flat or curved surfaces
Material	Stainless steel spikes manufactured into a UV protected polycarbonate base
Bird Pressure	Light to Heavy
Warranty	10 years

Advantages & Benefits

- ▶ #1 specified bird spike by architects, contractors and government agencies
- ▶ The lowest price and the longest guarantee
- ▶ Virtually invisible
- ▶ Humane, will not harm birds
- ▶ Easy to install. Can be glued, screwed or tied down
- ▶ Will not cut or injure the installer
- ▶ Patented “bend and crush” design for permanent installations
- ▶ 2' (60.96 cm) lengths. Up to 40 spikes per foot in linear array. Cuts labor time in half
- ▶ No-nest design. No gap spacing to deter birds from roosting or landing
- ▶ Manufactured by Bird•B•Gone in the USA!




Bird•B•Gone® Stainless Steel Spikes™ create an uneven surface preventing birds from landing on flat or curved areas. Spikes come pre-assembled in 2' sections and are made of stainless steel pins in a polycarbonate base.



Stainless Steel bird spikes installed on a beam.

Patented “Bend and Crush” Design



1/4" screw holes for easy attachment



Pins are permanently anchored in the base of the spike.



Can Bend 360°!



Width	8"	5"	3"	1"
Stainless Steel Part #	BBG2001/8	BBG2001/5	BBG2001/3	BBG2001/1
Area of Coverage	8" - 10" (20.32 cm - 25.40 cm)	5" - 7" (12.70 cm - 17.78 cm)	2" - 4" (5.08 cm - 10.16 cm)	1" - 2" (2.54 cm - 5.08 cm)
Pack Size	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box
Installation				<p>* Attach using common hose clamps, nylon ties and wire lashings.</p>

Installation Preparation

The first step for installing bird spikes is to clean and dry the area where the spikes will be installed. Bird•B•Gone offers cleaning supplies to get the job started off right.

Our selection of cleaning supplies are found on page 46.



To Install

Surface should be clean and dry before installation. Select width of bird spike based on surface to be covered, leaving no more than 1" on either side. Glue, screw or tie down to surface.


Our selection of installation adhesives are found on page 46.





Mega Spike™

Bird Spikes



Patented
US 6775950


Part #	Area of Coverage	Packing Size
BBG2001-MS7	3" - 7" (7.62 cm - 17.78 cm)	2' (60.96 cm) sections 50' (15.24 m) per bx

Bird Species	Pigeons, seagulls, cormorants, vultures, raptors or larger birds
Where to Use	Ledges, I-beams, parapet walls, conduits, pipes, flat or curved surfaces
Material	Stainless steel spikes manufactured into a UV protected polycarbonate base
Bird Pressure	Light to Heavy
Warranty	10 years

- ▶ Ideal to prevent raptors, vultures, seagulls, cormorants and large birds from landing
- ▶ Tallest bird spike deterrent available


- ▶ Will not harm birds
- ▶ Stainless steel spikes are virtually invisible
- ▶ Easy to install. Can be glued, screwed, or tied down
- ▶ 2' (60.96 cm) lengths cuts labor in half

- ▶ Made in the USA by Bird•B•Gone



Gutter Spike

Bird Spikes



Patented
US 6775950

Part #	Area of Coverage	Packing Size
BGS	4" - 6" (10.16 cm - 15.24 cm)	2' (60.96 cm) sections 50' (15.24 m) per bx

Bird Species	Pigeons, seagulls or larger birds
Where to Use	For gutters up to 3/4"
Material	Stainless steel spikes manufactured into a UV protected polycarbonate base with aluminum clamps
Bird Pressure	Light to Medium
Warranty	10 years

- ▶ Prevents birds from landing on gutter ledges
- ▶ Prevents birds from nesting in gutters
- ▶ No need for separate clips or hardware


- ▶ Attached thumb screws make for easy installation
- ▶ Virtually invisible
- ▶ 2' (60.96 cm) lengths cuts labor time in half

- ▶ Made in the USA by Bird•B•Gone



Girder Spike

Bird Spikes



Patented
US 6775950


Part #	Width	Packing Size
BBGGDR-3	3" (7.62 cm)	2' (60.96 cm) sections 50' (15.24 m) per box
BBGGDR-5	5" (12.70 cm)	
BBGGDR-8	8" (20.32 cm)	

Bird Species	Pigeons, seagulls or larger birds
Where to Use	Adapts to any size girder up to 1" thick
Material	Stainless steel spikes manufactured into a UV protected polycarbonate base with aluminum clamp
Bird Pressure	Light to Heavy
Warranty	10 years

- ▶ Prevents birds from landing on steel girders and I-beams
- ▶ Fits any girder up to 1" (2.54 cm) thick

- ▶ No need for separate clips or hardware
- ▶ Ideal where clean up of debris or droppings is not possible

- ▶ Attached girder clamps make for easy installation
- ▶ Made in the USA by Bird•B•Gone



Bird Species	Pigeons, seagulls or larger birds
Where to Use	Ledges, I-beams, parapet walls, conduits, signs, flat or curved surfaces
Material	UV protected polycarbonate plastic one-piece rigid construction
Bird Pressure	Light to Heavy
Warranty	5 years

Standard Colors


Crystal Clear	White	Black	Light Grey
Concrete Tan	Brown	Brick Red	Custom Colors Available

Width	7"	5"	3"
Part #	BBG2000-7	BBG2000-5	BBG2000-3
Area of Coverage	6"- 9" (15.24 cm - 22.86 cm)	5"- 7" (12.70 cm - 17.78 cm)	1"- 5" (2.54 cm - 12.70 cm)
Pack Size	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box
Installation			






Polycarbonate bird spikes installed on ledge.



Spikes installed along roof lines and ledges will prevent birds from landing.

Available in 7 colors!

See previous page for technical information and specifications.



Advantages & Benefits

- ▶ Lowest cost bird spike
- ▶ Will not harm birds
- ▶ Virtually invisible
- ▶ Non-conductive. Will not interfere with electrical or communication transmissions
- ▶ Rigid, super strong and unbreakable
- ▶ UV protected and weatherproof. Won't be affected by extreme temperatures -200° F to 310° F (-129° C to 154° C)
- ▶ 2' (60.96 cm) lengths. Cuts labor time in half
- ▶ Easy to install! No maintenance! Can be glued, screwed or tied down
- ▶ Manufactured by Bird•B•Gone in the USA!

Bird Spikes easily glue in place. Construction grade adhesives available on page 46.




Bird•B•Gone® University

Bird•B•Gone offers FREE training for all of our products. Bird•B•Gone® University teaches:

- Site evaluation
- Choosing the right product
- How to install products
- Quoting bird jobs
- How to hang netting
- How to avoid problems

Underside View



- | | | | |
|--|-------|----------------|-------|
| ▶ Bird Net 2000™
Heavy Duty Netting | P. 16 | ▶ Tools | P. 21 |
| ▶ No-Knot Netting | P. 18 | ▶ Pond Netting | P. 23 |
| ▶ Attachments | P. 19 | ▶ Bat Netting | P. 23 |
| | | ▶ Ultra Net | P. 24 |

Bird Netting



Gerald Ford Airport using 150,000 sq. ft. (13,935 sq. meters) of Bird Net 2000 Heavy Duty Bird Netting.

Every Net is Tested



Bird•B•Gone is the only bird control company that quality tests each piece of netting before it ships. We test our netting's strength using an ISO 1806 and 9001 protocol. Each net is tagged and signed for quality verification.



Installation Help

Bird•B•Gone will connect you with a network of Authorized Installers across the globe who professionally install Bird Net 2000™.

If you are looking to install netting yourself, our team of bird control engineers can help you with technical assistance and training.

The Highest Quality Bird Netting in the Industry – Guaranteed!

We offer more than quality bird netting, we provide you with all the tools and training you need to get the job done.

- ▶ #1 specified bird netting by architects, contractors and government agencies
- ▶ Quality tested bird net - ISO 1806 and 9001 protocol
- ▶ All bird netting hardware & tools available – your “one stop bird netting shop”
- ▶ Experienced technical staff with over 90+ years of combined expertise
- ▶ Best quality bird netting in the industry – every net is strength tested
- ▶ Bird•B•Gone Authorized Installers available across the country
- ▶ 10-year netting guarantee*
- ▶ Superior pricing

Custom cut nets and same day shipping available.



Net Type	Mesh Size	Bird Species	Where to Use	Warranty*	Page #
Bird Net 2000™ Heavy Duty	3/4" (19mm) 1 1/8" (28mm) 2" (50mm)	All Birds Starlings & Pigeons Pigeons & Seagulls	Roofs, warehouses, loading docks, airplane hangars and other enclosures	10 years black 3 years stone 3 years white	16
No-Knot Netting	3/4" (19mm)	All Birds	Roofs, warehouses, loading docks, airplane hangars and other enclosures	10 years	18
Pond Netting	3/4" (19mm) 1 3/4" (44mm) 2" (50mm) 4" (100mm)	All Birds Waterfowl	Tailing ponds, retention ponds, water collection sites, oil pits	N/A	23



Bird Net 2000™ Heavy Duty Bird Netting is a polyethylene knotted net used to block birds from entering unwanted areas.

Bird Net 2000™ is the most efficient and effective method for excluding birds, and is the #1 bird net specified by architects and government agencies.

*Picture Below:
90,000 sq. ft. (8,360 sq. m) of Bird Net 2000™ Heavy Duty Netting installed on canopy at Portland International Airport.*




Advantages & Benefits


- ▶ **#1 specified bird netting by architects and government agencies**
- ▶ The strongest netting at the lowest price
- ▶ ISO 1806 and 9001 protocol tested
- ▶ "Sub-zero" stable
- ▶ 270° F (132° C) melting point
- ▶ UV stabilized, rot proof and waterproof
- ▶ Non-conductive
- ▶ Virtually invisible
- ▶ Available in 3 colors to blend in with area of installation
- ▶ Custom sizes available for same day shipping! You'll never be short cut, we add a FREE extra 1' around the net perimeter
- ▶ We offer all the necessary hardware to install bird netting (see pages 19-22)

Bird Species	All species
Where to Use	Roofs, warehouses, loading docks, airplane hangars and other enclosures
Material	UV protected polyethylene knotted netting. ISO 1806 and 9001 protocol tested
Bird Pressure	Light to Heavy
Warranty	10 years black net 3 years stone net 3 years white net


Bird Net 2000™ Colors



Black



Stone



White

Technical Data

Material	UV stabilized knotted polyethylene net. Flame resistant, rot-proof, non-conductive and stable in sub zero temperatures.
Design	Six strands of Polyethylene UV treated twine. Each strand is 12/100" thick. The filaments are twisted and knotted for ultimate strength and longevity. Pressure stretched and tightened.
Burst Strength	ISO 1806 and 9001 Protocol test in excess of 40 lbs. burst/break strength per twisted strand.
Thermal Properties	High Temp: Melting point in excess of 270° F Low Temp: Stable to minus 250° F
Electrical Properties	Non-conductive



3/4" Netting - All Birds

Part #	Area	Color
034BCUSTOM	Custom: Includes FREE extra foot	Black
034SCUSTOM	Custom: Includes FREE extra foot	Stone
034WCUSTOM	Custom: Includes FREE extra foot	White
034B25X25	25' x 25' (7.62 m x 7.62 m)	Black
034S25X25	25' x 25' (7.62 m x 7.62 m)	Stone
034W25X25	25' x 25' (7.62 m x 7.62 m)	White
034B25X50	25' x 50' (7.62 m x 15.24 m)	Black
034S25X50	25' x 50' (7.62 m x 15.24 m)	Stone
034W25X50	25' x 50' (7.62 m x 15.24 m)	White
034B50X50	50' x 50' (15.24 m x 15.24 m)	Black
034S50X50	50' x 50' (15.24 m x 15.24 m)	Stone
034W50X50	50' x 50' (15.24 m x 15.24 m)	White
034B50X75	50' x 75' (15.24 m x 22.86 m)	Black
034S50X75	50' x 75' (15.24 m x 22.86 m)	Stone
034W50X75	50' x 75' (15.24 m x 22.86 m)	White
034B50X100	50' x 100' (15.24 m x 30.48 m)	Black
034S50X100	50' x 100' (15.24 m x 30.48 m)	Stone
034W50X100	50' x 100' (15.24 m x 30.48 m)	White
034B100X100	100' x 100' (30.48 m x 30.48 m)	Black
034S100X100	100' x 100' (30.48 m x 30.48 m)	Stone
034W100X100	100' x 100' (30.48 m x 30.48 m)	White
034B100X200	100' x 200' (30.48 m x 60.96 m)	Black

1 - 1/8" Netting - Starlings / Pigeons


Part #	Area	Color
118BCUSTOM	Custom: Includes FREE extra foot	Black
118B25X25	25' x 25' (7.62 m x 7.62 m)	Black
118B25X50	25' x 50' (7.62 m x 15.24 m)	Black
118B50X50	50' x 50' (15.24 m x 15.24 m)	Black
118B50X100	50' x 100' (15.24 m x 30.48 m)	Black

2" Netting - Pigeons / Seagulls

Part #	Area	Color
200BCUSTOM	Custom: Includes FREE extra foot	Black
200SCUSTOM	Custom: Includes FREE extra foot	Stone
200B25X25	25' x 25' (7.62 m x 7.62 m)	Black
200S25X25	25' x 25' (7.62 m x 7.62 m)	Stone
200B25X50	25' x 50' (7.62 m x 15.24 m)	Black
200S25X50	25' x 50' (7.62 m x 15.24 m)	Stone
200B50X50	50' x 50' (15.24 m x 15.24 m)	Black
200S50X50	50' x 50' (15.24 m x 15.24 m)	Stone
200B50X100	50' x 100' (15.24 m x 30.48 m)	Black
200S50X100	50' x 100' (15.24 m x 30.48 m)	Stone
200B100X100	100' x 100' (30.48 m x 30.48 m)	Black
200S100X100	100' x 100' (30.48 m x 30.48 m)	Stone
200B100X200	100' x 200' (30.48 m x 60.96 m)	Black
200B200X200	200' x 200' (60.96 m x 60.96 m)	Black



- 1 Multi-Purpose Cable Bracket anchored in steel
- 2 Turnbuckle
- 3 Eye Bolt
- 4 Ferrules (x2)
- 5 Straining Wire
- 6 1-1/2" Anchor Rivet w/Split Pin anchored in concrete
- 7 Hog Rings
- 8 Zipper



Bird Net 2000™ Heavy Duty Netting is most effective when installed properly. Improper installation can cause sagging or drooping, leading to gaps that birds can get in through. We recommend that a cable be set up around the perimeter of the area being netted off and the net attached to this cable. Bird•B•Gone offers a complete line of hardware (see pgs. 19-22) to accommodate any netting job. If you have questions about a net installation call us at **1-800-392-6915**.



No Knot Netting

Bird Netting

Advantages & Benefits

- ▶ **Easy to handle, soft on your hands**
- ▶ 3/4" mesh excludes all birds
- ▶ ISO 1806 and 9001 protocol tested
- ▶ 50 lb. burst strength
- ▶ High resistance to acids and alkalis
- ▶ Multi-stranded polypropylene fiber
- ▶ Non-conductive and virtually invisible
- ▶ Super strong, light and easy to install
- ▶ Uses the same Bird•B•Gone® installation hardware as heavy duty knotted net



Soft on Your Hands

No-Knot Netting is a heavy duty, flame resistant polypropylene knotless bird net used to block birds from entering unwanted areas. No-Knot Netting is made from a UV stabilized mesh and excludes all bird species. No-Knot Netting is installed in the same manner as the Bird Net 2000.



No-Knot Net on an interior I-beam

Bird Species	All species
Where to Use	Roofs, warehouses, loading docks, airplane hangars and other exposed enclosures
Material	UV protected polypropylene knotted netting. ISO 1806 and 9001 protocol tested
Bird Pressure	Light to Heavy
Warranty	10 years

Technical Data

Material	Flame resistant, multi-strand polypropylene fiber with UV inhibitors.
Burst Strength	50 lbs.
Thermal Properties	High Temp: 320° F to 338 ° F Low Temp: - 250° F
Chemical Properties	Polypropylene is chemically inert and highly resistant to a wide range of chemicals at ordinary temperatures. Fibers have a high resistance to acids and alkalis. Does not rot or absorb water and will not mildew.
Electrical Properties	Non conductive

3/4" (19mm) No-Knot Net





Part #	Area	Color
034BKK25X25	25' x 25' (7.62 m x 7.62 m)	Black
034BKK25X50	25' x 50' (7.62 m x 15.24 m)	Black
034BKK50X50	50' x 50' (15.24 m x 15.24 m)	Black
034BKK50X75	50' x 75' (15.24 m x 22.86 m)	Black
034BKK50X100	50' x 100' (15.24 m x 30.48 m)	Black
034BKKCUSTOM	Custom: Includes FREE extra foot	Black






Installation Tools

Bird•B•Gone offers superior net installation tools to get the job done right. See page 21 for our complete installation tool list.





Straining Wire	Size	Description	Details	Item Number	Pack Size
	3/32" (2.38 mm) For jobs OVER 50' in length	A perimeter cable to support your netting installation Use galvanized cable for normal areas of installation	3/32" Diameter, 7 x 7 Stranded Construction Cable	BNSW500G332 BNSW250G332 BNSW500S332 BNSW250S332	500' (152.40 m) Galvanized 250' (76.20 m) Galvanized 500' (152.40 m) Stainless Steel (316) 250' (76.20 m) Stainless Steel (316)
	1/16" (1.59 mm) For on jobs UNDER 50' in length	Use 316 grade stainless steel cable for areas near salt water, chemicals, etc.	1/16" Diameter, 7 x 7 Stranded Construction Cable	BNSW500G116 BNSW250G116 BNSW500S116 BNSW250S116	500' (152.40 m) Galvanized 250' (76.20 m) Galvanized 500' (152.40 m) Stainless Steel (316) 250' (76.20 m) Stainless Steel (316)
Fasteners	Item	Description	Details	Item Number	Pack Size
	Cable Clamps An alternative method of securing cable (instead of ferrules).	Use galvanized cable clamps for normal installation Use stainless steel cable clamps for areas near salt water or chemicals, etc.	Runs up to 100' (30.48 m): Use two (2) clamps Runs over 100': Use three (3) clamps	BNCC-G BNCC-S*	Cable Clamps Galvanized (10/pk) Cable Clamps Stainless (10/pk)
	Ferrules Used to clamp down and secure your straining wire at the ends.	Use aluminum ferrules with galvanized cable Use copper ferrules with stainless steel cable For use with Bird Net Ratchet Crimp Tool (pg. 21)	Use 3/32" ferrules with 3/32" cable Use 1/16" ferrules with 1/16" cable	BNF332A* BNF116A* BNF332C* BNF116C*	3/32" (2.38 mm) Aluminum (100/pk) 1/16" (1.58 mm) Aluminum (100/pk) 3/32" (2.38 mm) Copper (100/pk) 1/16" (1.58 mm) Copper (100/pk)
 M6 M8	Turnbuckles Used to tighten straining wire to prevent sagging or drooping.	Use galvanized turnbuckles with galvanized wire and aluminum ferrules Use stainless steel turnbuckles and wire with copper ferrules for installations near salt water, chemicals, etc.	Cable runs under 25' (7.62 m): M5 turnbuckles Cable runs of 25' - 75' (7.62 m - 22.86 m), use M6 turnbuckles Cable runs over 75', use M8 turnbuckles	BNGTS (10/pk) BNGTM (10/pk) BNGTL (10/pk) BNSSTS (10/pk)* BNSSTM (10/pk)* BNSSTL (10/pk)*	M5 Small Galvanized Turnbuckle M6 Medium Galvanized Turnbuckle M8 Large Galvanized Turnbuckle M5 Small Stainless Steel Turnbuckle M6 Medium Stainless Steel Turnbuckle M8 Large Stainless Steel Turnbuckle












Corner Attachments	Item	Description	Details	Item Number	Pack Size
	Net Bolts High load bearing expansion bolts used as corner attachments for masonry, concrete or stone.	Use galvanized Net Bolts with galvanized wire Use stainless steel Net Bolts with stainless steel wire Drill Bits (p.22) M6: 12 mm drill bit M8: 14 mm drill bit	Use M6/Medium Net Bolts for cable runs under 100' (30.48 m) Use M8/Large Net Bolts for cable runs over 100' (30.48 m)	BNM6EB (10/pk) BNM6SSEB (10/pk) BNM8EB (10/pk)	M6 Medium Net Bolt Galvanized M6 Medium Net Bolt Stainless Steel M8 Large Net Bolt Galvanized
	Girder Clamp Used to attach netting to girders.	Can also be used as an intermediate attachment Attach bolt onto flat steel or I-beam	For steel up to 3" (7.62 cm) thickness Can be used as corner attachments if drilling is not an option.	BNGCL-3	Girder Clamp - up to 3" (7.62 cm) (10/pack)
	Mini-Net Bolt Corner attachment used for cable runs of less than 20' (6.09 m).	Use galvanized Net Bolts with galvanized wire Use stainless steel Net Bolts with stainless steel wire Drill Bits (p.22): 8 mm drill bit	Use M6/Medium Net Bolts for cable runs under 100' (30.48 m) Use M8/Large Net Bolts for cable runs over 100'	BNMNB-G BNMNB-S	Mini-Net Bolt Galvanized (10/pack) Mini-Net Bolt Stainless Steel (10/pack)
	Eye Bolt w/ Nut Corner attachment for steel I-beams or other thick metals.	Drill Bits (p.22): 8 mm drill bit	Use galvanized Eye Bolts w/ galvanized wire Use stainless steel Eye Bolts w/ stainless steel wire	BNGEB-NUT BNSEB-NUT*	Galvanized Eye Bolt w/Nut (20/pk) Stainless Steel Eye Bolt w/Nut (10/pk)
	Screw Eyes Used as a corner attachment into wood.	Use Large Screw Eyes for runs over 20' (6.1 m) Use Small Screw Eyes for runs under 20' (6.1 m)	Use galvanized with galvanized wire Use stainless steel with stainless steel wire	BNLSE-G (100/pk) BNLSE-S (20/pk)* BNSSE-G (100/pk) BNSSE-S (20/pk)*	Large Wood Screw Eye Galvanized Large Wood Screw Eye Stainless Steel Small Wood Screw Eye Galvanized Small Wood Screw Eye Stainless Steel

* Available in 316 steel upon request



Intermediate Attachments

Bird Netting

	Item	Description	Details	Item Number	Pack Size
	Multi-Purpose Cable Bracket with Hilti Pin	Used to secure cable around the perimeter of the net installation. Can be installed for permanent installation or easy release	For attaching to concrete or steel. (Hilti Gun required) Use with BNHS-27 (p.22)	BNMPCB-125HP-C BNMPCB-125HP-S	1.25" (3.18 cm) Bracket w/Hilti pins for concrete (100/pk) 1.25" (3.18 cm) Bracket w/Hilti pins for steel (100/pk)
	Multi-Purpose Cable Bracket	Used to secure cable around the perimeter of the net installation	Can be installed for permanent installation by running your cable through bracket hole Can be installed for easy release by running cable in hook of bracket	BNMPCB125-100	1.25" (3.18 cm) Bracket (100/pk)
	Net Spikes	Used to secure netting into concrete Drill Bits (p.22) Large Net Spike: 6.5 mm Small Net Spike: 5.0 mm	Small net spikes have a bend in the body Large net spikes will "flange" out when hammered	BNNS-SM BNNS-LG*	Bird Net 3/16" (4.76 mm) Diameter Small Spike (100/pk) Bird Net 1/4" (6.35 mm) Diameter Large Spike (100/pk)
	Lag Screws	Used to secure cable around the perimeter of a net installation	Lag Screws are ideal for concrete, stucco, and wood Use Anchor for extra support when using small Lag Screws	BNLS-SSM* BNLS-LGG* BNLS-ASM	Small Steel Lag Screw (100/pk) Large Galvanized Lag Screw (100/pk) Small Lag Screw Anchor (100/pk)
	Girder Clips	Designed to attach cable to I-beams or steel surfaces 100 per pack	Clips hammer directly onto the I-beam to secure the cable Zinc coated spring steel attachments come in 4 widths	BN116GC BN018GC BN014GC BN012GC	Girder Clip: 1/16" - 1/8" (1.59mm - 3.1mm) Girder Clip: 1/8" - 1/4" (3.17mm - 6.35mm) Girder Clip: 1/4" - 1/2" (6.35mm - 12.7mm) Girder Clip: 1/2" - 3/4" (12.7mm - 19.05 mm)
	S-Clips	S-Clips are secured to the perimeter surface on one end and straining wire is strung through the other	Made of durable 316 stainless steel to hold up in the toughest environments Hilti pin available for concrete or steel	BNMSCLP BNMSCLP-PIN-C BNMSCLP-PIN-S	S-Clip (100/pack) S-Clip w/Hilti Pin for concrete (100/pk) S-Clip w/Hilti Pin for steel (100/pk)
	Thin Wire Net Clip	Ideal for small net installations that require the net to be removed from time to time	Stainless steel intermediate attachment	BNTWNC-1	Thin Wire Net Clip (100/pack)
	Stainless Steel Net Loop	Ideal for wood and sheet metal	To secure, use self tapping sheet metal screws or wood screws	BNNL	Bird Net Loop (100 per pack)
	Split Pins and Anchor Rivets	Used on stone or brick surfaces 100 per pack	Low profile intermediate attachment Available in two sizes Use 6.5 mm drill bit (p.22)	BN10R BN10SP BN15R BN15SP	1" (2.54 cm) Rivet (100/pk) 1" (2.54 cm) Stainless Steel Split Pin (100/pk) 1.5" (3.81 cm) Rivet (100/pk) 1.5" (3.81 cm) Stainless Steel Split Pin (100/pk)
	2" Heavy Duty Steel Clamp	Designed for large installations and creates a strong hold on steel and I-beams	Holds straining wire to steel 2" opening Jaw strength supports up to 630 lbs. 4 per pack	BNBCLP-2	2" (5.08 cm) Heavy Duty Steel Clamp (4/pk)
	6" Roof Tile Bracket	Used to install netting on roofs that have tiles	Slides underneath the tile to create a bracket for netting cables	BNRTB-600	6" (15.24 cm) Roof Tile Bracket (10/pack)


* Available in 316 steel upon request



Tools	Item	Details	Item Number	Pack Size
	Hog Ring Tool & Hog Rings	Use galvanized rings for normal areas of installation Use stainless steel rings near salt water or chemicals Hog Ring Tool holds one cartridge of 50 hog rings.	BNHRT BNHRG BNHRS	Bird Net Hog Ring Tool (1) Galvanized Hog Rings (2,500/bx) Stainless Steel Hog Rings (2,500/bx)
	B14 Hog Ring Tool & Hog Rings	Our most ergonomic manual hog ring tool Use galvanized rings for normal areas of installation Use stainless steel rings near salt water or chemicals Good for tight spaces	BNHRT-B14 BNHRT-B14-RING-G BNHRT-B14-RING-SS	Bird Net Hog Ring Tool B14 (1) B14 Galvanized Hog Rings (2,500/bx) B14 Stainless Steel Hog Rings (2,500/bx)
	Bird•B•Gone Pneumatic Hog Ring Tool & Hog Rings	Lowest Cost Pneumatic Hog Ring Tool Fast operating / saves time and money Uses compressed air for quick & efficient installations. Ideal for large jobs Use stainless steel Hog Rings for areas near salt water, chemicals, etc.	BNHRTPN-AC01CH BNHRPG-AC31CH BNHRPS-AC31CH	Pneumatic Hog Ring Tool (1) Galvanized Hog Rings (10,000/bx) Stainless Steel Hog Rings (10,000/bx)
	Stanley Bostitch Pneumatic Hog Ring Tool & Hog Rings	Fast operating / saves time and money This tool uses compressed air for quick & efficient installations. Ideal for large jobs Use stainless steel Hog Rings for areas near salt water, chemicals, etc.	BNHRTPN (Stanley Item: SC761) BNHRPG* BNHRPS*	Pneumatic Hog Ring Tool (1) Galvanized Hog Rings (10,000/bx) Stainless Steel Hog Rings (10,000/bx) * Hog Rings also fit Stanley tools number SC461 and SC661
	Hilti DX460 Automatic Powder-Actuated Fastening Tool	Use to fasten bird netting hardware into concrete or steel structures, like buildings, bridges, steel beams and more. Fully automatic, excellent power-to-weight ratio Low noise level	HILTI-DX460	1 each
	Hilti DX36 Automatic Powder-Actuated Fastening Tool	Use to fasten bird netting hardware into concrete or steel structures, like buildings, bridges, steel beams and more. Slim design for accessing tight spaces Designed for speed and easy operation.	HILTI-DX36	1 each
	Bird Net Ratchet Crimp Tool	Used for crimping ferrules around straining wire. Works with ferrules sized 1/16" (1.58 mm) to 3/32" (2.38 mm)	BNRCT-SBHS	1 each
	Bird Net Cable Cutter	A long lasting professional grade tool used to cut heavy duty cable. Cuts both 1/16" and 3/32" straining wire. Durable, high quality tool Easy to use	BNCCT	1 each
	Installer Kit Heavy duty bird control starter kit. Item Number: INST-KIT	Bird Net Items Included (1) Screw Eyes: Galvanized: Lg: 25pk (1) Screw Eyes: Galvanized: Sm: 25pk (1) Multi-Purpose Cable Bracket: 100pk (1) 3/16" Diameter Sm Spike: 100pk (1) Thin Wire Net Clip 100pk (1) Hog Rings: Galvanized: 2,500pk (1) Net Bolts: Galvanized, Med: 10pk (1) Mini Net Bolts: Galvanized: 10pk (1) Ferrules: Aluminum: 100pk (1) Turnbuckles: Galvanized, Med: 10pk	Bird Wire Items Included (1) Stainless 3.5" Steel Posts: 10pk (1) Stainless 5" Steel Posts: 10pk (1) Stainless Steel Springs: 25pk (1) Straining Wire Galvanized 1/16": 250ft (1) Glue-On Bases: 50pk (1) Nickel-Plated Copper Crimps: 100pk (1) Nylon Coated Bird Wire: 328ft Miscellaneous Copper Mesh: 20ft	Tools Included (1) Heavy Duty Portable Rolling Tool Box (1) Sikaflex® Gray Adhesive Glue Tube (1) Screw Eye Driver (1) Drill Bit: 12mm x 100mm (1) Drill Bit: 5mm x 100mm (1) Hog Ring Tool (1) Lag Screw Driver (1) Bird Net Cable Cutter



Access Zippers



Zippers are installed at areas that will need to be opened, such as under lighting fixtures or A.C. units.

- ▶ Install Zippers to the netting using hog rings
- ▶ Available in 8 sizes and 3 colors
- ▶ Open-ended and custom sizes available

Part #	Length & Color	Part #	Length & Color
BNZ-12B	1' (.30 m) Black	BNZ-12S	1' (.30 m) Stone
BNZ-18B	1.5' (.46 m) Black	BNZ-36S	3' (.91 m) Stone
BNZ-24B	2' (.61 m) Black	BNZ-72S	6' (1.8 m) Stone
BNZ-36B	3' (.91 m) Black	BNZ-12W	1' (.30 m) White
BNZ-48B	4' (1.22 m) Black	BNZ-36W	3' (.91 m) White
BNZ-72B	6' (1.82 m) Black	BNZ-72W	6' (1.8 m) White
BNZ-96B	8' (2.44 m) Black	BNZ-120B	10' (3.05 m) Black

Bird Scape™



Bird Scape™ is a netting accessory that lets trapped birds leave netted off areas. Features a funnel that birds can fly out of, but not back into.

- ▶ Installs directly into bird netting with hog rings

Part #	Pack Size
BNBS-05	1 Bird Scape per pack

Net Clips



Net Clips are installed at areas that will need to be opened such as under lighting fixtures or A.C. units.

Part #	Pack Size
BNNC-034	3/4" (1.91 cm) Net Clip (100 per pack)
BNNC-200	2" (5.08 cm) Net Clip (100 per pack)

Self-Adhere Bird Net Anchors




The Self Adhere Bird Net Anchors are used on small net jobs to hold the net in place where drilling is not an option. Clean the surface before attaching anchors.

- ▶ Velcro makes for fast and easy access
- ▶ Available in black or stone

Part #	Pack Size
BNVNA-B	Bird Net Velcro Net Anchors Black (100 per pack)
BNVNA-S	Bird Net Velcro Net Anchors Stone (100 per pack)

Hilti .27 Cartridges



Hilti Cartridges are powder activated boosters used in a Hilti gun to secure attachments to steel and concrete.

- ▶ For use with BNMPCB-125HP-C and BNMPCB-125HP-S (p. 20)



Part #	Pack Size
BNHS-27	Bird Net Hilti .27 Booster Loads Red (100 per pack)

SDS Masonry Drill Bits



Masonry Drill Bits are used for drilling into concrete, brick, block, stone or other masonry.

- ▶ Penetrates up to 50% faster than standard masonry bits

Part #	Details
BNDB0500	Bird Net Drill Bit 5.0mm x 100mm
BNDB0600	Bird Net Drill Bit 6.0mm x 100mm
BNDB0650	Bird Net Drill Bit 6.5mm x 100mm
BNDB0800	Bird Net Drill Bit 8.0mm x 100mm
BNDB0100	Bird Net Drill Bit 10mm x 100mm
BNDB0120	Bird Net Drill Bit 12mm x 100mm
BNDB0140	Bird Net Drill Bit 14mm x 100mm

Lag Screw Driver



The Lag Screw Driver is a drill attachment used for installing lag screws into wood surfaces.

- ▶ For use with BNLS-SSM and BNLS-LGG (p. 20)

Part #	Description
BNLSD	Lag Screw Driver

Screw Eye Driver



The Screw Eye Driver is a small drill attachment used for installing Screw Eyes into wood surfaces.

- ▶ For use with all styles of screw eyes

Part #	Description
BNLSED	Screw Eye Driver Tool



Weather resistant mesh panels



Durable clips easily install without drilling

Bird Species	All species
Where to Use	Under solar panels
Material	UV resistant materials
Bird Pressure	Light to Heavy

Advantages & Benefits

- ▶ Keep birds from nesting beneath solar panels
- ▶ Each kit covers a standard 3kW system: 2 rows of 6 panels
- ▶ No drilling required
- ▶ Mesh is virtually invisible once installed
- ▶ Clips will not scratch or effect integrity of solar panels

Item Name	Part #	Pack Size
Solar Panel Bird Deterrent Kit	SLRKIT-50	(35) Solar Clips (10) 5' x 8" Hardware Cloth Panels
Solar Panel Bird Deterrent Clips	SLRCLPS-35	35 Solar Clips
	SLRCLPS-50	50 Solar Clips
	SLRCLPS-100	100 Solar Clips

Bat Netting

Where to Use	Eaves, canopies, attics, bell towers, etc.
Material	3/8" (9.52 mm) polyethylene knotted black mesh
Warranty	10 Years

Part #	Mesh Size	Piece Size
BAT-10X10	3/8" (9.53 mm) black	10' x 10' (3.05 m x 3.04 m)
BAT-25X25	3/8" (9.53 mm) black	25' x 25' (7.62 m x 7.62 m)
BAT-50X50	3/8" (9.53 mm) black	50' x 50' (15.24 m x 15.24 m)
BAT-50X100	3/8" (9.53 mm) black	50' x 100' (15.24 m x 30.48 m)
BAT-CUSTOM	3/8" (9.53 mm) black	Includes FREE extra foot

Advantages & Benefits

- ▶ Block bats from entering unwanted areas
- ▶ Long lasting UV protected polyethylene mesh

**Pond Netting****Protect water fowl from contaminated water.**

Part #	Mesh Size	Color	Break Strength
PN034-144-CUSTOM	3/4" (19mm) - Custom	Black	144 lbs
PN134-116-CUSTOM	1 3/4" (44mm) - Custom	Black	116 lbs
PN134-241-CUSTOM	1 3/4" (44mm) - Custom	Black	241 lbs
PN200-116-CUSTOM	2" (50mm) - Custom	Black	116 lbs
PN400-381-CUSTOM	4" (100mm) - Custom	Black	381 lbs

Custom Net: Pond netting is available in various sizes and strengths to protect even the largest ponds.

Where to Use	Tailing ponds, retention ponds, water collection sites, oil pits
Material	Dupont® nylon knotted black mesh

Advantages & Benefits

- ▶ Minimum break strengths of 116 lbs
- ▶ Durable construction for harsh environments
- ▶ Optional rope border available
- ▶ Protect water fowl from oil and contaminated water
- ▶ Net installation hardware & tools available
- ▶ Prevent costly lawsuits from bird deaths
- ▶ Most efficient & effective method for excluding birds





Protect plants and crops

Advantages & Benefits

- ▶ Inexpensive one season netting
- ▶ Available in bulk rolls or small sizes
- ▶ Lightweight and virtually invisible
- ▶ 3 sizes of mesh to exclude all birds
- ▶ Easy to handle and install

Bird Species	All birds
Where to Use	Gardens, vineyards, fruit trees, bushes, eaves, orchards, etc.
Material	UV protected polypropylene

Part #	Mesh Size	Piece Size
UN-141	1/4" (6.3 mm)	14' x 100' (4.27 m x 30.48 m)
UN-142	1/4" (6.3 mm)	14' x 200' (4.27 m x 60.96 m)
UN-143	1/4" (6.3 mm)	14' x 500' (4.27 m x 152.4 m)
UN-121	1/2" (12.7 mm)	14' x 100' (4.27 m x 30.48 m)
UN-122	1/2" (12.7 mm)	14' x 200' (4.27 m x 60.96 m)
UN-123	1/2" (12.7 mm)	14' x 3,000' (4.27 m x 914.40 m)
UN-341	3/4" (19 mm)	14' x 100' (4.27 m x 30.48 m)
UN-342	3/4" (19 mm)	14' x 200' (4.27 m x 60.96 m)
UN-343	3/4" (19 mm)	14' x 5,000' (4.27 m x 1524 m)

Poly-Clip For fast and easy installation of Ultra Net

Part #	Description
UNCLIPS-CASE	Case Clips (250 per box)
UNCLIPS-1/2CASE	Half Case Clips (125 per box)



NEW

Vineyard Netting

Bird Netting



Advantages & Benefits

- ▶ High strength anti-rip construction
- ▶ Made of UV stabilized High Density Polyethylene yarns
- ▶ Non-abrasive knitted mesh protects grape and berry skins
- ▶ Premium netting (230 denier) lasts 3+ growing seasons
- ▶ Super premium netting (550 denier) lasts 6+ growing seasons

Bird Species	All birds
Where to Use	Vineyards, berry farms, other row crops
Material	High density polyethylene (HDPE) knitted yarn

Vineyard Netting - Diamond

- ▶ Easily stretches to the length and width needed
- ▶ Applied from bags—no rolls, spools or cores

Part #	Mesh Size	Piece Size	Grade
VINDP17X25	3/4" (1.91 cm)	17' x 25' (5.18 m x 7.62 m)	Premium
VINDP17X100	3/4" (1.91 cm)	17' x 100' (5.18 m x 30.48 m)	Premium
VINDP17X500	3/4" (1.91 cm)	17' x 500' (5.18 m x 152.4 m)	Premium
VINDP17X2000	3/4" (1.91 cm)	17' x 2000' (5.18 m x 609.6 m)	Premium
VINSP17X1000	3/4" (1.91 cm)	17' x 1000' (5.18 m x 304.8 m)	Super Premium

Bare Hand Bird Netting - Square

- ▶ Soft, pliable, no-stretch 3/4" square mesh net
- ▶ Applied from bags—no rolls, spools or cores

Part #	Mesh Size	Piece Size	Grade
VIN17X1000-SP	3/4" (1.91 cm)	17' x 1000' (5.18 m x 304.8 m)	Premium
VIN17X500-SSP	3/4" (1.91 cm)	17' x 500' (5.18 m x 152.4 m)	Super Premium

NEW

Bird•B•Gone Deer Fencing

Netting



Part #	Description
DFN-100	Deer Fence Netting: 8 ft. x 100 ft.
DFN-300	Deer Fence Netting: 8 ft. x 300 ft.
DFN-CUSTOMKIT	Deer Fence Netting (Netting + Hardware)

Bird•B•Gone® Deer Fence Netting provides a humane and discreet physical barrier to protect your property from troublesome deer.

Advantages & Benefits

- ▶ Less expensive & easier to install than metal or wood fences
- ▶ Full 8 ft high fence available in 100 ft. and 300 ft. lengths
- ▶ 36-ply, UV resistant HD polyethylene 4" mesh, break strength: 175 lb
- ▶ Sewn in border included

- ▶ Bird Jolt Flat Track™ P.25
- ▶ Electric Track Components P.27
- ▶ Electric Track Chargers P.27
- ▶ Shock Track P.28

Electric Track

Electric Track

Bird Jolt Flat Track™



Patented
US 7596910
US 7941977
US 6250023
US 8250814
US 8245435
US 8191303

Standard Colors




Bird Jolt Flat Track™ is a low profile electrical track system which produces a mild electrical “jolt” when birds land on it. It uses copper knitted wire mesh, in a continuous “tube-in-tube” stocking design. This allows for greater conductivity, strength and reliability. The copper mesh is resistant to corrosion, alkaloids and acidic environments.

Suggested Electric Track Spacing

Every situation is different. Call us for installation guidance
(800) 392-6915


Light Infestation (large birds)

Single row of track at the outer edge(s):



Heavy Infestation (large or small birds)

Multiple rows of track:



See Chargers on Pg. 27

Bird Species	All Species
Where to Use	Ledges, signs, rooftops, I-beams, parapet walls, conduit, flat or curved surfaces
Material	Lightweight flexible UV stabilized PVC with copper knitted wire mesh “tube-in-tube” design
Bird Pressure	Light to Heavy

Advantages & Benefits


- ▶ #1 specified electric track by architects and government agencies
- ▶ Does not harm birds
- ▶ Patented “anti-arc” design means the ultimate in safety
- ▶ Effective for both small and large pest birds
- ▶ Crush proof! Will continue to work even if stepped on by window washers or building maintenance crews
- ▶ Glue troughs insulate conductors and allow for easy installation with construction grade adhesive
- ▶ Completely flexible; can bend 360°
- ▶ Low profile and virtually invisible. Only 1/4" (6.35 mm) tall
- ▶ Lightweight: 100' (30.48 m) kit weighs only 16 lbs (7.26 kg)
- ▶ “Snug-fit” connectors make it the easiest shock system to install
- ▶ Comes in easy to dispense box
- ▶ Can be cut with scissors
- ▶ Manufactured by Bird•B•Gone in the USA

To install: Bird Jolt Flat Track™ easily glues in place with construction grade adhesives available on page 46. Installation requires general knowledge of electrical systems. If you have questions or need an Authorized Installer call us at **1-800-392-6915**.



Bird Jolt Flat Track™

Patented Anti-Arcing Design



Part #	Length	Color
BJFT-GRY	100' (30.48 m)	Gray
BJFT-STN	100' (30.48 m)	Stone
BJFT-TER	100' (30.48 m)	Terracotta
BJFT-BLK	100' (30.48 m)	Black
BJFT-RED	100' (30.48 m)	Red
BJFT-CLR	100' (30.48 m)	Clear

For chargers and additional components see (page 27)



Bird Jolt Flat Track™ Kit



Bird Jolt Flat Track Kits come in a lightweight, easy to dispense box with carrying handle. Each kit contains:

- ▶ Bird Jolt Flat Track (Choose Color) (100' (30.48 m))
- ▶ Lead-in Connector Loops (2 ea.)
- ▶ "Snug-Fit" Track Connectors (3 ea.)
- ▶ Bilingual Warning Labels (10 ea.)
- ▶ "Snug-Fit" Corner Connectors (3 ea.)
- ▶ Blue Wire Connectors (10 ea.)

Part #	Length	Color
BJFTKIT/GRY	100' (30.48 m)	Gray
BJFTKIT/STN	100' (30.48 m)	Stone
BJFTKIT/TER	100' (30.48 m)	Terracotta
BJFTKIT/BLK	100' (30.48 m)	Black
BJFTKIT/RED	100' (30.48 m)	Red
BJFTKIT/CLR	100' (30.48 m)	Clear

Installation Accessories

Electric Track

T-Connectors



Connect track to a charger, to branch off in a new direction, or to connect intersecting track.


Advantages & Benefits

- ▶ Saves material & labor cost
- ▶ Offers a more secured connection
- ▶ Lower profile look

Part #	Pack Size	Color
BJFT-TC10	10/pack	Grey
BJFT-TC10/BLK	10/pack	Black

	Item	Description	Part #	Pack Size	Color
	Snug-Fit™ Connectors	Used to connect track to a charger, to branch off in a new direction, or to connect two pieces of track.	BJFT-SFC10	10/pack	Grey
			BJFT-SFC10/BLK	10/pack	Black
	Snug-Fit™ Corner Connectors	Used to turn a 90° corner with the Bird Jolt Flat Track®.	BJFT-SFCC	10/pack	Grey
			BJFT-SFCC/BLK	10/pack	Black
	Blue Wire Connectors	Used to connect electric track together or to a charger from the Snug-Fit Connectors.	BJFT-BCN100	10/pack	Blue
	Anti-Damming Risers	Used to lift track to prevent water from damming or to install on a surface that is hard to glue onto.	BJFT-ADR	10/pack	Grey

Electric Track Chargers

Item Name	Solar Charger	Direct Charger
		
Part #	CHG-SLR740	CHG-AC750
Description	Uses sunlight to supply power to up to 300' of electric track. Completely weatherproof.	Plugs into a regular 110v outlet and supplies power up to 500' of electric track. If outdoors, use Weatherproof Box (see below).
Area of Coverage	300' (91.44 m) of Track	500' (152.4 m) of Track
Input Voltage	4 VDC	110 - 120VAC
Output Voltage	7.0 KV (+/-) 20% Open Circuit Voltage, Intermittent DC Output	750 V (+/-) 20% Open Circuit Voltage, Intermittent AC Output
Dimensions	9.75" x 6.5" x 6.5" (24.77 cm x 16.51 cm x 16.51 cm)	5.4" x 3.6" x 7" (13.72 cm x 9.14 cm x 17.78 cm)
Weight	3.5 lbs. (1.59 kg)	2.2 lbs (1 kg)

14 Gauge Marine Grade Copper Lead-in Wire

Used to connect your charger to the electric track systems and also connect sections of track.

Available in three colors and three roll sizes.



Part #	Length	Color
BJFT-LIW20BLK	20' (6.10 m)	Black
BJFT-LIW50BLK	50' (15.24 m)	Black
BJFT-LIW100BLK	100' (30.48 m)	Black
BJFT-LIW20GRY	20' (6.10 m)	Grey
BJFT-LIW50GRY	50' (15.24 m)	Grey
BJFT-LIW100GRY	100' (30.48 m)	Grey
BJFT-LIW20STN	20' (6.10 m)	Stone
BJFT-LIW50STN	50' (15.24 m)	Stone
BJFT-LIW100STN	100' (30.48 m)	Stone

Installation Components

	Item	Description	Item Number	Pack Size
	Connector Loops	Used to attach the copper Lead-In Wire to your charger.	STPWC-10	10
	Bilingual Warning Labels	Placed every 10' to warn people of possible shock. (English/Spanish)	BJFTWRNBI-10	10
	Voltage Tester	Used with the Electric Track systems to test the systems' output voltage.	BJFT-VLT	1
	Solar Battery Replacement	Battery for the Solar Charger (CHG-SLR740) should be replaced about once a year.	CHG-SLR-740BAT	1
	Waterproof Box	Protects Direct Chargers from weather when installed outdoors.	CHG-ACBOX	1

Bird•B•Gone® University

Learn to Install Electric Track

Bird•B•Gone® offers FREE training for all of our products. Bird•B•Gone® University teaches:

- Site evaluation
- Product selection
- How to install products
- Quoting bird jobs
- How to hang netting
- How to avoid problems
- Troubleshooting

**Call us at
1-800-392-6915
for details!**



Shock Track

Electric Track



Patented
US 6283064

Standard Colors

Stone	Black	Terracotta	Gray
-------	-------	------------	------

Easily glues
in place with
construction
grade adhesives
(Pg. 46)



The Shock Track System is a unique electrically charged track that gives birds a mild shock when they land on it. The low profile track has a "flow through" design which prevents water from accumulating around the track.

To install: Installation requires general knowledge of electrical systems. If you have questions or need an authorized installer call us at **1-800-392-6915**.



Shock Track (Track Only)

Part #	Length	Color
ST-100GRY	100' (30.48 m)	Gray
ST-100STN	100' (30.48 m)	Stone
ST-100TER	100' (30.48 m)	Terracotta
ST-100BLK	100' (30.48 m)	Black

For chargers see (page 27)

Shock Track Kit

Shock Track Kits contain the key components used in standard installations.



Kit Includes:
Shock Track (Choose Color) (100' (30.48 m))
Mounting Clips (30 ea.)
Blue T-Tap Quick Disconnect (10 ea.)
Red Quick Disconnect Insulated (10 ea.)
Connector Loop (2 ea.)
Shock Track Connector (3 ea.)
Bilingual Warning labels (10 ea.)

Part #	Length	Color
STKIT/GRY	100' (30.48 m)	Gray
STKIT/STN	100' (30.48 m)	Stone
STKIT/TER	100' (30.48 m)	Terracotta
STKIT/BLK	100' (30.48 m)	Black

Bird Species	All Species
Where to Use	Ledges, signs, rooftops, I-beams, parapet walls, flat or curved surfaces
Material	Flexible PVC base with stainless steel wires heat staked to the track. UV protected.
Bird Pressure	Light to Heavy

Advantages & Benefits

- ▶ Does not harm birds
- ▶ Low profile, virtually invisible
- ▶ Easy to corner: No need to cut and re-connect
- ▶ Crush proof
- ▶ Available in 100' kits complete with necessary hardware
- ▶ Pre-drilled holes make it easy to install, just glue it or screw it down
- ▶ Can conform to any surface: Can bend side-to-side and up and down
- ▶ "Anti-arcing" design means the ultimate in safety
- ▶ "Flow-through" design will not let water dam behind it
- ▶ Super light: 100' (30.48 m) kit weighs only 10 lbs (4.53 kg) and is easy to install
- ▶ Manufactured by Bird•B•Gone in the USA


Electric Track Chargers




Solar
powered
and 110v
chargers
available.

See Chargers on Pg. 27

Tools	Item	Description	Item Number	Pack Size
	T-Tap Disconnect	Used with Quick Disconnects to "t-off" track or attach track to a charger.	STBLUETT-20	20
	Closed End Connector	Used to connect track to a charger, to branch off or connect two pieces.	ST-CTR10	10
	Quick Disconnect	Used with T-Tap Disconnects to "t-off" track, or attach track to a charger.	STREDQD-20	20
	Copper Crimps	Used to attach lead-in wire to the wire running along the top of the track.	ST-CC100	100
	Mounting Clips	Used to install track on surfaces that are difficult to glue onto.	ST-MC30	30
	Closed End Insulated Crimp Sleeve	Used to attach lead-in wire to the wire running along the top of the track.	ST-CES20	20



Part #	Area of Coverage	Pack Size
SLP-GRY4 (Gray)	5.5" (13.97 cm)	4' (1.22 m) sections 48' (14.63 m) per box
SLP-STN4 (Stone)	5.5" (13.97 cm)	4' (1.22 m) sections 48' (14.63 m) per box



Bird Slope™ installed on window sills.



Bird Slope™ installed under eaves.

Bird Species	All species
Where to Use	Ledges, parking garages, I-beams with widths up to 10.5" (26.67 cm)
Material	UV protected outdoor grade PVC
Bird Pressure	Light to Heavy
Warranty	2 years

Bird Slope™'s unique design makes it impossible for birds to land or roost on 90° areas like eaves and ledges.

Advantages & Benefits

- ▶ Prevents birds from landing and nesting on ledges up to 5.5" (13.97 cm) wide
- ▶ Unique "Slope Extender" increases coverage for areas up to 10.5" (26.67 cm) wide
- ▶ Effective for both large and small birds
- ▶ Ideal for parking garages, I-beams and 90° ledges
- ▶ Glue trough on underside for easy adhesive application
- ▶ Easy to install End Caps prevent birds from getting behind Slope
- ▶ Made of a UV protected outdoor grade PVC plastic
- ▶ Longest guarantee and lowest cost
- ▶ 4' (1.22 m) sections for fast installation
- ▶ Manufactured by Bird•B•Gone in the USA!

To install: Surface should be clean and dry before installation. Bird Slope covers a 5.5" ledge; for larger ledges Extenders are available. Glue onto surface using glue troughs. End Caps should be installed to prevent birds from getting behind Slope.

CAD Details and specifications available at www.birdbgone.com









Easily glues in place. Construction grade adhesives available on page 46.





Bird Slope™ Installation Accessories

	Item	Description	Details	Item Number	Pack Size
	Bird Slope™ Extenders	Bird Slope™ Extenders can be attached to cover ledges between 5.5" to 10.5" wide.	Easily adapts Bird Slope™ to wider ledges (up to 10.5") Extender "snaps on" the top of Bird Slope™	SLPEXT-GRY4 (Gray) SLPEXT-STN4 (Stone)	4' (1.22 m) sections 48' (14.63 m)/box 4' (1.22 m) sections 48' (14.63 m)/box
	Bird Slope™ Extender Connectors	Slope Connectors eliminate gaps between two pieces of Slope.	Connectors available for Bird Slope™ and Slope Extenders Ideal for sloped surfaces Snap into place	SLPCONGRY-10 SLPCONSTN-10 SLPCONEXTGRY-10 SLPCONEXTSTN-10	Slope Connector: Gray (10 pk) Slope Connector: Stone (10 pk) Extender Connector: Gray (10 pk) Extender Connector: Stone (10 pk)
	Mounting Clips	Use Mounting Clips to install Bird Slope™ on vertical surfaces.	One clip every 1' (30.48 cm) 20 per pack	SLP-MC20	20 per pack: Clear
	End Caps	Block birds from entering the open area behind slope.	Simply glue the end cap to each end Available in 2 colors	SLPECAP-GRY SLPECAP-STN	10 per pack: Gray 10 per pack: Stone
	Extender End Caps	Block birds from entering the area behind extended-width slopes.	For use with Bird Slope Extenders Glues into place	SLPEXTCAP-GRY SLPEXTCAP-STN	10 per pack: Gray 10 per pack: Stone



Bird•B•Gone® University


Learn to install Bird Slope™

Bird•B•Gone offers FREE training for all of our products. Bird•B•Gone® University teaches:



- Site evaluation
- Choosing the right product
- How to install products
- Quoting bird jobs
- How to hang netting
- How to avoid problems
- Troubleshooting

**Call us at
1-800-392-6915
for details!**



Patent
US7036278

Part #	Diameter	Area of Coverage
BS200SPN	2' (0.61 m)	1'-2' (0.30 m - 0.61 m)
BS400SPN	4' (1.22 m)	3'-4' (0.91 m - 1.22 m)
BS600SPN	6' (1.83 m)	4'-6' (1.22 m - 1.83 m)
BS800SPN	8' (2.44 m)	6'-8' (1.83 m - 2.44 m)



The Bird Spider 360°™ features long lasting UV protected polycarbonate tips that help the arms bounce and sway in the wind. The new tips also prevent scuffing on surfaces.

Bird Species	Pigeons, seagulls and larger birds
Where to Use	AC units, street lights, signs, boats, rooftops
Material	316 marine grade stainless steel "arms" and "pin" on a UV protected polycarbonate base. Separate PVC base and #10 316 grade screws included
Bird Pressure	Light to Medium

Bird Spider 360°™ is a humane stand-alone physical bird deterrent that is used to prevent birds from landing. Pre-assembled and easy to install, Bird Spider 360°™ can be used in a variety of settings including: boats, docks, Biminis, light posts, air conditioner units, skylights, dock pilings, and more! No-tangle "arms" bounce and sway in the wind, creating a visual distraction zone so birds will not want to come near the area. Made in USA.




Advantages & Benefits

- ▶ Bird Spider 360°™ is a visual bird deterrent used to scare large birds away from concentrated areas. This bird deterrent is humane, safe, and will not harm birds
- ▶ No-tangle arms bounce and sway in the wind, creating a visual distraction zone so birds will not want to come near the area
- ▶ Pre-assembled, easy to install; available in 2 ft., 4 ft., 6 ft., and 8 ft. diameters for optimal coverage
- ▶ Patented design has been high wind tested – will not break or fall off in high wind areas.
- ▶ Made in USA by Bird•B•Gone, Inc.

Bird Spider 360°™ easily glues in place using the included base. Construction grade adhesives are available on page 46.




Installation Accessories


	Item	Description	Details	Item Number	Pack Size
	Boat Base	Used to install the Bird Spider around masts or spreaders.	Attaches directly to Bird Spider 360°™ Secures with bungee cords or other tie-down systems	BSBB2	1 per pack
	Sand Bag Base	Provides a portable weighted option for boat canvases and Biminis.	Attaches directly to Bird Spider 360°™ and Repeller 360°™ Hardware included Weighs 7 lbs.	BSBB-SB	1 per pack
	Railing Mount	Easily secures Repeller 360°™ and Bird Spider 360°™ to railing sizes ranging from 1/2" to 1.86" thick	Includes disk and screws for mounting/attachment Can easily be removed and stowed while sailing or cruising	RLMNT	1 per pack



Bird Wire installed on window ledges



To install: Surface should be clean and dry before installation. Measure surface area to determine how many rows are required. Posts are placed every 5' with a new spring every 10'. Alternate post heights when installing multiple rows.













Bird Species	Pigeons and seagulls
Where to Use	Ledges, signs, rooftops, curved or flat surfaces
Material	316 Stainless steel wire coated with UV stabilized clear nylon
Bird Pressure	Light to Medium
Warranty	5 years

Bird Wire is a post and wire system that provides an unstable landing area for pigeons or seagulls. Ideal for areas where aesthetics are a concern, the low-profile Bird Wire involves a series of stainless steel posts supporting nylon coated 316 stainless steel wire that is tensioned between the posts using springs.

Advantages & Benefits


- ▶ #1 Bird Wire system specified by architects
- ▶ CAD details and specifications available at www.birdbgone.com
- ▶ Low profile and low visibility
- ▶ Low maintenance
- ▶ Ideal for hand rails
- ▶ Affordable pricing
- ▶ Industry leading 5 year guarantee
- ▶ Approved for use on federal and state government structures
- ▶ Ideal for large birds such as pigeons, gulls and crows



	Item	Description	Details	Item Number	Pack Size
	Nylon Coated Bird Wire	Strung between Stainless Steel Posts.	316 Stainless steel wire coated with UV stabilized clear nylon .045 mm 1 x 7 wire	BWNCW1 BWNCW2	820' (250 m) Roll 328' (100 m) Roll
	Glue-On Bases	Can be screwed or glued onto surfaces where drilling is not an option.	UV protected glass filled nylon Support Bird Wire posts	BWB100 BWB050	Gray Bases (100 per pack) Gray Bases (50 per pack)
	Stainless Steel Posts	Used to suspend Bird Wire.	4 mm diameter, 316 marine grade stainless steel posts Ends are beveled to aid installation into either the anchor rivet or glue-on base	BWSSP60-100 BWSSP60-25 BWSSP50-100 BWSSP50-25 BWSSP45-100 BWSSP45-25 BWSSP35-100 BWSSP35-25	6" (15.24 cm) Post (100 per pack) 6" (15.24 cm) Post (25 per pack) 5" (12.70 cm) Post (100 per pack) 5" (12.70 cm) Post (25 per pack) 4.5" (11.43 cm) Post (100 per pack) 4.5" (11.43 cm) Post (25 per pack) 3.5" (8.89 cm) Post (100 per pack) 3.5" (8.89 cm) Post (25 per pack)
	Nickel-Plated Copper Crimps	Used to secure bird wire to the posts.	Nickel-plated for durability	BWCC-100	Copper Crimps (100 per pack)
	Railing Clamps	Used to attach Bird Wire system to railings or pipes.	Adjustable stainless steel clamps with 3.5" (8.89 cm) Bird Wire posts	Item Number BWRC-1 BWRC-2 BWRC-3 BWRC-4 BWRC-4/2 BWRC2P-6	Clamp Size 1" (2.54 cm) 1 Post (10/pk) 2" (5.08 cm) 1 Post (10/pk) 3" (7.62 cm) 1 Post (10/pk) 4" (10.16 cm) 1 Post (10/pk) 4" (10.16 cm) 2 Posts (10/pk) 6" (15.24 cm) 2 Posts (10/pk) Railing Size 3/4" - 1-1/4" (1.91 cm - 3.18 cm) 1-5/16" - 2-1/2" (3.33 cm - 6.35 cm) 2-9/16" - 3-1/2" (6.51 cm - 8.89 cm) 3-9/16" - 4-1/2" (9.05 cm - 11.43 cm) 3-9/16" - 4-1/2" (9.05 cm - 11.43 cm) 5-1/8" - 6" (13.02 cm - 15.24 cm)
	Stainless Steel Springs	Causes the Bird Wire to be unstable when birds land on it.	316 Grade Stainless Steel Springs Two sizes available: Standard & Micro	BWSSS-100 BWSSS-50 BWMS1 BWMS1-5	Standard Springs (100 per pack) Standard Springs (50 per pack) Micro Springs (100 per pack) Micro Springs (50 per pack)
	Gutter & Girder Clamps	Used to attach the Bird Wire system to gutters or girders.	Fits I-beams up to 3/4" (1.91 cm) thick.	BWBC00 BWGC00	Bird Wire Beam Clamp (10 per pack) Bird Wire Gutter Clamp (10 per pack)
	Anchor Rivets	Support Bird Wire posts when drilled into surface.	Use 6.5 mm drill bit	BN10R BN15R	1" (25.4 mm) Anchor Rivet (100/pk) 1.5" (38.1 mm) Anchor Rivet (100/pk)
	3-Post Ridge Bracket	Designed for roof peaks & special installation areas.	Perfect for angled surfaces and corners	BW3PRB	3-Post Ridge Bracket (each) (3) 3.5" (8.89 cm) posts
	Gull Wire	Gull Wire Polyethylene and Steel Wire	Prevents gulls & other large birds from landing on flat surfaces Installed 6' - 8' above ground Virtually invisible from below	GW-WIRE	820 feet per spool

Bird-OFF™ Gel

Bird Repellents



Advantages & Benefits

- ▶ Smell and sticky feeling on the feet of birds drives them away
- ▶ Will not entrap non-targeted species
- ▶ Made in the USA
- ▶ Lasts up to 1 year per application
- ▶ Easy to clean up using soap and water
- ▶ Virtually invisible



Bird Species	All Species
Where to Use	Horizontal surfaces including: Ledges, I-beams, parapet walls, conduit, pipes, flat or curved surfaces
Material	Geraniol white pepper, Mineral Oil, Silica
Bird Pressure	Light to Medium

Bird-OFF™ Gel is used to keep pest birds off of horizontal surfaces. The unique combination of smells and the sticky sensation on their feet causes birds to stop landing on the surface and leave the area. Bird-OFF™ Gel causes no burning sensation and is safe for installers.

Description	Coverage	Part #
Bird-OFF™ Gel (10 tubes/case)	100' (36.58 m) x 3" (7.6 cm)	BOG-CASE
Bird-OFF™ Gel (5 Gallons)	640' (36.58 m) x 3" (7.6 cm)	BOG-5GAL
Caulking Gun (24 oz.)	NA	BOG-AAP/GUN
Follow Plate (for 24 oz Gun)	NA	BOG-AAP/PLATE

To install: Bird OFF™ Gel is applied in a zig-zag pattern with no more than 2" (5 cm) gaps. Do not install on a vertical surface.



Transparent Bird Gel

Bird Repellents



Coverage	Part #	Pack Size
120' (36.58 m) x 3" (7.6 cm)	TBG-Case	12/Case

Transparent Bird Gel is a sticky gel used to keep pest birds off of horizontal surfaces. Birds can't stand the sticky sensation on their feet and will move on.

Dripless Caulking Gun: Page 46

This ergonomic gun makes installing gels easy. See page 46 for the Dripless Caulking Gun details and job site cleaning supplies.



Bird Species	Pigeons and Starlings
Where to Use	Horizontal surfaces including: Ledges, I-beams, parapet walls, conduit, pipes, flat or curved surfaces
Material	Polybutene 93%; Inert 7%
Bird Pressure	Light to Medium

Advantages & Benefits

- ▶ Creates a sticky surface which birds hate
- ▶ Not harmful to birds and people
- ▶ Designed for pigeons and starlings, not for use for non-targeted species of birds
- ▶ Lasts up to 6 months outdoors
- ▶ Effective from 15° F (-9° C) to 200° F (93° C)
- ▶ Virtually invisible

To install: Transparent Bird Gel is applied in a zig-zag pattern with no more than 2" (5 cm) gaps. Do not install on a vertical surface.



Migrate™ is a tool for the behavior modification of Canada geese (*Branta Candensis*). As a taste aversion agent, Migrate™ changes the taste of the grass to become unpalatable to geese. This causes the geese to leave the area completely to find better feeding and living conditions.

To install: Mix 1 gallon concentrate with 14 gallons water. Apply to lawn and shrubbery with Hudson Favorite® Sprayer.

Bird Species	Geese
Where to Use	Parks, golf courses, industrial parks, waterfront homes, athletic fields and more
Active Ingredient	Methyl Anthranilate
Bird Pressure	Light to Medium

Advantages & Benefits

- ▶ Not harmful to birds and people
- ▶ Keeps property clear of goose droppings
- ▶ Geese will find the treated grass unpalatable & move on
- ▶ Use on grass or other areas where geese are feeding
- ▶ Best applied with spray equipment such as garden sprayers or commercial power sprayers

Part #	Size	Coverage
GRG-GAL1	1 Gallon	16,000 sq. ft (1,486 sq. m)

EcoBird® 1.45

NEW



Bird Species	Geese
Where to Use	Parks, golf courses, industrial parks, waterfront homes, athletic fields and more
Active Ingredient	Methyl Anthranilate
Bird Pressure	Light to Medium

EcoBird® 1.45 is a non-hazardous Goose & Bird repellent, made from food-grade materials, suitable for both agricultural and non-agricultural use.

Advantages & Benefits

- ▶ Non-hazardous bird repellent made from food-grade materials
- ▶ Utilizes 14.5% active ingredient, Methyl Anthranilate
- ▶ Does not harm birds, people, or pets
- ▶ For use through direct or indirect spraying and drip lines.
- ▶ Ecological and economical

Part #	Size	Coverage
ECOBRD-15	1 Gallon	16,000 sq. ft (1,486 sq. m)

BeakGuard®

Advantages & Benefits

- ▶ Environmentally friendly; will not harm woodpeckers
- ▶ Easy to apply to almost any surface
- ▶ Durable and weather-resistant
- ▶ Effective quickly after application
- ▶ Custom colors available



Bird Species	Woodpeckers
Where to Use	Exterior surfaces including wood, fiber-cement, stucco, aluminum, or vinyl
Material	Elastomeric acrylic paint
Bird Pressure	Light to Heavy

Part #	Color	Coverage
WPK-BG-BRN	Brown	180 sq. ft. (16.72 sq. m)
WPK-BG-GRY	Gray	180 sq. ft. (16.72 sq. m)
WPK-BG-STN	Stone	180 sq. ft. (16.72 sq. m)
WPK-BG-WHT	White	180 sq. ft. (16.72 sq. m)

Hudson Favorite® Sprayer



Part #	Description
SPRY-1.5G	1.5 gal/6 liter sprayer

Use with goose repellents.



How to Remove and Deter Birds from Inside Buildings

For many stores, pest birds, droppings, and nesting materials pose serious health and safety issues which may result in lost revenue and fines. Bird•B•Gone® offers a variety of solutions to help you rid pest birds from stores and other large contained areas.

As with all bird control jobs, evaluate the extent and the root of the problem. Identify the bird species and how birds are entering the building (gaps, broken windows, old pipe chases, etc.). All areas should be repaired; bird nests and bird droppings properly removed. Be sure to remove all food, water, and clean-up any spills that would attract birds. As birds often enter through overhead doors, we suggest the installation of Bird•B•Gone® Vinyl Strip Doors or Bird•B•Gone® Bird Net Curtain to help keep birds out. Once birds occupy the interior of the building, the most



Prior to removing birds from inside a building, birds must first be removed from nesting, roosting, and landing sites on the exterior of the building as well as shoring up any entry points.

effective method for deterring and removing birds will involve a combination of one or more methods depending upon the situation:

Sparrows and other small birds: We highly recommend Bird•B•Gone® Mist Net that can be hung parallel to the point of entry (e.g. loading docks) allowing for the humane capture of multiple birds for proper release. Combine Mist Net with Bird•B•Gone® Sparrow Charmer™, a field tested audio calling device that lures sparrows into netting and traps through the broadcast of Bird•B•Gone®'s proprietary sparrow call.

Highly visible and high-traffic locations: Use the Bird•B•Gone® Sparrow Sky Trap, a bird trap that can be hung from the ceiling and includes a tray that securely captures droppings or other debris. Combine with Bird•B•Gone® Sparrow Charmer™ for maximum results.

Large, "open" indoor/outdoor areas: We recommend the use of Agrilaser® Lite (pg. 36) and bird hazing. Agrilaser® Lite repels birds with patented optical technology. Birds perceive the laser beam as an approaching physical danger and fly away in search for safer grounds. After systematic use, the birds will consider the area in which the Agrilaser® Lite is used as unsafe and will not return. Bird Hazing—dispersing a light haze/fog of Methyl Anthranilate (non-toxic, food-grade ingredient) through the air which irritates the birds' mucous membranes causing them to subsequently avoid the area. However, we do not recommend Bird Hazing for buildings that are heavily occupied by people and have large amounts of foot traffic.

Larger birds including pigeons: A combination of Agrilaser® Lite, humane trapping, and bird hazing is strongly recommended. To ensure you have the correct traps based upon flock size and location, call our Bird Control Experts at 800-392-6915.

While the removal of pest birds may appear to be a challenge, you can safely remove birds from the premises and prevent them from returning with cooperative personnel and the right combination of products. Should you require assistance, please contact our Bird Control Experts at (800) 392-6915. We will be more than happy to provide you with the assistance needed to ensure you have the right products specified to resolve the bird problem properly and efficiently.

Key Products

Sparrow Sky Trap
Pg 41



Bird Net Curtain
Pg 47



Mist Netting
Pg 40



Sparrow Charmer™
Pg 39



Net Launcher
Pg 41



Vinyl Strip Doors
Pg 47





Bird Hazing

Bird Hazing has proven to be effective in dispersing pest birds where other methods of bird control may be ineffective or impractical. Bird Hazing units efficiently deploy a light fog or haze of bird repellent made with Methyl Anthranilate (a non-toxic, food-grade ingredient). The active ingredient irritates a bird's mucous membranes. Birds find the sensation unpleasant and will subsequently avoid the area. The effect is temporary and will not harm the birds.

Where is Bird Hazing Recommended?

Bird Hazing is particularly effective in removing birds from large indoor/outdoor areas, warehouses, aircraft hangars, and plant nurseries. It has been proven effective for driving out pigeons, seagulls, geese, starlings, and many other pest birds. We do not, however, recommend Bird Hazing for buildings that are heavily occupied and have large amounts of foot traffic.

Hazing vs. Fogging

Bird Hazing is used when birds are a problem in enclosed to semi-enclosed areas, semi-enclosed docks, and overhangs. A light haze of bird repellent is created through a Bird Haze unit which, depending upon the features of the unit, can often be programmed or set to run in intervals.

Bird Fogging is used in wide open areas where birds are a nuisance. Bird control fogs are used against flocks of birds that spend time in parks, golf courses, memorial parks and other large open spaces. The fog is created through the use of either a stationary or hand-held fogging unit. The units generate an aerosol of the Methyl Anthranilate. Foggers produce a "wet fog" that will not penetrate shrubs, so fogging is best used in the open areas that birds fly through or graze in. Fogging should be repeated as often as necessary to keep birds away.

Hazing	Fogging
Used in enclosed and semi-enclosed areas	Used in wide open spaces
Moves birds out of areas where they are roosting and nesting	Moves flocks of birds from open spaces
Creates a small particle mist	Creates a "wet fog"
Depending upon the unit, may be programmed or set to run in intervals	Usually applied with hand-held unit on a scheduled basis

Bird•B•Gone® Hazer

NEW



Bird B Gone Hazer is an affordable and advanced hazing system that releases a fine fog of bird repellent into the air to deter pest birds from large open spaces.

- ▶ Effective for most pest birds
- ▶ Advanced nozzle design distributes fog particle size less than 5 microns
- ▶ Saves money - uses significantly less liquid repellent than other hazing units
- ▶ Each Main Control Unit can control up to 6 satellite units to help ensure full perimeter coverage
- ▶ Designed for indoor and outdoor use
- ▶ Tank Capacity: 1 liter

Item	Hazer Main Control Unit	Satellite Unit
SKU	HAZR-BBG	HAZR-BBGSAT
Dimensions	14" x 16" x 6"	14" x 6" x 6"
Weight (Empty)	32 lbs	4 lbs
Material	Weatherproof NEMA Polycarbonate	Powder-coated Metal
Haze Particle Size	Less than 5 microns	Less than 5 microns

EcoBird® 4.0

NEW

Advantages & Benefits

- ▶ EPA approved: safe for indoor and outdoor applications
- ▶ Non-hazardous bird repellent made from food-grade materials
- ▶ Utilizes 40% active ingredient, Methyl Anthranilate
- ▶ Does not harm birds, people, or pets
- ▶ Ecological and economical
- ▶ For use with mechanical spraying & fogging equipment



Part #	Size
ECOBIRD-40	1 Gallon



Avian Control®

Bird Repellents



Avian Control® uses cutting edge technology to efficiently repel undesirable birds without harming the birds, humans or other animals (including household pets).

Advantages & Benefits

- ▶ Non-lethal and mild enough to use around people and animals
- ▶ Low cost, effective solution
- ▶ Simple application via ground, aerial spraying, or fogging
- ▶ Utilizes 20% active ingredient, Methyl Anthranilate
- ▶ EPA approved for use on numerous crops
- ▶ For indoor fogging use: undiluted at a rate not to exceed two (2) fl. oz. per 10,000 cubic ft.
- ▶ For outdoor fogging use: undiluted at a rate of 12-16 fl. oz. per acre Recommended spray
- ▶ Recommended spray application rate on turf is 12-42 fl. oz. per acre up to a maximum of 5 gal. per acre.

Part #	Size
AVN-GAL	1 Gallon



Rejex-it® Fog Force™

Bird Repellents



Rejex-it® Fog Force™ Bird Repellent is a fogging agent that is an efficient tool for the management of nuisance birds without harming target and non-target birds or other animals.

Advantages & Benefits

- ▶ Used to deter birds and geese from open spaces
- ▶ Non-toxic and easy to use
- ▶ Utilizes 40% active ingredient, Methyl Anthranilate
- ▶ For use with mechanical spraying & fogging equipment
- ▶ Will not harm birds, people, or pets
- ▶ For indoor fogging use: undiluted at a rate not to exceed one (1) fl. oz. per 10,000 cubic ft.
- ▶ For outdoor fogging use: undiluted at a rate of 6-8 fl. oz. per acre

Part #	Size
BFFDA	1 Gallon

NEW Dyna-Fog™ Falcon 4000

Bird Repellents



Easily, effectively and economically dispenses oil based insecticides, fungicides, germicides, disinfectants, odor control, and other chemical products.

Advantages & Benefits

- ▶ Ergonomic tank design conforms to the operator's body
- ▶ Greatest performance-to-weight ratio of any machine available
- ▶ Large easy-to-remove tank caps - easily accessible

SKU	BF-FOGAPP
Type	Thermal Aerosol Fog, Resonant Pulse Principle
Dimensions	52" x 12.5" x 12.3"
Weight (Empty)	14.8 lbs (6.71 kg)
Formulation Tank	1.64 gal
Power Supply	(1) 1.5 Volt "AAA" size Alkaline Battery
Fog Particle Size	0.5-50 microns

- ▶ Standard with 1.5 VDC "Buzzer" patented microprocessor ignition system with integrated switch
- ▶ Patented Dyna-Fog™ stainless steel engine and starting system for easy reliable and consistent starting



The Bird•B•Gone® Sparrow Charmer™ lures sparrows into netting and traps through the broadcast of our Bird•B•Gone®'s proprietary sparrow call. Field tested and scientifically proven to attract sparrows, Sparrow Charmer™ is the perfect add-on to any mist net kit or trap. For suggested use in big box and retail stores, warehouses, or any large indoor or outdoor space in which you need to capture sparrows.

Tips & Tricks

Use Sparrow Charmer™ to lure sparrows into traps.



Package Includes

- ▶ Sparrow Charmer™
- ▶ Mounting clip
- ▶ Remote control
- ▶ USB cord
- ▶ USB power adapter
- ▶ Power cord

Bird Species	Sparrows
Where to Use	Warehouses, big box stores, airplane hangers, grocery stores
Dimensions	5" x 2" x 1" (12.7 cm x 5.08 cm x 2.54 cm)
Temperature	Light - heavy
Part Number	BIRDCALL-SP

Advantages & Benefits

- ▶ Programmed with Bird•B•Gone®'s proprietary sparrow call; field tested and proven to attract sparrows
- ▶ Separate remote control functions up to 150 meters away
- ▶ Volume control up to 170 db
- ▶ Attracts sparrows up to 2 acres away
- ▶ Programmable adjustable timer
- ▶ Built-in speaker with push button controls
- ▶ Additional speaker available for added coverage
- ▶ Easy to use
- ▶ Plays up to 18 continuous hours
- ▶ Rechargeable lithium battery



The Agrilaser® Lite repels birds during lighting conditions of 10.000 Lux or less, which you can compare with cloudy weather. Birds perceive the laser beam as an approaching physical danger and fly away in search for safer grounds. Unlike conventional methods of bird deterrence, there will be no habituation effect. After consistent use, birds will perceive the area as unsafe and will not return. The Agrilaser® Lite is most effective during sunrise and sunset and in overcast, rainy or foggy weather conditions.

Kit Includes

- ▶ Agrilaser® Lite
- ▶ Firm storage box
- ▶ 2x Rechargeable batteries
- ▶ Battery charger

Part Number	AGRL-LT
Bird Species	All Birds
Where to Use	Indoor/Outdoor use; wherever pest birds are a nuisance.
Range	1000 meter
Battery Lifetime	2.5 hours
Battery Type	2x rechargeable batteries
Dimensions	7.68" x 1" (19.5 cm x 2.5 cm)

Advantages & Benefits

- ▶ Uses green laser technology with a range of 1000 m
- ▶ Fast and long-lasting results
- ▶ Developed in cooperation with farmers and scientists
- ▶ Suitable for repelling different species of birds
- ▶ Easy to use
- ▶ Environment and animal friendly
- ▶ Effective during sunrise and sunset and in overcast, rainy, and foggy weather



Mist Net

Trapping



Part #	Net Size
MIST7X10	7' x 10' (2.13 m x 3.05 m)
MIST10X20	10' x 20' (3.05 m x 6.10 m)
MIST10X30	10' x 30' (3.05 m x 9.14 m)
MIST10X40	10' x 40' (3.05 m x 12.19 m)

Mist Net is a simple, humane way to catch and release trapped birds.

Bird Species	All Birds
Where to Use	Warehouses, big box stores, airplane hangars, grocery stores
Material	UV protected nylon
Bird Pressure	Light - heavy

Advantages & Benefits

- ▶ Humanely captures birds for removal
- ▶ Made from extremely fine fibers that birds cannot see
- ▶ Will not harm birds
- ▶ Designed to capture multiple birds with 1 net
- ▶ Ideal for big box stores, warehouses, grocery stores or other indoor areas where birds are trapped
- ▶ Available in 4 sizes

To install: Mist Net is hung directly in birds' flight paths. When birds hit the net, they become immobile, which makes it easy to remove and set them free outside of the structure.

Tips & Tricks

For maximum effect lure sparrows in with Sparrow Charmer™
See Pg. 39



Mist Net Kit

Trapping



Part #	Description
MISTCAP-KIT	Net: 10' x 30' (3.05 m x 9.14 m)
MISTCAP-KIT/20	Net: 10' x 20' (3.05 m x 6.10 m)
MISTCAP-KIT-CHRM	Net: 10' x 30' (3.05 m x 9.14 m) & Sparrow Charmer
MISTCAP-KIT/20-CHRM	Net: 10' x 20' (3.05 m x 6.10 m) & Sparrow Charmer

Our Mist Net Kit contains everything needed to capture and release trapped birds.

Mist Net Kit Includes:

- ▶ Mist Net 1 per kit (Choose one size)
- ▶ Telescoping Poles 2 each
- ▶ Hook Attachments 2 each
- ▶ Magnet Attachments 2 each
- ▶ Laser Pointer 1 each
- ▶ Carrying Case 1 each
- ▶ Magnet Covers 2 each
- ▶ Sparrow Charmer 1 each with MISTCAP-KIT-CHRM and MISTCAP-KIT/20-CHRM

Mist Net Accessories

	Item	Details	Item Number
	Telescoping Pole	Use to hang Mist Net: 18' (5.4m)	MISTP18 (One per pack)
	Hook Attachment	Attaches to Telescoping Pole to hang Mist Nets from ceiling beams	MISTHOOK (One per pack)
	Magnet Attachment	Attaches to Telescoping Pole to hang Mist Nets from metal ceiling beams	MISTMGNT (One per pack)
	Laser Pointer	Use light beam to scare birds into Mist Net	MISTLZR (One per pack)
	Carrying Case	Convenient for storing and transporting Mist Net components	MISTCS1 (One per pack)
	Magnet Cover	For easy removal of magnet attachment	MISTRCLR (One per pack)



Kit Includes:

- Firing Handle
- 2 Net Cones
- 10 Air Cartridges
- Carrying Strap
- 2 Replacement "O" Rings
- 1 Spare End Cover Cap
- A Lockable Aluminum Foam-lined Carrying Case

Bird Species	All Birds
Where to Use	Wherever birds need to be relocated. Indoor or outdoor use.
Material	Durable plastic with nylon netting.
Bird Pressure	Light - heavy

The Super Talon Ultra™ Net Launcher is a heavy duty hand held net launcher used to capture birds for later release. The Super Talon comes complete with accessories and a carrying case.

Advantages & Benefits

- ▶ Humane, will not harm birds
- ▶ The Net Launcher is only 12.5 inches long and 2.3 lbs
- ▶ Net launches up to 60 feet
- ▶ 2" mesh effective for all birds
- ▶ Used worldwide by animal control agencies and research scientists
- ▶ Ideal for warehouses, food production sites, storage facilities, big box stores and other areas
- ▶ Kit comes complete with everything needed including air cartridges and multiple net launchers
- ▶ Used exclusively by the USDA, US Fish & Wildlife and APHIS
- ▶ Made in the USA

Net Sizes	Description
NETGUN/KIT-2	SuperTalon Ultra™ Net Launcher Kit with 2" mesh (7' circle)
NETGUN/CARTRIDGE	Air Cartridges (35 grams) - 1/pk
NETGUN/CONE-2	Net Cone with 2" mesh (7' circle)
NETGUN/CONE-4	Net Cone with 4" mesh (7' circle)
NETGUN/CONE-4G	Net Cone with 4" mesh with grapples (7' circle)
NETGUN/CONE-6	Net Cone with 6" mesh (9'X9' Square)
NETGUN/NET-2	Net 2" mesh (7' circle)
NETGUN/NET-6	Net 6" mesh (9'X9' Square)

Sparrow Sky Trap


NEW

Net Sizes	Dimensions
BMP-SW-SKY	24"W x 12"L x 18"H (60.96 cm x 30.48 cm x 45.72)

The Bird B Gone® Sparrow Sky Trap is a hanging trap designed for the capture of sparrows and smaller birds in high traffic areas.


Advantages & Benefits

- ▶ Hanging trap designed for high traffic areas
- ▶ Proven V- top entry design enables Sky Trap to hang from the ceiling or sit on a flat surface
- ▶ Pop-up feature makes this trap 24" x 12" x 18" high.
- ▶ Wider/longer pan (30" x 16") captures droppings or other debris that may fall from the inside the trap
- ▶ V- top includes built-in feed pan that lures birds to the top of the trap
- ▶ Perches placed inside of the trap calms birds after capture
- ▶ Includes water/feed containers
- ▶ Full wire floor
- ▶ Simple assembly; assembles in minutes
- ▶ Trap and slide-out pan can be easily cleaned
- ▶ Slide-out pan constructed of heavy 26 gauge sheet metal



Tips & Tricks

For maximum effect lure sparrows in with Sparrow Charmer™
See Pg. 39





Large Pigeon Trap with Shade, Food & Water

Part #: BMP-SW/LP-SFW

- One 1-gallon water container and feeder pan
- Six one-way entry doors with door guard
- Divided trap with two access top doors
- Hinged shade screen
- Capacity: 30+ birds
- 16 lbs. (7.25 kg)
- Dimensions: 45" x 24" x 10" (116.84 cm x 60.96 cm x 25.4 cm)



Pigeon Trap with Shade, Food & Water

Part #: BMP-SW/SP-SFW

- Three one-way entry doors with door guard
- Centered top access door for easy removal of birds
- Hinged shade screen
- Water container and feeder pan
- Capacity: 12+ birds
- Lightweight: 10 lbs. (4.53 kg)
- Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)



Slanted Surface Pigeon Trap with Shade, Food & Water

Part #: BMP-SW/AD-LEGS


- One 1-gallon water container and feeder pan
- Adjustable legs ideal for slanted surfaces
- Six one-way entry doors with door guard
- Heavy slide out galvanized flat pan and fold down landing platforms
- Hinged shade screens
- Capacity: 20+ birds
- 23 lbs. (10.43 kg)
- Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.4 cm)



Large Pigeon Hotel

Part #: BMP-SW/HTL

- Four one-way entry doors
- Two top-access doors
- Two wooden perches
- Full wire floor
- Capacity 25+ birds
- 19 lbs.
- Dimensions: 36" x 24" x 26" (91.4 cm x 60.96 cm x 66 cm)
- Simple assembly




Grand Pigeon Hotel

Part #: BMP-SW-GRND-MTY

- Six one-way entry doors and two top-access doors
- Includes four wooden perches
- Capacity 45+ birds
- Dimensions: 80" x 24" x 26" (203.2 cm x 60.9 cm x 66 cm), 32 lbs.
- Simple assembly
- Shipped unassembled to save on shipping costs

Part #: BMP-SW-GRND-SFW

- Same as BMP-SW-GRND-MTY plus: 1-gallon water container, feed station and a removable shade screen




Snap Trap

Part #: BMP-SW/SNAP-S: 17" x 17" x 2.5" (43.18 cm x 43.18 cm x 6.35 cm)

Part #: BMP-SW/SNAP-M: 24" x 24" x 2.5" (60.96 cm x 60.96 cm x 6.35 cm)

- Simple to use with proven results.
- When bait tray is triggered, a spring loaded nylon net closes over the birds to trap them quickly and safely.
- Base of trap and net are green to blend in with its surroundings.
- This trap can be mounted on buildings, walls, and trees.
- The snap trap is powder coated for rust resistance.




Side View

Sparrow Trap

Part #: BMP-SP2C

- Two chamber
- Bi-level repeating trap
- Dual level design eliminates captured feeling by birds
- Large capacity (can hold a large number of sparrows)
- Lightweight: 4 lbs. (1.81 kg)
- Dimensions: 16" x 12" x 8" (40.64 cm x 30.48 cm x 20.32 cm)


For maximum effect lure sparrows in with Sparrow Charmer™ on Pg. 39

**Sparrow Trap with Food and Water**

Part #: BMP-SW/SSP3-WF

- Two top access removal doors
- Bi-level eliminates captured feeling by birds
- Repeating trap
- Easy access to service feed and water station
- Six entry funnel doors (three per compartment)
- 13 lbs. (5.89 kg)
- Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.40 cm)

For maximum effect lure sparrows in with Sparrow Charmer™ on Pg. 39

**Collapsible Pigeon Trap**

Part #: BMP-PSCP

- Easily to assemble and collapses to 1" (2.54 cm) high
- One door on each side
- Capacity: 18+ pigeons
- 14 lbs. (6.35 kg)
- Dimensions: 40" x 22" x 12" (101.60 cm x 55.88 cm x 30.48 cm)

**Pigeon Motel**


Part #: BMP-SW/SPM

- Ideal for commercial or residential use
- Two one-way entry doors
- Each door has a door guard
- Easy to store and re-use
- Portable
- Capacity: 6+ birds
- Lightweight 5 lbs. (2.26 kg)
- Dimensions: 24" x 12" x 8" (60.96 cm x 30.48 cm x 20.32 cm)

**Collapsible Pigeon Trap with Shade**

Part #: BMP-SW/CP-S

- Four one way entry doors - one on each side
- Easily assembles and collapses to 1" (2.54 cm) high
- Hinged shade screen
- Capacity: 12+ birds
- Lightweight 8 lbs. (3.62 kg)
- Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)

**Transporters**

Medium Part #: BMP-SW/TRN-M; Large Part #: BMP-SW/TRN-L

- Constructed of heavy 14- and 16-gauge welded wire
- Carrier collapses to 1" tall for storage
- Full wire floor with slide out galvanized flat pan
- Medium Capacity: 8+ birds
- Large Capacity: 25+ birds
- Medium Dimensions: 24" x 12" x 9" (60.96 cm x 30.48 cm x 22.86 cm)
- Large Dimensions: 36" x 16" x 9" (91.44 cm x 40.64 cm x 22.86 cm)



Bird Chase Super Sonic™

Sound Deterrents



Bird Chase Super Sonic™ (IB50-PCOM)
Covers: 1 acre

Simple Outdoor Solution

The Bird Chase Super Sonic is an outdoor sound device used to deter pest birds. Distress and predator calls from 24 types of birds are broadcast for two minutes at ten minute intervals to scare pest birds from large open spaces.

Bird Chase Super Sonic™ Options



Super Sonic Speakers (2)
SONIC-SP2



Bird Chase Super Sonic™ Pro Pack 2
IB50-PPII



Bird Chase Super Sonic™ Pro Pack 4
IB50-PPIV

Bird Species	All species
Where to Use	Warehouses, rooftops, yards, open lots
Bird Pressure	Light to Medium

Advantages & Benefits

- ▶ Includes goose deterrent sounds
- ▶ Deter birds from large open spaces with bird distress and predator calls
- ▶ Low cost method of protecting your property
- ▶ Features the distress and predator calls of 24 types of birds
- ▶ Programmable, you can choose your target bird
- ▶ UV protected and water resistant
- ▶ Can be programmed to turn on/off automatically at night
- ▶ Covers 1 acre. Add additional speakers for coverage up to 5 acres
- ▶ 30-day unconditional money back guarantee
- ▶ 100 ft of speaker wire for each speaker

Part #	Description
IB50-PCOM	Bird Chase Super Sonic™
IB50-PPII	Bird Chase Super Sonic™ Pro Pack 2
IB50-PPIV	Bird Chase Super Sonic™ Pro Pack 4
SONIC-SP2	Super Sonic Speakers (2)



Solar Bird Chase Super Sonic™

Sound Deterrents



The Solar Bird Chase Super Sonic™ is ideal for use in large open spaces where there is no access to a power source. Solar panels charge and store energy to keep the system operating during inclement weather. To install: place unit in sun for 8 hours to charge. Optionally, you can plug unit in and charge for 4 hours. Once the unit is fully charged, place the unit on a flat surface where it receives sun for most of the day. This will keep it optimally charged. Select the proper bird setting from the menu, adjust volume, and watch the birds disappear.



Bird Species	All species
Where to Use	Warehouses, rooftops, yards, open lots and more
Bird Pressure	Light to Medium

Advantages & Benefits

- ▶ Unit powered by sustainable solar energy
- ▶ Deters birds from large open spaces with recorded bird distress and predator calls
- ▶ Covers 1 acre
- ▶ Water resistant – meant for outdoor use
- ▶ Programmable
- ▶ Light sensor automatically powers down the deterrent when the sun goes down
- ▶ Unconditional 30-day money back guarantee

Part #	Description
UR58	Solar Bird Chase Super Sonic™

Sound Deterrents

ZON™ Mark IV Bird Scare Cannon™

NEW

Designed to produce a regulated sonic blast to scare pest birds and wildlife, ZON™ Mark IV Birds Scare Cannon™ will protect 1 to 5 acres, depending upon topography. Ideal for use in agricultural fields, vineyards, orchards, airports, or any other large open area where pest birds are problematic.

Advantages & Benefits

- ▶ Built-in timer, multi-shot, automatic, random, on-demand modes, and hose failure protection regulator
- ▶ Can be mounted on vehicles or vessels for aggressive scare tactics
- ▶ Detonation intervals can be set from 1 to 60 minutes
- ▶ Three random modes to eliminate animal tolerance by randomly varying the time after each shot series
- ▶ Reliable printed circuit board controls gas flow and ignition
- ▶ No moving parts to replace or adjust
- ▶ Optional ZON Tripod raises & rotates cannon for maximum effect and range



Bird Species	All species
Where to Use	Vineyards, orchards, row crops, airports, or other large open spaces.

COVERAGE
5
ACRES

Part #	Description
CANNON-MARK	ZON™ Mark IV Bird Scare Cannon™
CANNON-TRIPOD/M	ZON™ Rotating 4' Tripod for Mark IV Cannon

Sound Deterrents

ZON™ Electra Bird Scare Cannon™

NEW

Advantages & Benefits

- ▶ Economical -- 20 lb. propane tank delivers about 17,000 explosions
- ▶ Light for easy mobility -- weighs only 8.4 kg (18.5 lbs.)
- ▶ Operates in strong wind conditions
- ▶ Detonation intervals adjustable from 40 seconds to 30 minutes
- ▶ Stable frame design prevents movement when detonating
- ▶ Brass seated electrode with fixed-point setting delivers consistent spark
- ▶ Optional ZON Tripod raises & rotates cannon for maximum effect and range



Bird Species	All species
Where to Use	Vineyards, orchards, row crops, airports, or other large open spaces.

COVERAGE
5
ACRES

Part #	Description
CANNON-ELECTRA	ZON™ Electra Bird Scare Cannon™
CANNON-TRIPOD/E	ZON™ Rotating 4' Tripod for Electra Bird Scare Cannon™

Sound Deterrents

HyperSpike® AirHawk™

NEW

Based on military technology used to project sound over great distances without radios, or to direct disruptive sounds at specific targets, the AirHawk™ provides effective acoustic bird deterrence for wide-open areas. The ingenious device fully exploits a bird's sensitive hearing and natural alertness to danger. The 2,300 Hz sounds are powerful enough at 155 dB to discourage even the most stubborn birds to leave an area.

Advantages & Benefits

- ▶ 5° Directional high frequency output
- ▶ 62 Cu. In./3000 Psi tank
- ▶ Optional laser aiming device
- ▶ Machined metal parts and composite polymer plastics
- ▶ Durable low maintenance mechanical design



Part #
AIR-HAWK
Dimensions
17.1" L x 14.0" W x 14.4" H -- 9.8 lbs.

- ▶ No electricity or batteries required
- ▶ 155 Db peak output @ 2300 hz
- ▶ Ruggedized case included
- ▶ Included recharge adapter compatible to any S.C.U.B.A. Tank refill station



- ♦ Stop birds from entering buildings, warehouses and loading docks
- ♦ Can be used in conjunction with Bird Net 2000™, and other Bird•B•Gone products
- ♦ Custom sizes available
- ♦ Complete with hardware and ready to hang

Custom Size Strip Doors Flat Strip - Full Overlap

Part #	Door Width x Height	% of Overlap
VSD-08CS	8" x .080" (20.32 cm x .20 cm) Door Strip x Door Height	Full
VSD-12CS	12" x .120" (30.48 cm x .3048 cm) Door Strip x Door Height	Full
VSD-16CS	16" x .160" (40.64 cm x .406 cm) Door Strip x Door Height	Full

Standard Size Strip Doors Made with Standard Flat Strip

Part #	Door Width x Height	% of Overlap
VSD-3X7	3' w x 7' h (.914 m x 2.13 m)	50%
VSD-4X8	4' w x 8' h (1.21 m x 2.44 m)	50%
VSD-6X8	6' w x 8' h (1.83 m x 2.44 m)	50%
VSD-8X8	8' w x 8' h (2.44 m x 2.44 m)	50%
VSD-8X10	8' w x 10' h (2.44 m x 3.05 m)	66%
VSD-10X10	10' w x 10' h (3.05 m x 3.05 m)	66%
VSD-12X12	12' w x 12' h (3.66 m x 3.66 m)	66%

Bird Net Curtain**NEW**

Part #
CRTN-CUSTOM

Bird Net Curtain
sliding hooks

Bird•B•Gone® Bird Net Curtains enable roll up doors to remain open for ventilation during working hours and significantly reduces the opportunity for birds to enter the building. Each Bird Net Curtain is custom cut based upon your specifications and door frame size. Choose from three sizes of bird net - 3/4", 1-1/8" & 2" mesh depending upon the type of bird you wish to keep out. Bird•B•Gone® Bird Net Curtains easily open and close to allow for in and out traffic.

- ♦ Keeps birds from entering warehouses, loading docks, and manufacturing plants
- ♦ Uses Heavy Duty Bird Net 2000™ hung as a curtain to keep birds out
- ♦ Easily installed using the included bird net hardware and industrial curtain track

Gutter Brush**NEW**

Prevent clogs and protect rain gutters all year long with Bird•B•Gone® Gutter Brush! Bird•B•Gone® Gutter Brush prevents leaves, branches, and other debris (including nesting birds) from entering rain gutters while allowing water to flow unobstructed. Made from durable PVC and a galvanized steel core, Bird•B•Gone® Gutter Brush is easy to install as no tools are required. 8 lengths; 26 ft. per box.



Part #	Dimensions
BG-BRUSH	39.38" x 4" in diameter (1 m x 100 mm)



Visual Bird Deterrents

Miscellaneous

Repeller 360^o™

Part #: RPL360



- ♦ Uses sustainable wind energy
- ♦ Ideal for docks and boats
- ♦ Patent pending clip locks unit into place - will not blow off in high winds
- ♦ UV protected - designed for outdoor use
- ♦ Sweeps birds continually in a 6' diameter
- ♦ Humane: Won't harm birds

Solar Bird Repeller

Part #: RPL-SLR1

Part#: RPLR-ARMS (2 Replacement Telescoping Rods (2.5' (.076m))



- ♦ Solar powered with rechargeable batteries
- ♦ Rechargeable batteries store power for use in low or no light
- ♦ Lightweight propeller rotates at 30 RPM
- ♦ Durable 316 stainless steel telescoping arms cover a 5' (1.52 m) diameter
- ♦ Sweeps birds continually in a 5' diameter



Physical Bird Deterrents





Miscellaneous

Flash Tape - NEW SIZE!		Bird•B•Gone® Diverter	Bird•B•Gone® Balloon
Part #: MMFT-050: 1" Wide (3-50' rolls) NEW!: MMAFT-SIL: 2" Wide (1-150' roll)		Part #: SED-5	Part #: SEB-1
			
<ul style="list-style-type: none"> ♦ Iridescent foil tape scares birds away with reflective surface 		<ul style="list-style-type: none"> ♦ Iridescent foil "predator" eye scares birds away ♦ 5 diverters per pack 	<ul style="list-style-type: none"> ♦ Inflatable scare device ♦ Confuses birds with lifelike reflective "predator" eyes ♦ Includes flash tape
Scarecrow		Mini Scarecrow	Copper Mesh
Part #: SCRW-MAS		Part #: SCRW-MINI	Part #: CMS-20 20' (6.10 m) CMS-100 100' (30.48 m)
			
<ul style="list-style-type: none"> ♦ Motion activated infrared sensor detects birds when present then "fires" water ♦ Shoots over 1,000 times on only one 9 volt battery 		<ul style="list-style-type: none"> ♦ Sensor detects motion up to 3.5' (1 m) away ♦ Sprays compressed air - odorless and harmless ♦ Each can holds over 500 sprays 	<ul style="list-style-type: none"> ♦ Ideal for roof tiles and open spaces around dryer vents ♦ Packs tightly into cracks and holes for exclusion of pests and birds



Marketing Materials

Authorized Installers

Display Case	Interactive Display Case	Custom Sell Sheets	Authorized Installer Logo Sticker
FREE	FREE	FREE	FREE
			
Our display case is the perfect visual tool to bring along when giving a sales presentation on bird control services.	USB flash drive that contains a digital interactive display case showcasing our products, case studies and specs.	We offer free customized "sell sheets" you can give to existing or potential customers to let them know you provide bird control as a service.	When displayed on your vehicle, this waterproof vinyl sticker is perfect for letting customers know you can help them with their bird control needs.



Children gather with Bruce in Sierra Leone, Africa!

Bird•B•Gone Gives Back

Our motto is "it's more than just bird control products, it's faith, family and friends" and we don't just say it, we live it! Not only do we treat our team members and customers like family we have extended this motto to include those less fortunate around the world. Bird•B•Gone has teamed with Children of the Nations, (a non-profit organization that provides holistic care to orphaned and destitute children across the globe) to help fund the building of orphanages in Liberia and Sierra Leone! We couldn't do it without you! Your continued support of Bird•B•Gone allows us to make a life-saving and positive impact on impoverished and orphaned children's lives!



Through your continued support of Bird•B•Gone™ products, we have been able to provide COTN in Sierra Leone with a brick making machine. This machine creates bricks out of local materials to create homes, classrooms and hospitals.



Entrance to the "Bird•B•Gone" Dormitory.



On the porch of the Dormitory.



Interior of the "Bird•B•Gone" Dormitory.



Government

United States Postal Service
Ellis Island Monument
Yosemite National Park
Jackson County Courthouse, MS
NASA
City of Austin, Texas
Orange County (FL) Convention Center
USDA
City of Phoenix
US Bureau of Land Management
City of Portland
NYPD
US Fish & Wildlife
CA Department of Corrections
City of Ithaca Consolidated Transit
City of Minneapolis
Port of Portland
Port of Seattle
San Francisco Housing Auth.
SEPTA - Philadelphia
Federal Aviation Administration



Ft. Smith Air Force Base

Transportation

Union Pacific Railroad
Delta Airlines
New York State Department of Transportation
Bay Area Rapid Transit
Chicago Transit Authority
Pennsylvania Dept. of Transportation
Long Island Railroad
Southwest Airlines
Fort Worth Transportation Center
American Airlines
Continental Airlines
MTA - New York
Amtrak
Minnesota DOT
MTA Los Angeles
Delaware DOT
Oats Transit Missouri
Dallas Area Rapid Transit
Miami-Dade DOT
Jacksonville FL DOT



Terrebonne General Medical Center

Construction

Trammell Crow
Lusardi Construction
Whiting Turner Construction
FineLine Construction
ABM Engineering
Walsh Construction
Archer Daniels Midland
Barton Malow Company
Skanska
Bouis Lend Lease
Clark Construction
FH Paschen
CIANBRO Corporation
S.J. Amoroso
Swinerton Builders
Kiewit
McCarthy Consttuction
Flintco Construction
Cadence McShane
Hoffman Construction
Turner Construction



Safeway Stores

Utility

Pacific Gas And Electric
South Carolina Electric and Gas
Socal Edison
XCEL Energy
BC Hydro
LA Dept Water & Power
Sierra Pacific Power
Georgia Power
Florida Power & Light
TXU Generation Co
Duke Energy
American Electric Power
Entergy
Genon Energy
Centerpoint Energy
Bonneville Power Administration - Seattle
Detroit Edison Power

Military

Camp Pendleton
Scott Air Force Base
Andrews Air Force Base
Camp Lejeune
United States Coast Guard
Fort Stewart
Fort Bragg
Nellis Air Force Base
Travis Air Force Base
Vandenberg Air Force Base
Hurlburt Field
MCAS Miramar
March Air Force Base
US Army Corps of Engineers
Offutt Air Force Base
Navy Public Works
Altus Air Force Base
McGuire Air Force Base
Buckley Air Force Base

Hospitals

Kaiser Permanente
V.A. Medical Center - Long Beach, CA
Cedars-Sinai Medical Center
Mayo Clinic
Cardinal Health
St. John's Hospital - MI
St. Mary's Hospital - MN
LSU Medical Center
Three Rivers Med Center
NYS Psychiatric Institute
Tyco Healthcare
Mercy Medical
Elmhurst Memorial Hospital
Presbyterian Hospital Charlotte, NC
Bergan Mercy Hospital - Omaha, NE
Texas Children's Hospital
University of Utah Huntsman Cancer Institute
Florida Hospital Ormond Memorial
Terrebonne General Medical Center

Airports

Delta Airlines
Southwest Airlines
American Airlines
Continental Airlines
Gerald Ford Airport
Portland International Airport
Seattle-Tacoma Airport
Long Beach Airport, CA
San Diego County Regional Airport
Raleigh Durham International Airport
Pitt Greenville Airport - NC
Boston Regional Airport - Manchester, NH
Philadelphia International Airport
Dallas-Fort Worth International Airport
Rochester International Airport
Denver International Airport
Asheville Regional Airport - NC
Tulsa Airport Authority, OK
Kahului Airport, HI

Municipalities

Minneapolis, MN
Austin, TX
Phoenix, AZ
Portland, OR
Dallas, TX
Houston, TX
Las Vegas, NV
Los Angeles, CA
Milwaukee, WI
Sacramento, CA
Tucson, AZ
Salt Lake City, UT
Tampa, FL
Wichita, KS
Chattanooga, TN
Columbus, OH
Cedar Rapids, IA
Santa Monica, CA
Baltimore, MD

Stadiums

Yankee Stadium
Soldier Field
Citi Field Ball Park
Wrigley Field
Oklahoma State University
Camden Yards
Lincoln Financial Field
Citizens Bank Park
Texas A&M Olsen Field
Texas A&M Kyle Field
Sacramento City College
Hughes Stadium
Chesapeake Energy Arena
Kentucky Horse Park
Petco Field - San Diego, CA
Swayze Field - Mississippi
Flagler Dog Track



Hewlett School



Medical Center - Anaheim, CA



Airplane Hangar, Arkansas

Education

LA Unified School District
School District of Philadelphia
University of Arizona
University of Southern California
Purdue University
Tulane University
Texas Tech University
Louisiana State University
UCLA
University of Oklahoma
University of Texas
University of Georgia
University of Missouri
UC Santa Barbara
Cal Poly San Luis Obispo
UC San Francisco
Cornell University
University of Washington
Portland State University
California Institute of Technology

Retail

Home Depot
Walmart
McDonald's
Nordstrom
Costco
Sears
Kmart
Walgreens
Hewlett-Packard
PetSmart
Lowe's Home
Improvement
CVS
Ethan Allen
Carmax
Target
Burger King
Meijer
Publix Super Markets
Kraft Foods
Safeway Stores

Misc.

Seaworld
Gallo Winery
Hertz Rent A Car
Ritz-Carlton
Marriott Hotels
Florida Aquarium
Six Flags
Caesar's Palace
Lincoln Center for the
Performing Arts
Disney
Tropicana Products
Leprino Foods
Life Foods
Kennedy Space Center
Valero
Loury Park
Tampa Zoo
Alcatraz
9/11 Memorial - NJ
Exxon
BP



BIRD•B•GONE[®] Inc.

BirdBGone.com • 1 (800) 392-6915



Made in
the USA

Make Your Business Soar



2015

Partner with the leader in bird control