



BIRD•B•GONE[®] Inc.

PROFESSIONAL BIRD CONTROL SOLUTIONS
SINCE 1992

2013 PRODUCT CATALOG



Proudly Made in
the U.S.A.



The Leader in Bird Control... WORLDWIDE

Who is Bird•B•Gone?

THE INDUSTRY LEADER SINCE 1992



Bird•B•Gone, Inc. is the world's largest manufacturer of professional grade bird deterrents.

Since 1992, our products have helped solve pest bird problems in commercial, industrial and residential settings across the globe. Our superior products, excellent customer service and innovation have secured our position as the number one manufacturer and supplier of bird control products.

We pride ourselves on the personal relationships we build with our customers. At **Bird•B•Gone**, we measure our success by the success we create for our customers!

**IT'S MORE THAN JUST BIRD CONTROL PRODUCTS...
IT'S FAITH, FAMILY AND FRIENDS**

Why Bird•B•Gone?

OUR PEOPLE, PRODUCTS, EXPERTISE AND TRAINING MAKE THE DIFFERENCE!

- ▶ **Bird•B•Gone** products are humane, effective and carry industry leading guarantees!
- ▶ The #1 most specified products by architects, engineers and government agencies!
- ▶ We manufacture a majority of our own products at our facility in the United States ensuring the highest quality products at the lowest prices!
- ▶ Our products have been used to successfully deter birds at high profile locations such as airports, schools, hospitals, military bases, historical buildings and more!
- ▶ Our bird control engineers have a combined 80+ years of hands on experience!
- ▶ We are the only bird control company with an Ornithologist on staff to help teach and advise our customers!
- ▶ We offer free training and support for all aspects of bird control, including on-site training and technical support!
- ▶ We regularly host a free training course, **Bird•B•Gone University**, that teaches everything from quoting a job to product installation!
- ▶ We offer same day and express shipping, even on custom netting!
- ▶ Our products are available **worldwide** through a network of quality distributors!



QUALITY



SUPPORT



SERVICE



EXPERIENCE



TRAINING



MADE IN USA



FAMILY



FRIENDS



CHARITY



**WE PROVIDE SUPERIOR
CUSTOMER SERVICE!**



**WE OFFER EXPERT
ADVICE, TRAINING AND
SUPPORT!**




**WE MANUFACTURE OUR
OWN PRODUCTS!**

New Products



CLEAR
FLAT TRACK
PG. 22




POND NETTING
PG. 14



AVIAN
CONTROL
PG. 38



SOLAR BIRD
CHASE SONIC
PG. 44



BIRD
SPIDER 360°
PG. 32



NET
LAUNCHER
PG. 41



BIRD OFF GEL
PG. 37



BEAKGUARD
PG. 36

TABLE OF CONTENTS

WHY BIRD•B•GONE?

Bird Control Engineers	2
The Bird•B•Gone Difference	3
Why Bird Control?	4
Choose the Right Product	5

SPIKE SYSTEMS

Bird•B•Gone Stainless Steel Bird Spikes™	6
Bird•B•Gone Polycarbonate Bird Spikes™	8
Gutter Spike	10
Mega Spike	10
Girder Spike	11
All Stainless Steel™	11

BIRD NETTING

Bird Net 2000™	
Heavy Duty Netting	12
No-Knot Netting	15
Pond Netting	16
Hardware Cloth	16
Bat Netting	17
Ultra Net	17
Straining Wire & Fasteners	18
Corner Attachments	19
Intermediate Attachments	20
Bird Netting Accessories	22
Bird Netting Tools	23

ELECTRIC TRACK SYSTEMS

Bird Jolt Flat Track™	24
Bird Jolt Flat Track™ Kit	25
Shock Track	26
Shock Track Kit	27

BIRD DETERRENTS

Bird Slope™	30
Bird Wire	32
The Bird Spider 360°™	34
Gull Wire	35
Bird•B•Gone AAFS	36
Repeller 360°™	37
Solar Bird Repeller	37

BIRD REPELLENTS

Beakguard®	38
Sniff N' Stop®	38
Transparent Bird Gel	39
Bird-Off Gel®	39
Avian Control™	40
Goose Repellent	41
Fog Repellent	41

PROFESSIONAL TRAPS

Mist Netting	42
Net Launcher	43
Professional Bird Traps	44

SOUND DETERRENTS

Solar Bird Chase Super Sonic™	46
Bird Chase Super Sonic™	47
Goose•B•Gone Super Sonic	47

MISCELLANEOUS

Visual Bird Deterrents	48
Physical Bird Deterrents	48
Cleaning Supplies	48
Installer Kit	48
Adhesives & Sealants	49
Vinyl Strip Doors	49

TRAINING AND SUPPORT

Free Marketing Materials	50
Bird•B•Gone University	51
Worldwide On-Site Training	51
Worldwide Network of Authorized Installers	52
Guarantees	53
Same Day Shipping	53
Specifications	53
Innovation	54
On-Staff Ornithologist	54
Bird•B•Gone Gives Back	55
Client List	58



BIRD•B•GONE®
Inc.

Bird Control Engineers

A company or organization is only as good as its people and Bird•B•Gone has the best! Our bird control engineers lead the industry with more than 90 years of hands on experience. We've seen it all! Everyday we consult with large and small companies worldwide, helping them avoid costly mistakes and create "predictable success".

More than 90 years of combined experience in the bird control industry!



Ian Rowsby
18 years experience

"In my time with Bird•B•Gone I have developed strong relationships in the industry. I have helped our customers grow their businesses across the globe and I take great pride in the success they have achieved. I look forward to continued success in 2013." – **Ian Rowsby**



Rich Martin
18 years experience

"One of the best parts of my job is helping customers with difficult jobs on-site. Nothing beats getting the opportunity to teach people how to install bird control products and arm them with the skills to be able to do more in the future. We are truly helping them grow."

– **Rich Martin**



Mike Dougherty
15 years experience

"My years with Bird•B•Gone have allowed me to meet great people in the industry. The range of products we cover challenges me to solve bird problems in a different and creative fashion each time."

– **Mike Dougherty**



Scott Swanson
15 years experience

"Bird•B•Gone is my home and I consider my customers as my friends. I have worked on amazing projects with some of the smartest people in the industry, giving me the chance to experience things I wouldn't trade for anything." – **Scott Swanson**



Jeff Watts
11 years experience

"I deal with a variety of industries on a daily basis. Every day is unique. From architectural jobs to international skyscrapers, I get to help people across the globe create bird-free areas." – **Jeff Watts**



Chris Fields
9 years experience

"I have the pleasure of working with architects and engineers every day helping them plan for the future. Designing and developing plans to protect old and new structures from bird debris is something I take pride in."

– **Chris Fields**



Shaun Johnson
1 year experience

"I have already learned so much about this business. I am excited to get on the road and help our customers with their bird control issues. There is so much we can do at Bird•B•Gone to help our customers grow - I can't wait to show them how." – **Shaun Johnson**



Bryan Donoho
1 year experience

"Working in a growing market is a pleasure because I get to meet new people and show them what the Bird•B•Gone product line is all about. Top-of-the-line products and top-of-the-line service are what we are about and I enjoy providing that to our customers."

– **Bryan Donoho**

The Bird•B•Gone Difference

We Measure Our Success by the Success We Create for our Customers!

We consider our customers as our friends. We partner with our friends to assist, consult and help in all aspects of bird control. Our goal is not to "sell" you products but rather position you to make the best quality decisions when it comes to designing, specifying and installing the right bird control products within your budget!

We look forward to serving you. Because it's more than just bird control products...IT'S FAITH, FAMILY & FRIENDS!



Because Bird•B•Gone is only involved in bird control, we make it our business to stay on top of the latest advancements in the industry. We continue to provide our customers with the products and services that give them a leading edge in bird control.

The Old School Desk

Julie and I started Bird•B•Gone in 1992. Since we couldn't afford anything... our first office was in our bedroom. The old oak desk pictured here was our first piece of "office furniture". The desk held our telephone and fax machine. With your kindness and business we have steadily grown. Today we own and operate our own manufacturing facility which makes and ships our products all over the world. The old oak school desk still occupies the same space in our home a daily reminder of where we started.

- ▶ We thank you for your friendship.
- ▶ We thank you for helping us realize our dream.
- ▶ We thank you for your business and will continue to work hard to earn it!



Julie & Bruce Donoho



Why Bird Control?



It's important to take a proactive approach when dealing with pest birds. Birds not only carry and spread disease, but bird feces can corrode building materials. The build-up of droppings or nesting materials is unsightly, and can host parasites like bird mites. In the long run, it can save you time and money.

Bird Control is an Investment

- ▶ Eliminate Safety and Health Hazards - Decrease Your Liability!
- ▶ Eliminate the Spread of Diseases to Your Employees, Patrons and You!
- ▶ Decrease Expenses/Costs on Maintenance and Repair!
- ▶ Protect Your Property Value!
- ▶ Improve/Protect Your Image!

Image

Birds on a ledge or sign, or droppings covering a sidewalk will send a message to visitors that the business is careless and should not be trusted.

Inventory Damage

Droppings can damage products and contaminate production lines.

Work Stoppages

Employees will not and should not work in areas that are unsafe due to an accumulation of droppings.

Slip and Fall Risk

Droppings can be slippery. If a customer or employee falls they could not only get seriously injured, but they could sue the building owner.

Clogged Drains

Droppings and nesting materials regularly clog drains, causing damage during heavy rains.

Property/Equipment Damage

Droppings are acidic and can corrode through paint, roofing materials and fabrics eventually. These will need restoration or complete replacement.

Health Risk

Birds, droppings and nesting materials can carry up to 60 different diseases that can be passed to humans and animals.

Cost of Cleanup

Businesses that clean up after birds on a daily or weekly basis incur high clean up costs.

Health Code Violations

Pest bird droppings found in food processing plants, restaurants, storage facilities or other areas may violate health codes resulting in fines, legal action or closures.



Health Risk



Slip & Fall Risk



Equipment Damage



Image

Choose the Right Product



There are many factors to consider when choosing the right bird control product. It is important to do a site evaluation to determine the species of bird, location and the bird's behavior.

Not all products work for every situation and some situations may require multiple products. Choosing the correct product can mean the difference between success and failure.

Every situation is different. Call us for advice! 1-800-392-6915

Large Birds



PIGEONS

- ▶ Bird Spikes
- ▶ Bird Slope
- ▶ Bird Wire
- ▶ Bird Netting
- ▶ Bird Gel
- ▶ Bird Jolt
- ▶ Bird Spider
- ▶ Flat Track
- ▶ Trapping



CROWS

- ▶ Bird Spikes
- ▶ Bird Jolt Flat Track
- ▶ Bird Gel
- ▶ Bird Chase Solar Sonic



GULLS

- ▶ Bird Spikes
- ▶ Bird Wire
- ▶ Bird Jolt Flat Track
- ▶ Shock Track
- ▶ Gull Wire
- ▶ Bird Spider
- ▶ Bird Slope



GEESE

- ▶ Avian Control
- ▶ Goose Sonic
- ▶ Goose Repellent
- ▶ Scarecrow
- ▶ Fogging



**VULTURES/
RAPTORS**

- ▶ Mega Spike
- ▶ Shock Track
- ▶ Plastic Bird Spikes
- ▶ Scarecrow
- ▶ Bird Netting

Small Birds



SWALLOWS

- ▶ Bird Netting
- ▶ Bird Slope



SPARROWS

- ▶ Bird Netting
- ▶ Bird Jolt Flat Track
- ▶ Bird Slope
- ▶ Trapping



STARLINGS

- ▶ Bird Netting
- ▶ Bird Spikes
- ▶ Bird Jolt Flat Track
- ▶ Bird Slope
- ▶ Trapping



WOODPECKERS

- ▶ Bird Netting
- ▶ BeakGuard
- ▶ Sniff N' Stop
- ▶ UltraNet
- ▶ Visual Deterrents



GRACKLES

- ▶ Bird Jolt Flat Track
- ▶ Bird Gel
- ▶ Bird Chase Solar Sonic

Bird•B•Gone Stainless Steel Bird Spikes™



Stainless Steel bird spikes installed on a parapet.

Advantages & Benefits

- ▶ **#1 specified bird spike by architects, contractors and government agencies!**
- ▶ The lowest price and the longest guarantee!
- ▶ Virtually invisible!
- ▶ Humane, will not harm birds!
- ▶ Easy to install! Can be glued, screwed or tied down!
- ▶ Will not cut or injure the installer!
- ▶ Patented "**bend and crush**" design for permanent installations!
- ▶ 2' (60.96 cm) lengths. Up to 40 spikes per foot in linear array. Cuts labor time in half!
- ▶ No-nest design. No gap spacing to deter birds from roosting or landing!
- ▶ Manufactured by **Bird•B•Gone** in the USA!

Can bend 360°!




Industry Leading 10 Year Guarantee

Bird Species	Pigeons, seagulls or larger birds
Where to Use	Ledges, I-beams, parapet walls, conduits, signs, flat or curved surfaces
Material	Stainless steel spikes manufactured into a U.V. protected polycarbonate base
Bird Pressure	Light to Heavy
Warranty	10 years

Bird•B•Gone Stainless Steel Spikes

create an uneven surface preventing birds from landing on flat or curved areas. Spikes come pre-assembled in 2' sections and are made of stainless steel pins in a polycarbonate base.



To Install: Surface should be clean and dry before installation. Select width of bird spike based on surface to be covered, leaving no more than 1" on either side. Glue, screw or tie down to surface.



Virtually invisible!

Easily glues in place. Construction grade adhesives available on page 49.




CAD Details and specifications available at www.birdbgone.com

Bird•B•Gone Stainless Steel Bird Spikes™


7

SPIKE SYSTEMS



STAINLESS STEEL




Patented
US 6775950
US 6250023



Part #	Area of Coverage	Packing Size
BBG2001/8	8" - 10" (20.32 cm - 25.40 cm)	2' (60.96 cm) sections 50' (15.24 m) per box





Part #	Area of Coverage	Packing Size
BBG2001/5	5" - 7" (12.70 cm - 17.78 cm)	2' (60.96 cm) sections 50' (15.24 m) per box



Part #	Area of Coverage	Packing Size
BBG2001/3	2" - 4" (5.08 cm - 10.16 cm)	2' (60.96 cm) sections 50' (15.24 m) per box

Underside View

Patented "Bend and Crush" Design



Part #	Area of Coverage	Packing Size
BBG2001/1	1" - 2" (2.54 cm - 5.08 cm)	2' (60.96 cm) sections 50' (15.24 m) per box

* Attach using common hose clamps, nylon ties and wire lashings.

Bird•B•Gone Polycarbonate™ - The ORIGINAL Plastic Bird Spike!



Polycarbonate bird spikes installed on ledge.

Advantages & Benefits

- ▶ **Lowest cost bird spike deterrent!**
- ▶ Will not harm birds!
- ▶ Virtually invisible!
- ▶ The lowest price and the longest guarantee!
- ▶ Non-conductive. Will not interfere with electrical or communication transmissions!
- ▶ Rigid, super strong and unbreakable!
- ▶ U.V. protected and weatherproof. Won't be affected by extreme temperatures -200° F to 310° F (-128° C to 154° C)!
- ▶ 2' (60.96 cm) lengths. Cuts labor time in half!
- ▶ Easy to install! No maintenance! Can be glued, screwed or tied down!
- ▶ Manufactured by **Bird•B•Gone** in the USA!


Available in 7 colors!



Industry Leading 5 Year Guarantee

Bird Species	Pigeons, seagulls or larger birds
Where to Use	Ledges, I-beams, parapet walls, conduits, signs, flat or curved surfaces
Material	U.V. protected polycarbonate plastic one-piece rigid construction
Bird Pressure	Light to Heavy
Warranty	5 years

Bird•B•Gone Polycarbonate Spikes create an uneven surface preventing birds from landing on flat or curved surfaces. Bird spikes come pre-assembled in 2' sections and are made of U.V. protected polycarbonate.



To Install: Surface should be clean and dry before installation. Select width of bird spike based on surface to be covered, leaving no more than 1" on either side. Glue, screw or tie down to surface.



Spikes installed along roof lines and ledges will prevent birds from landing.


Easily glues in place. Construction grade adhesives available on page 49.




CAD Details and specifications available at www.birdbgone.com

Bird•B•Gone Polycarbonate™


Made in the U.S.A.




Patented
US 7596910
US 7941977
US 6250023
US 8250814
US 8245435
US 8191303



Part #	Area of Coverage	Packing Size
BBG2000-7	6" - 9" (15.24 cm - 22.86 cm)	2' (60.96 cm) sections 50' (15.24 m) per box




Part #	Area of Coverage	Packing Size
BBG2000-5	5" - 7" (12.70 cm - 17.78 cm)	2' (60.96 cm) sections 50' (15.24 m) per box



Part #	Area of Coverage	Packing Size
BBG2000-3	1" - 5" (2.54 cm - 12.70 cm)	2' (60.96 cm) sections 50' (15.24 m) per box

Underside View



Standard Colors

Crystal Clear



Concrete Tan



White



Brown




Black



Brick Red




Light Grey



* Custom Colors Available

Gutter Spike




Bird Species	Pigeons, seagulls or larger birds
Where to Use	Adapts to any size gutter
Material	Stainless steel spikes manufactured into a U.V. protected polycarbonate base with aluminum clamps
Bird Pressure	Light to Medium
Warranty	10 years

Advantages & Benefits

- ▶ Prevents birds from landing on gutter ledges!
- ▶ Prevents birds from nesting in gutters!
- ▶ Fits any size gutter!
- ▶ 10 year guarantee!
- ▶ No need for separate clips or hardware!
- ▶ Attached thumb screws make for easy installation!
- ▶ Virtually invisible!
- ▶ 2' (60.96 cm) lengths cuts labor time in half!
- ▶ Manufactured by **Bird•B•Gone** in the USA!


Part #	Area of Coverage	Packing Size
BGS	4" - 6" (10.16 cm - 15.24 cm)	2' (60.96 cm) sections 50' (15.24 m) per box



Mega Spike



Bird Species	Pigeons, seagulls, cormorants, vultures, raptors or larger birds
Where to Use	Ledges, I-beams, parapet walls, conduits, pipes, flat or curved surfaces
Material	Stainless steel spikes manufactured into a U.V. protected polycarbonate base
Bird Pressure	Light to Heavy
Warranty	10 years



Advantages & Benefits


- ▶ Ideal to prevent raptors, vultures, seagulls, cormorants and large birds from landing!
- ▶ Tallest bird spike deterrent available!
- ▶ Will not harm birds!
- ▶ Stainless steel spikes are virtually invisible!
- ▶ Easy to install. Can be glued, screwed, or tied down!
- ▶ 2' (60.96 cm) lengths cuts labor time in half!
- ▶ 10 year guarantee!
- ▶ Manufactured by **Bird•B•Gone** in the USA!

Part #	Area of Coverage	Packing Size
BBG2001-MS7	3" - 7" (7.62 cm - 17.78 cm)	2' (60.96 cm) sections 50' (15.24 m) per box

Easily glues in place. Construction grade adhesives available on page 49.



Girder Spike



Advantages & Benefits


- ▶ Prevents birds from landing on steel girders and I-beams!
- ▶ Ideal where clean up of debris or droppings is not possible!
- ▶ Fits any girder up to 1" (2.54 cm) thick!
- ▶ No need for separate clips or hardware!
- ▶ Attached girder clamps make for easy installation!
- ▶ Manufactured by **Bird•B•Gone** in the USA!

Bird Species	Pigeons, seagulls or larger birds
Where to Use	Adapts to any size girder up to 1" thick
Material	Stainless steel spikes manufactured into a U.V. protected polycarbonate base with aluminum clamp
Bird Pressure	Light to Heavy
Warranty	10 years

Part #	Product Width	Packing Size
BBGGDR-3	3" (7.62 cm)	2' (60.96 cm) sections 50' (15.24 m) per box
BBGGDR-5	5" (12.70 cm)	2' (60.96 cm) sections 50' (15.24 m) per box
BBGGDR-8	8" (20.32 cm)	2' (60.96 cm) sections 50' (15.24 m) per box



All Stainless Steel



Advantages & Benefits

- ▶ Highest quality heavy duty stainless steel!
- ▶ Unique "no nest" rigid design!
- ▶ Stackable! Smaller boxes make it easier to ship and store!
- ▶ Good for high heat conditions (chimneys, etc.)!
- ▶ 2' (60.96 cm) sections for easy installation!
- ▶ Won't cut or injure the installer!
- ▶ Virtually invisible!
- ▶ "Glue grips" for better adhesion!
- ▶ 10 year guarantee!
- ▶ "Snap-back memory" does not lose its shape after bending!

Bird Species	Pigeons, seagulls or larger birds
Where to Use	Ledges, I-beams, parapet walls, conduit, signs, flat or curved surfaces
Material	Stainless steel spikes manufactured into a stainless steel base
Bird Pressure	Light to Heavy
Warranty	10 years

Bird•B•Gone All Stainless Steel spikes create an uneven surface preventing large birds from landing on flat or curved surfaces. Spikes come pre-assembled in 2' sections and are made of stainless steel spikes manufactured into a stainless steel base.

Part #	Area of Coverage	Packaging Size
BBGSS/8	8" - 10" (20.32 cm - 25.40 cm)	2' (60.96 cm) sections 50' (15.24 m) per box
BBGSS/5	5" - 7" (12.70 cm - 17.78 cm)	2' (60.96 cm) sections 50' (15.24 m) per box
BBGSS/3	2" - 4" (5.08 cm - 10.16 cm)	2' (60.96 cm) sections 50' (15.24 m) per box

Easily glues in place. Construction grade adhesives available on page 49.



Bird Net 2000™ Heavy Duty Netting

Architectural Bird Control



Bird Net 2000 offers total exclusion of all pest birds.

Advantages & Benefits

- ▶ #1 Specified bird netting by architects and government agencies!
- ▶ The strongest netting at the lowest price!
- ▶ ISO 1806 and 9001 protocol mesh tested!
- ▶ “Sub-zero” stable! 270° F (132° C) melting point!
- ▶ U.V. stabilized, rot proof and waterproof!
- ▶ Non-conductive!
- ▶ Virtually invisible!
- ▶ Available in 3 colors to blend in with area of installation!
- ▶ Custom sizes available for same day shipping! You’ll never be short cut, we add an extra 1’ !
- ▶ We offer all the necessary hardware to install bird netting (see pages 18-23)!

Same day shipping even on custom cuts!

Industry Leading 10 Year Guarantee

Bird Species	All species
Where to Use	Roofs, warehouses, loading docks, airplane hangars and other exposed enclosures
Material	U.V. protected polyethylene knotted netting. ISO 1806 and 9001 protocol tested
Bird Pressure	Light to Heavy
Warranty	10 years black net 3 years stone net 3 years white net

Bird Net 2000 Heavy Duty Bird Netting is a polyethylene knotted net used to block birds from entering unwanted areas. Bird Net 2000 is the most efficient and effective method for excluding birds, and is the #1 bird net specified by architects and government agencies.



Bird Net 2000 installed at a home improvement store in St. Louis, MO.



Bird Net 2000™ Heavy Duty Netting

We test our netting!



Gerald Ford Airport using 50,000 sq. ft. (15,240 sq. meters) of Bird Net 2000 Heavy Duty Bird Netting.



Bird•B•Gone is the only bird control company that quality tests each piece of netting before it ships. We test our netting's mesh strength using an ISO 1806 and 9001 protocol. Each net is tagged and signed for quality verification.

Technical Data

Material

U.V. stabilized knotted polyethylene net. Flame resistant, rot-proof, non-conductive and stable in sub zero temperatures.

Design

Six strands of Polyethylene U.V. treated twine. Each strand is 12/100" thick. The filaments are twisted and knotted for ultimate strength and longevity. Pressure stretched and tightened.

Burst Strength

ISO 1806 and 9001 Protocol Mesh test in excess of 40 lbs. burst/break strength per twisted strand.

Thermal Properties

- ▶ High Temp: Melting point in excess of 270° F
- ▶ Low Temp: Stable to minus 250° F

Electrical Properties

- ▶ Non conductive

Guarantees

- ▶ 10 year guarantee on black netting
- ▶ 3 year guarantee on white and stone netting



90,000 sq. ft. (8,360 sq. m) of Bird Net 2000 Heavy Duty Netting installed on canopy at Portland International Airport.



Custom Cuts



On-Site Training

Need help with installation?

Bird•B•Gone has a network of Authorized Installers across the globe who professionally install Bird Net 2000. We will put you in touch with an Authorized Installer or subcontractor in your area.

If you are looking to install netting yourself, our team of bird control engineers can help you with technical assistance and training!

Bird Net 2000 Heavy Duty

3/4" Netting - All Birds

Part #	Area	Color
034B25X25	25' x 25' (7.62 m x 7.62 m)	Black
034S25X25	25' x 25' (7.62 m x 7.62 m)	Stone
034W25X25	25' x 25' (7.62 m x 7.62 m)	White
034B25X50	25' x 50' (7.62 m x 15.24 m)	Black
034S25X50	25' x 50' (7.62 m x 15.24 m)	Stone
034W25X50	25' x 50' (7.62 m x 15.24 m)	White
034B50X50	50' x 50' (15.24 m x 15.24 m)	Black
034S50X50	50' x 50' (15.24 m x 15.24 m)	Stone
034W50X50	50' x 50' (15.24 m x 15.24 m)	White
034B50X75	50' x 75' (15.24 m x 22.86 m)	Black
034S50X75	50' x 75' (15.24 m x 22.86 m)	Stone
034W50X75	50' x 75' (15.24 m x 22.86 m)	White
034B50X100	50' x 100' (15.24 m x 30.48 m)	Black
034S50X100	50' x 100' (15.24 m x 30.48 m)	Stone
034W50X100	50' x 100' (15.24 m x 30.48 m)	White
034B100X100	100' x 100' (30.48 m x 30.48 m)	Black
034S100X100	100' x 100' (30.48 m x 30.48 m)	Stone
034W100X100	100' x 100' (30.48 m x 30.48 m)	White
034B100X200	100' x 200' (30.48 m x 60.96 m)	Black

1 - 1/8" Netting - Starlings / Pigeons


Part #	Area	Color
118B25X25	25' x 25' (7.62 m x 7.62 m)	Black
118B25X50	25' x 50' (7.62 m x 15.24 m)	Black
118B50X50	50' x 50' (15.24 m x 15.24 m)	Black
118B50X100	50' x 100' (15.24 m x 30.48 m)	Black

2" Netting - Pigeons / Seagulls

Part #	Area	Color
200B25X25	25' x 25' (7.62 m x 7.62 m)	Black
200S25X25	25' x 25' (7.62 m x 7.62 m)	Stone
200B25X50	25' x 50' (7.62 m x 15.24 m)	Black
200S25X50	25' x 50' (7.62 m x 15.24 m)	Stone
200B50X50	50' x 50' (15.24 m x 15.24 m)	Black
200S50X50	50' x 50' (15.24 m x 15.24 m)	Stone
200B50X100	50' x 100' (15.24 m x 30.48 m)	Black
200S50X100	50' x 100' (15.24 m x 30.48 m)	Stone
200B100X100	100' x 100' (30.48 m x 30.48 m)	Black
200S100X100	100' x 100' (30.48 m x 30.48 m)	Stone
200B100X200	100' x 200' (30.48 m x 60.96 m)	Black
200B200X200	200' x 200' (60.96 m x 60.96 m)	Black

Typical Bird Net Installation

(Not to Scale)



Bird Net 2000 Heavy Duty Netting is most effective when installed properly. Improper installation can cause sagging or drooping, leading to gaps that birds can get in through. We recommend that a cable be set up around the perimeter of the area being netted off and the net attached to this cable. Bird•B•Gone offers a complete line of hardware to accommodate any netting job. If you have questions about a net installation call us at **1-800-392-6915**.

Netting Hardware available
pages 18-23

No-Knot Netting



"Soft" on your hands!

Advantages & Benefits

- ▶ 3/4" mesh excludes all birds!
- ▶ ISO 1806 and 9001 protocol mesh tested!
- ▶ High resistance to acids and alkalies!
- ▶ Multi-stranded polypropylene fiber!
- ▶ Easy to handle, soft on your hands!
- ▶ Non-conductive and virtually invisible!
- ▶ Super strong, light and easy to install!
- ▶ Uses the same Bird•B•Gone installation hardware as knotted net!
- ▶ Available in custom sizes!



No-Knot Net on an interior I-beam



Industry Leading 10 Year Guarantee

Bird Species	All species
Where to Use	Roofs, warehouses, loading docks, airplane hangars and other exposed enclosures
Material	U.V. protected polypropylene no knot netting. ISO 1806 and 9001 protocol tested
Bird Pressure	Light to Heavy
Warranty	10 years

No-Knot Netting is a heavy duty, flame resistant polypropylene knotless bird net used to block birds from entering unwanted areas. No-Knot Netting is made from a U.V. stabilized mesh and excludes all bird species. **No-Knot Netting is installed the same as Bird Net 2000. See page 12 for an installation guide or call us for advice.**

3/4" No-Knot Net - All Birds

Part #	Area	Color
034BKK25X25	25' x 25' (7.62 m x 7.62 m)	Black
034BKK25X50	25' x 50' (7.62 m x 15.24 m)	Black
034BKK50X50	50' x 50' (15.24 m x 15.24 m)	Black
034BKK50X100	50' x 100' (15.24 m x 30.48 m)	Black

Technical Data

Material

Flame resistant, multi-strand polypropylene fiber with U.V. inhibitors.

Break Strength

50 lbs.

Thermal Properties

- High temp: 320° F - 338 ° F
- Low temp: -250° F

Chemical Properties

Polypropylene is chemically inert and highly resistant to a wide range of chemicals at ordinary temperatures. Fibers have a high resistance to acids and alkalies. It does not rot or absorb water and will not mildew.

Electrical Properties

Non-conductive

Pond Netting



Advantages & Benefits

- ▶ Available in several mesh sizes from 3/4" to 4"!
- ▶ Optional rope border available!
- ▶ Protect water fowl from oil and contaminated water!
- ▶ Strong netting with minimum break strengths of 116 lbs!
- ▶ Installation hardware and tools available.
- ▶ Virtually invisible and maintenance free.
- ▶ Prevent costly lawsuits from bird deaths.
- ▶ Most efficient & effective method for excluding birds!
- ▶ Ideal for tailing ponds! Meant for harsh environments!

Where to Use	Tailing ponds, retention ponds, water collection sites, oil pits
Material	Dupont® nylon knotted black mesh


Bird-B-Gone, Inc. Pond netting is used to keep water fowl out of tailing ponds and water collection areas. The netting is available in various sizes and lengths to protect even the largest ponds.

PN034-116-CUS	Pond Netting 3/4" - Custom - Black
PN134-116-CUS	Pond Netting 1 3/4" - Custom - Black
PN034-241-CUS	Pond Netting 3/4" - Custom - Black
PN134-241-CUS	Pond Netting 1 3/4" - Custom - Black



Protect water fowl from contaminated water.

Hardware Cloth




Advantages & Benefits

- ▶ Hardware cloth is made up of a lightweight, flexible and economical wire mesh fabric with dozens of screening and protective uses.
- ▶ It is a galvanized after product that provides a double zinc coating for maximum rust resistance and long life.
- ▶ Mesh can be easily cut with hand tools.
- ▶ Available in different colors, mesh sizes and gauges upon request!

Part #	HC-BLK 1/2
Bird Species	All Species
Where to Use	Channel letters, signs, small nesting sites, enclosed areas, holes
Material	1/2" (12.7mm) PVC coated 19 gauge galvanized wire

HC-BLK 1/2	Hardware Cloth 1/2" - Black 3" x 25' Roll
------------	--



Bat Netting



Block bats from entering unwanted areas

Advantages & Benefits

- ▶ U.V. protected polyethylene mesh!
- ▶ Available in 4 different sizes!
- ▶ Virtually invisible!

If you are looking to install netting yourself, our team of bird control engineers can help you with technical assistance and training!

Call us for installation help! 800-392-6915

Where to Use	Eaves, canopies, attics, bell towers, etc.
Material	3/8" (9.52 mm) polyethylene knotted black mesh
Warranty	10 years



Part #	Mesh Size	Piece Size
BAT-10X10	10' x 10' (3.04 m x 3.04 m)	3/8" (9.52 mm) black mesh
BAT-25X25	25' x 25' (7.62 m x 7.62 m)	3/8" (9.52 mm) black mesh
BAT-50X50	50' x 50' (15.24 m x 15.24 m)	3/8" (9.52 mm) black mesh
BAT-50X100	50' x 100' (15.24 m x 30.48 m)	3/8" (9.52 mm) black mesh

Ultra Net



Protect plants and crops from birds

Advantages & Benefits

- ▶ Inexpensive one season netting
- ▶ Available in bulk rolls or small sizes
- ▶ Lightweight
- ▶ Virtually invisible
- ▶ 3 sizes of mesh to exclude all birds
- ▶ Easy to handle!
- ▶ Easy to install!

Bird Species	All birds
Where to Use	Gardens, vineyards, fruit trees, bushes, eaves, orchards, etc.
Material	U.V. protected polypropylene

Part #	Mesh Size	Piece Size
UN-141	1/4" (6.35 mm)	14' x 100' (4.27 m x 30.48 m)
UN-142	1/4" (6.35 mm)	14' x 200' (4.27 m x 60.96 m)
UN-143	1/4" (6.35 mm)	14' x 500' (4.27 m x 152.4 m)
UN-121	1/2" (1.27 cm)	14' x 100' (4.27 m x 30.48 m)
UN-122	1/2" (1.27 cm)	14' x 200' (4.27 m x 60.96 m)
UN-123	1/2" (1.27 cm)	14' x 3,000' (4.27 m x 914.40 m)
UN-341	3/4" (1.91 cm)	14' x 100' (4.27 m x 30.48 m)
UN-342	3/4" (1.91 cm)	14' x 200' (4.27 m x 60.96 m)
UN-343	3/4" (1.91 cm)	14' x 5,000' (4.27 m x 1524 m)

Poly-Clip For fast and easy installation of Ultra Net

Part #	Description
UNCLIPS-CASE	Case Clips (250 per box)
UNCLIPS-1/2CASE	Half Case Clips (125 per box)



Straining Wire & Fasteners

3/32" (2.38 mm) Straining Wire



3/32" Diameter, 7 x 7
Stranded Construction Cable

Straining wire is used as perimeter cable to support your netting installation.

- ▶ For use on larger jobs **OVER 100'** in length
- ▶ Use galvanized cable for normal areas of installation
- ▶ Use stainless steel cable for areas near salt water, chemicals, etc.

BNSW500G332	500' (152.40 m) Galvanized
BNSW250G332	250' (76.20 m) Galvanized
BNSW500S332	500' (152.40 m) Stainless Steel
BNSW250S332	250' (76.20 m) Stainless Steel

Cable Clamps



Cable Clamps are an alternative method of securing cable (instead of ferrules).

- ▶ Use two (2) clamps for runs up to 100' (30.48 m); Use three (3) clamps for longer and / or heavier cable runs
- ▶ Use galvanized cable clamps for normal installation
- ▶ Use stainless steel cable clamps for areas near salt water or chemicals, etc.

BNCC-G	Cable Clamps Galvanized (10 per pack)
BNCC-S	Cable Clamps Stainless (10 per pack)

Ferrules



Ferrules are used to clamp down and secure your straining wire at the ends. Use two ferrules for extra security on tension.

- ▶ Use aluminum ferrules with galvanized cable
- ▶ Use copper ferrules with stainless steel cable
- ▶ Use 3/32" ferrules with 3/32" cable
- ▶ Use 1/16" ferrules with 1/16" cable
- ▶ For use with **BNRCT-SBHS (p.21)**

BNF332A	3/32" (2.38 mm) Aluminum (100 per pack)
BNF116A	1/16" (1.58 mm) Aluminum (100 per pack)
BNF332C	3/32" (2.38 mm) Copper (100 per pack)
BNF116C	1/16" (1.58 mm) Copper (100 per pack)

1/16" (1.58 mm) Straining Wire



1/16" Diameter, 7 x 7
Stranded Construction Cable

Straining wire is used as perimeter cable to support your netting installation.


- ▶ For use on smaller jobs **UNDER 100'** in length
- ▶ Use galvanized cable for normal areas of installation
- ▶ Use stainless steel cable for areas near salt water, chemicals, etc.

BNSW500G116	500' (152.40 m) Galvanized
BNSW250G116	250' (76.20 m) Galvanized
BNSW500S116	500' (152.40 m) Stainless Steel
BNSW250S116	250' (76.20 m) Stainless Steel

Turnbuckles


Turnbuckles are used to tighten your straining wire to prevent sagging or drooping.

- ▶ Use **galvanized turnbuckles with galvanized wire and aluminum ferrules**
- ▶ **Use stainless steel turnbuckles for installations in areas near salt water, chemicals, etc. Use with stainless steel wire and copper ferrules**
- ▶ For cable runs under 25' (7.62 m), use M5 turnbuckles
- ▶ For cable runs of 25' - 75' (7.62 m - 22.86 m), use M6 turnbuckles
- ▶ For cable runs over 75' (22.86 m), use M8 turnbuckles
- ▶ **Open turnbuckle completely before attaching straining wire, once attached, tighten turnbuckle until wire is taut**



BNGTS	M5 Small Galvanized Turnbuckle (10 per pack)
BNSSTS	M5 Small Stainless Steel Turnbuckle (10 per pack)
BNGTM	M6 Medium Galvanized Turnbuckle (10 per pack)
BNSSTM	M6 Medium Stainless Steel Turnbuckle (10 per pack)
BNGTL	M8 Large Galvanized Turnbuckle (10 per pack)
BNSSTL	M8 Large Stainless Steel Turnbuckle (10 per pack)

Corner Attachments



Corner attachments are under the most pressure and must be the strongest part of the net installation. We offer corner attachments for wood, steel, concrete and masonry.

Eye Bolt w/Nut



Eye Bolts are corner attachments for steel I-beams or other thick metals.

- ▶ In order to install Eye Bolts drill a hole using 8mm drill bit
- ▶ Use galvanized Eye Bolts with galvanized wire
- ▶ Use stainless steel Eye Bolts with stainless steel wire

BNGEB-NUT	Bird Net Galvanized Eye Bolt w/Nut (20 per pack)
------------------	---

BNSEB-NUT	Bird Net Stainless Steel Eye Bolt w/ Nut (10 per pack)
------------------	---

Screw Eyes



Large Screw Eye



Small Screw Eye

Screw Eyes are used as a corner attachment into wood.

- ▶ Use Large Screw Eyes for runs over 20' (6.09 m)
- ▶ Use Small Screw Eyes for runs under 20' (6.09 m)

BNLSE-G	Bird Net Large Wood Screw Eye Galvanized (100 per pack)
----------------	--

BNLSE-S	Bird Net Large Wood Screw Eye Stainless Steel (20 per pack)
----------------	--

BNSSE-G	Bird Net Small Wood Screw Eye Galvanized (100 per pack)
----------------	--

BNSSE-S	Bird Net Small Wood Screw Eye Stainless Steel (20 per pack)
----------------	--

Net Bolts



Net Bolts are high load bearing expansion bolts used as corner attachments for masonry, concrete or stone.

For M6 use 12 mm drill bit (p.20)

For M8 use 14 mm drill bit (p.20)

- ▶ Use galvanized Net Bolts with galvanized wire
- ▶ Use stainless steel Net Bolts with stainless steel wire
- ▶ Use M6/Medium Net Bolts for cable runs under 100' (30.48 m)
- ▶ Use M8/Large Net Bolts for cable runs over 100' (30.48 m)

BNM6EB	M6 Medium Net Bolt Galvanized (10 per pack)
---------------	--

BNM6SSEB	M6 Medium Net Bolt Stainless Steel (10 per pack)
-----------------	---

BNM8EB	M8 Large Net Bolt Galvanized
---------------	------------------------------

Mini-Net Bolt



Mini-Net Bolts are corner attachments used for small cable runs of less than 20' (6.09 m).

Use 8 mm drill bit (p.20)

- ▶ Use galvanized Net Bolts with galvanized wire
- ▶ Use stainless steel Net Bolts with stainless steel wire
- ▶ Use M6/Medium Net Bolts for cable runs under 100' (30.48 m)
- ▶ Use M8/Large Net Bolts for cable runs over 100' (30.48 m)

BNMNB-G	Mini-Net Bolt Galvanized (10 per pack)
----------------	---

BNMNB-S	Mini-Net Bolt Stainless Steel (10 per pack)
----------------	--

Girder Clamp




Girder Clamps are used to attach netting to girders and can be used as corner attachments when drilling is not an option

- ▶ For steel up to 3" (7.62 cm) thickness
- ▶ Can also be used as an intermediate attachment
- ▶ Attach bolt onto flat steel or I-beam

BNGCL-3	Girder Clamp - up to 3" (7.62 cm) (10 per pack)
----------------	--

Intermediate Attachments

Multi-Purpose Cable Bracket



Multi-Purpose Cable Brackets are intermediate attachments used to secure cable around the perimeter of the net installation.

- ▶ Can be installed for permanent installation by running your cable through bracket hole
- ▶ Can be installed for easy release by running cable in hook of bracket

BNMPCB125-100	1.25" (3.17 cm) Bracket (100 per pack)
----------------------	--

Lag Screws



Lag Screws are intermediate attachments used to secure cable around the perimeter of a net installation.

- ▶ Lag Screws are ideal for concrete, stucco, and wood
- ▶ Use Anchor for extra support when using small Lag Screws
- ▶ 100 per pack

BNLS-SSM	Small Steel Lag Screw (100 per pack)
BNLS-ASM	Lag Screw Anchor (small) (100 per pack)
BNLS-LGG	Large Galvanized Lag Screw (100 per pack)

Thin Wire Net Clip



Thin Wire Net Clips are ideal for small net installations that require the net to be removed from time to time.

- ▶ Stainless steel intermediate attachment
- | | |
|-----------------|-----------------------------------|
| BNTWNC-1 | Thin Wire Net Clip (100 per pack) |
|-----------------|-----------------------------------|

Multi-Purpose Cable Bracket with Hilti Pin



Can be installed for permanent installation or easy release
For use with BNHS-27 (p.22)

Multi-Purpose Cable Bracket with Hilti Pin are intermediate attachments used to secure cable around the perimeter of the net installation.

- ▶ Multi-Purpose Cable Brackets with Hilti Pin are ideal for attaching to concrete or steel. (Hilti Gun required)

BNMPCB-125HP-C	1.25" (3.17 cm) Bracket w/Hilti pins for concrete (100 per pack)
BNMPCB-125HP-S	1.25" (3.17 cm) Bracket w/Hilti pins for steel (100 per pack)

Net Spikes



Use 6.5 mm drill bit (p.22) Use 5.0 mm drill bit (p.22)

Net Spikes are used as an intermediate attachment when securing netting into concrete.

- ▶ Small net spikes have a bend in the body
- ▶ Large net spikes will "flange" out when hammered

BNNS-SM	Bird Net 3/16" (4.76 mm) Diameter Small Spike (100 per pack)
BNNS-LG	Bird Net 1/4" (6.35 mm) Diameter Large Spike (100 per pack)

Stainless Steel Net Loop



Stainless Steel Net Loops are intermediate attachments ideal for wood and sheet metal

- ▶ To secure, use self tapping sheet metal screws, or wood screws
- | | |
|-------------|------------------------------|
| BNNL | Bird Net Loop (100 per pack) |
|-------------|------------------------------|

Intermediate Attachments



Intermediate attachments are used to secure your cable around a netting installation to prevent gaps where birds could enter. We offer intermediate attachments for wood, steel, concrete and masonry.

Split Pins and Anchor Rivets



Split Pins and Anchor Rivets are intermediate attachments used on stone or brick surfaces.

Use 6.5 mm drill bit (p.20)

- ▶ Low profile intermediate attachment
- ▶ Available in two sizes

BN10R	1" (2.54 cm) Rivet (100 per pack)
BN10SP	1" (2.54 cm) Stainless Steel Split Pin (100 per pack)
BN15R	1.5" (3.81 cm) Rivet (100 per pack)
BN15SP	1.5" (3.81 cm) Stainless Steel Split Pin (100 per pack)

S-Clips



S-Clips are intermediate attachments that are secured to the perimeter surface on one end and straining wire is strung through the other.

- ▶ 100 per pack
- ▶ Hilti pin available for concrete or steel

BNMSCLP	S-Clip (100 per pack)
BNMSCLP-PIN-C	S-Clip w/Hilti Pin for concrete (100 per pack)
BNMSCLP-PIN-S	S-Clip w/Hilti Pin for steel (100 per pack)

2" Heavy Duty Steel Clamp




Our Heavy Duty Steel Clamp creates a strong hold on steel and I-beams. Designed for large installations, it has a jaw strength of 630 lbs. of tensioned weight and a 2" opening.

- ▶ Holds straining wire to steel
- ▶ Supports up to 630 lbs
- ▶ 4 per pack

BNBCLP-2	2" (5.08 cm) Heavy Duty Steel Clamp (4 per pack)
-----------------	--

6" Roof Tile Bracket



6" Roof Tile Brackets are intermediate attachments used to install netting on roofs that have tiles.

- ▶ Slide underneath the tile to create a bracket for netting
- ▶ 10 per pack

BNRTB-600	6" (15.24 cm) Roof Tile Bracket (10 per pack)
------------------	---

Girder Clips



Girder Clips are intermediate attachments designed to attach cable to I-beams or steel surfaces.

- ▶ Clips hammer directly onto the I-beam to secure the cable
- ▶ Zinc coated spring steel attachments come in 4 widths

BN116GC	Girder Clip: 1/16" - 1/8" (1.58 mm - 3.17 mm) (100 per pack)
BN018GC	Girder Clip: 1/8" - 1/4" (3.17 mm - 6.35 mm) (100 per pack)
BN014GC	Girder Clip: 1/4" - 1/2" (6.35 mm - 12.7 mm) (100 per pack)
BN012GC	Girder Clip: 1/2" - 3/4" (12.7 mm - 19.05 mm) (100 per pack)

Bird Netting Accessories

Access Zippers



Open-ended and custom sizes available!

Zippers are installed over areas that will need to be opened such as under lighting fixtures or A.C. units.

- ▶ Install Zippers to the netting using hog rings
- ▶ Available in 8 sizes and 3 colors

Part #	Length	Part #	Length
BNZ-12B	1' (.30 m) Black	BNZ-12S	1' (.30 m) Stone
BNZ-18B	1.5' (.45 m) Black	BNZ-36S	3' (.91 m) Stone
BNZ-24B	2' (.61 m) Black	BNZ-72S	6' (1.8 m) Stone
BNZ-36B	3' (.91 m) Black	BNZ-12W	1' (.30 m) White
BNZ-48B	4' (1.21 m) Black	BNZ-36W	3' (.91 m) White
BNZ-72B	6' (1.82 m) Black	BNZ-72W	6' (1.8 m) White
BNZ-96B	8' (2.43 m) Black	BNZ-120B	10' (3.04 m) Black

Bird Scape



Bird Scape is a netting accessory that lets trapped birds leave netted off areas. Bird Scape has a funnel that birds can fly out of, but not back into.

- ▶ Installs directly into bird netting with hog rings.

BNBS-05 | Bird Scape (1 per pack)

Screw Eye Driver



The Screw Eye Driver is a small drill attachment used for installing Screw Eyes into wood surfaces.

- ▶ For use with BNSSE-G and BNSSE-S (p. 17)

BNSED | Bird Net Screw Eye Driver Tool

Hilti .27 Cartridges



Hilti Cartridges are powder activated boosters used in a Hilti gun to secure attachments to steel and concrete.

- ▶ For use with BNMPCB-125HP-C and BNMPCB-125HP-S (p. 18)

BNHS-27 | Bird Net Hilti .27 Booster Loads (100 per pack)

Net Clips



An alternative to zippers

Net Clips are installed over areas that will need to be opened such as under lighting fixtures or A.C. units.

- ▶ Stainless Steel Net Clips join pieces of netting to allow for easy removal of net panels for access

BNNC-034 | 3/4" (1.90 cm) Net Clip (100 per pack)

BNNC-200 | 2" (5.08 cm) Net Clip (100 per pack)

Self-Adhere Anchors



The Self Adhere Bird Net Anchors are used on small net jobs to hold the cable in place where drilling is not an option. Clean the surface before attaching anchors.

- ▶ Velcro makes for fast and easy access
- ▶ Available in black or stone

BNVNA-B | Bird Net Velcro Net Anchors Black (100 per pack)

BNVNA-S | Bird Net Velcro Net Anchors Stone (100 per pack)

Lag Screw Driver



The Lag Screw Driver is a drill attachment used for installing lag screws into wood surfaces.

- ▶ For use with BNLS-SSM and BNLS-LGG (p. 20)

BNLSD | Lag Screw Driver

SDS Masonry Drill Bits



Masonry Drill Bits are used for drilling into concrete, brick, block, stone or other masonry.

- ▶ Penetrates up to 50% faster than standard masonry bits

BNDB0500 | Bird Net Drill Bit 5.0mm x 100mm

BNDB0600 | Bird Net Drill Bit 6.0mm x 100mm

BNDB0650 | Bird Net Drill Bit 6.5mm x 100mm

BNDB0800 | Bird Net Drill Bit 8.0mm x 100mm

BNDB0100 | Bird Net Drill Bit 10mm x 100mm

BNDB0120 | Bird Net Drill Bit 12mm x 100mm

BNDB0140 | Bird Net Drill Bit 14mm x 100mm

Bird Netting Tools

■ Hog Ring Tool and Hog Rings



Hog Ring Tools are used for attaching bird netting to the perimeter cable by crimping a hog ring around both. The hand held hog ring tool holds one cartridge of 50 hog rings.

- ▶ Use galvanized rings for normal areas of installation
- ▶ Use stainless steel rings near salt water or chemicals

BNHRT	Bird Net Hog Ring Tool
BNHRG	Galvanized Hog Rings (2,500 per box)
BNHRS	Stainless Steel Hog Rings (2,500 per box)

■ Stanley Bostitch Pneumatic Hog Ring Tool and Hog Rings



The Pneumatic Hog Ring Tool from Stanley Bostitch uses compressed air to quickly and efficiently install hog rings around a net installation.

- ▶ Fast operating / saves time and money
- ▶ Ideal for large jobs
- ▶ Use stainless steel Hog Rings for areas near salt water, chemicals, etc.

BNHRTPN	Pneumatic Hog Ring Tool
BNHRPG	Galvanized Hog Rings (10,000 per box)
BNHRPS	Stainless Steel Hog Rings (10,000 per box)

■ Bird•B•Gone Pneumatic Hog Ring Tool and Hog Rings



The Pneumatic Hog Ring Tool uses compressed air to quickly and efficiently install hog rings around a net installation.

- ▶ Fast operating / saves time and money
- ▶ Ideal for large jobs
- ▶ Use stainless steel Hog Rings for areas near salt water, chemicals, etc.

BNHRTPN-AC01CH	Pneumatic Hog Ring Tool
BNHRPG-AC31CH	Galvanized Hog Rings (10,000 per box)
BNHRPS-AC31CH	Stainless Steel Hog Rings (10,000 per box)

■ Bird Net Cable Cutter



For fast and easy cutting of heavy duty cable

Bird Net Cable Cutter is a long lasting professional grade tool used to cut heavy duty cable. It will cut both 1/16" and 3/32" straining wire.

- ▶ Long lasting, high quality tool
- ▶ Easy to use

BNCCT	Bird Net Cable Cutting Tool
--------------	-----------------------------

■ Bird Net Ratchet Crimp Tool



The Ratchet Crimp Tool is used for crimping ferrules around your straining wire.

- ▶ Works for ferrules sized 1/16" (1.58 mm) to 3/32" (2.38 mm)

BNRCT-SBHS	Bird Net Ratchet Crimp Tool
-------------------	-----------------------------

Bird Jolt Flat Track™

Now available in red and clear!



Advantages & Benefits

- ▶ #1 Specified electric track by architects and government agencies!
- ▶ Does not harm birds!
- ▶ Patented “anti-arcing” design means the ultimate in safety!
- ▶ Effective for both small and large pest birds!
- ▶ Crush proof! Will continue to work even if stepped on by window washers or building maintenance crews!
- ▶ Conforms to any surface ideal for channel letters and other curved surfaces!
- ▶ Glue troughs insulate conductors and allow for easy installation with construction grade adhesive!
- ▶ Completely flexible; can bend 360°!
- ▶ Low profile and virtually invisible! Only 1/4” (6.35 mm) tall!
- ▶ Lightweight! 100’ (30.48 m) kit weighs only 16 lbs (7.25 kg)!
- ▶ “Snug-fit” connectors make it the easiest shock system to install!
- ▶ Comes in easy to dispense box!
- ▶ Easy to cut with scissors!
- ▶ Manufactured by Bird•B•Gone in the USA!



Available in 6 colors!



Bird Species	All species
Where to Use	Ledges, signs, rooftops, I-beams, parapet walls, conduit, flat or curved surfaces
Material	Lightweight flexible U.V. stabilized PVC with knitted wire mesh “tube-in-tube” design
Bird Pressure	Light to Heavy

Bird Jolt Flat Track™ is a low profile electrical track system which produces a mild electrical “jolt” when birds land on it. It uses copper knitted wire mesh, in a continuous “tube-in-tube” stocking design. This allows for greater conductivity, strength and reliability. The copper mesh is resistant to corrosion, alkaloids and acidic environments.

To install: Installation requires general knowledge of electrical systems. If you have questions or need an authorized installer call us at 1-800-392-6915

CLEAR TRACK



NEW!

Patented
US 7802396
US 7937885
US 8020340
US 8015747
US 8196340

The Difference is CLEAR!

Bird Jolt Flat Track™ is the only electric track bird deterrent system with multi-patented anti-arcing and glue trough designs.

- ▶ The ultimate in bird behavior modification!
- ▶ Works for every surface color!



Easily glues in place.
Construction grade adhesives
available on page 49.

Bird Jolt Flat Track™ Kit



Bird Jolt Flat Track Kits come in a lightweight, easy to dispense box with carrying handle. Each kit contains the key components used in standard installations!

For chargers and additional components see (page 28)



Bird Jolt Flat Track™ (Track Only)

Flat Track	Length	Color
BJFT-GRY	100' (30.48 m)	Gray
BJFT-STN	100' (30.48 m)	Stone
BJFT-TER	100' (30.48 m)	Terracotta
BJFT-BLK	100' (30.48 m)	Black
BJFT-RED	100' (30.48 m)	Red
BJFT-CLR	100' (30.48 m)	Clear



Snug-Fit Connectors

Used to connect track to a charger, to branch off in a new direction, or to connect two pieces of track.

BJFT-SFC10

Snug-Fit Connectors
[10 per pack]




Blue Wire Connectors

Used to connect electric track together, or to a charger from the Snug-Fit Connectors.

BJFT-BCN100

Blue Wire Connectors
[100 per pack]

Cross Section Patented Anti-Arcing Design



Kit Includes

Bird Jolt Flat Track (Choose Color)	100' (30.48 m)
Lead-in Connector Loops	2 ea.
"Snug-Fit" Track Connectors	3 ea.
Bilingual Warning Labels	10 ea.
"Snug-Fit" Corner Connectors	3 ea.
Blue Wire Connectors	10 ea.

Flat Track Kits	Length	Color
BJFTKIT/GRY	100' (30.48 m)	Gray
BJFTKIT/STN	100' (30.48 m)	Stone
BJFTKIT/TER	100' (30.48 m)	Terracotta
BJFTKIT/BLK	100' (30.48 m)	Black
BJFTKIT/RED	100' (30.48 m)	Red
BJFTKIT/CLR	100' (30.48 m)	Clear



Snug-Fit Corner Connectors

Used to turn a corner with the electric track. Can be used similar to the Snug-Fit Connectors.

BJFT-SFCC

Snug-Fit Corner Connector
[10 per pack]



Anti-Damming Risers

Used to lift track to prevent water from damming, or to install on a surface that is hard to glue onto.

BJFT-ADR

Anti-Damming Risers
[10 per pack]

Shock Track




Advantages & Benefits

- ▶ Does not harm birds!
- ▶ Low profile, virtually invisible!
- ▶ Easy to corner! No need to cut and re-connect!
- ▶ Crush proof!
- ▶ Available in 100' kits complete with necessary hardware!
- ▶ Easy to install, just glue it or screw it down!
- ▶ Can conform to any surface! Can bend side-to-side and up and down!
- ▶ "Anti-arcing" design means the ultimate in safety!
- ▶ "Flow-through" design will not let water dam behind it!
- ▶ Super light! 100' (30.48 m) kit weighs only 10 lbs (4.53 kg) and is easy to install!
- ▶ Manufactured by **Bird•B•Gone** in the USA!




Our electric track systems were independently quality tested in Knoxville, TN for effectiveness and durability!

Available in 4 colors!



Bird Species	All species
Where to Use	Ledges, signs, rooftops, I-beams, parapet walls, flat or curved surfaces
Material	Flexible PVC base with stainless steel wires heat staked to the track. U.V. protected.
Bird Pressure	Light to Heavy

The Shock Track System is a unique electrically charged track that gives birds a mild shock when they land on it. The low profile track has a "flow through" design which prevents water from accumulating around the track. Pre-drilled holes along the base allow for nailing, screwing or gluing the track to most surfaces.



To install: Installation requires general knowledge of electrical systems. If you have questions or need an authorized installer call us at 1-800-392-6915

Easily glues in place. Construction grade adhesives available on page 49.



CAD Details and specifications available at www.birdbgone.com

Shock Track Kit



Shock Track Kits contain the key components used in standard installations!

For chargers and additional components see (page 28)



Shock Track™ (Track Only)

Shock Track	Length	Color
ST-100GRY	100' (30.48 m)	Gray
ST-100STN	100' (30.48 m)	Stone
ST-100TER	100' (30.48 m)	Terracotta
ST-100BLK	100' (30.48 m)	Black

Shock Track Kits	Length	Color
STKIT/GRY	100' (30.48 m)	Gray
STKIT/STN	100' (30.48 m)	Stone
STKIT/TER	100' (30.48 m)	Terracotta
STKIT/BLK	100' (30.48 m)	Black

Kit Includes

Shock Track (Choose Color)	100' (30.48 m)
Mounting Clips	30 ea.
Blue T-Tap Quick Disconnect	10 ea.
Red Quick Disconnect Insulated	10 ea.
Connector Loop	2 ea.
Shock Track Connector	3 ea.
Bilingual Warning labels	10 ea.



T-Tap Disconnect

Used with Quick Disconnects to "t-off" track or attach track to a charger.

STBLUETT-20

T-Tap Disconnect
(20 per pack)



Closed End Connector

Used to connect track to a charger, to branch off or connect two pieces.

ST-CTR10

Connector
(10 per pack)



Quick Disconnect

Used with T-Tap Disconnects to "t-off" track, or attach track to a charger.

STREDQD-20

Quick Disconnect
(20 per pack)



Copper Crimps

Used to attach lead-in wire to the wire running along the top of the track.

ST-CC100

Copper Crimps
(100 per pack)



Mounting Clips

Used to install track on surfaces that are difficult to glue onto.

ST-MC30

Mounting Clips
(30 per pack)



Closed End Insulated Crimp Sleeve

Used to attach lead-in wire to the wire running along the top of the track.

ST-CES20

Insulated Crimp Sleeve
(20 per pack)


Electric Track Components

Suggested Electric Track Spacing

(Flat Track and Shock Track)


Every situation is different. Call us for installation advice! (800) 392-6915

Light Infestation (large birds)



For light infestations it's recommended to place a single row of track at the outer edge(s) of the affected area.

Heavy Infestation (large or small birds)



For heavy infestations or areas with small birds it's recommended to place multiple rows of track.

Shared Track Components

Connector Loops



Used to attach the copper Lead-In Wire to your charger.

STPWC-10 | Connector Loops (10 per pack)

Bilingual Warning Labels



Placed every 10' to warn people of possible shock. (English/Spanish)

BJFTWRNBI-10 | Bilingual Warning Labels (10 per pack)

14 Gauge Marine Grade Copper Lead-in Wire



Used to connect your charger to the electric track systems. It can also be used to connect sections of track and is offered in three colors and three roll sizes.

Part #	Length	Color
BJFT-LIW20BLK	20' (6.09 m)	Black
BJFT-LIW50BLK	50' (15.24 m)	Black
BJFT-LIW100BLK	100' (30.48 m)	Black
BJFT-LIW20GRY	20' (6.09 m)	Gray
BJFT-LIW50GRY	50' (15.24 m)	Gray
BJFT-LIW100GRY	100' (30.48 m)	Gray
BJFT-LIW20STN	20' (6.09 m)	Stone
BJFT-LIW50STN	50' (15.24 m)	Stone
BJFT-LIW100STN	100' (30.48 m)	Stone

Electric Track Chargers



Solar Charger



Uses sunlight to supply power up to 300' of electric track. Completely weatherproof.

Part #	CHG-SLR740
Area of Coverage	300' (91.44 m) of Track
Input Voltage	4 VDC
Output Voltage	7.0 KV (+/-) 20% Open Circuit Voltage, Intermittent DC Output
Dimensions	9.75" x 6.5" x 6.5" (24.77 cm x 16.51 cm x 16.51 cm)
Weight	3.5 lbs. (1.59 kg)

Direct Charger (up to 500')



Plugs into a regular 110v outlet and supplies power up to 500' of Electric Track. If outdoors, use Weatherproof Box.

Part #	CHG-AC750
Area of Coverage	500' (152.4 m) of Track
Input Voltage	110 - 120VAC
Output Voltage	750 V (+/-) 20% Open Circuit Voltage, Intermittent AC Output
Dimensions	5.4" x 3.6" x 7" (13.72 cm x 9.14 cm x 17.78 cm)
Weight	2.2 lbs (1 kg)

Voltage Tester



Used with the Electric Track systems to test the systems' output voltage.

BJFT-VLT | Voltage Tester

Waterproof Box



Protects Direct Chargers from weather when installed outdoors.

CHG-ACBOX | Waterproof Box

Solar Battery Replacement



**For use with
CHG-SLR740**

Battery for the Solar Charger should be replaced about once a year.

CHG-SLR740BAT | Solar Battery Replacement


Bird Slope™



Bird Slope installed on window sills

Advantages & Benefits

- ▶ Prevents birds from landing and nesting on ledges up to 10" (25.40 cm) wide!
- ▶ Effective for both large and small birds!
- ▶ Ideal for parking garages, I-beams and 90° ledges!
- ▶ Unique "Slope Extender" for areas wider than 10" (25.40 cm)!
- ▶ Glue trough on underside for easy adhesive application!
- ▶ Easy to install End Caps prevents birds from getting behind Slope!
- ▶ Made of a U.V. protected outdoor grade PVC plastic!
- ▶ Longest guarantee and lowest cost!
- ▶ 4' (1.21 m) sections for fast installation!
- ▶ Manufactured by **Bird•B•Gone** in the U.S.A.!



Bird Species	All species
Where to Use	Ledges, parking garages, I-beams with widths up to 10" (25.40 cm)
Material	U.V. protected outdoor grade PVC
Bird Pressure	Light to Heavy
Warranty	2 years

Bird Slope's unique design makes it impossible for birds to land or roost on 90° areas like eaves and ledges.



Installed n parking garages.

To install: Surface should be clean and dry before installation. Bird Slope covers a 6" ledge, for larger ledges Extenders are available. Glue onto surface using glue troughs. End Caps should be installed to prevent birds from getting behind Slope.



Bird Slope blocks birds from landing or gaining access to unwanted areas.

CAD Details and specifications available at www.birdbgone.com

Easily glues in place. Construction grade adhesives available on page 49.





Patent Pending

End Caps



Patent Pending

End Caps block birds from entering the open area behind slope.

- ▶ Simply glue the end cap to each end
- ▶ Available in 2 colors

SLPECAP-GRY	10 per pack	Gray
SLPECAP-STN	10 per pack	Stone

Extender End Caps



Extender End Caps block birds from entering the open area behind slope.

- ▶ For use with Bird Slope Extenders
- ▶ Glues into place

SLPEXTCAP-GRY	10 per pack	Gray
SLPEXTCAP-STN	10 per pack	Stone

Mounting Clips




Use Mounting Clips to install Bird Slope on vertical surfaces.

- ▶ One clip every 1' (30.48 cm)
- ▶ 20 per pack

SLP-MC20	20 per pack
----------	-------------

Part #	Area of Coverage	Packing Size
SLP-GRY4 (Gray)	6.5" (16.51 cm)	4' (1.21 m) sections 48' (14.63 m) per box
SLP-STN4 (Stone)	6.5" (16.51 cm)	4' (1.21 m) sections 48' (14.63 m) per box



- ▶ 4' sections for easy installations
- ▶ Available in 2 colors

Bird Slope Extenders



- ▶ Covers ledges up to 10" (25.40 cm) wide!
- ▶ Easily adapts to wider ledges!
- ▶ Extender "snaps on" the top of bird slope

Patent Pending

Bird Slope Extenders can be attached to cover ledges up to 10" wide.

Part #	Area of Coverage	Packing Size
SLPEXT-GRY4 (Gray)	10" (25.40 cm)	4' (1.21 m) sections 48' (14.63 m) per box
SLPEXT-STN4 (Stone)	10" (25.40 cm)	4' (1.21 m) sections 48' (14.63 m) per box

Slope & Extender Connectors



- ▶ Connectors available for Bird Slope and Slope Extenders
- ▶ Ideal for uneven surfaces
- ▶ Creates a seamless application
- ▶ Snaps into place

Slope Connectors eliminate gaps between two pieces of Slope.

SLPCONGRY-10	Slope Connector (10 pack)	Gray
SLPCONSTN-10	Slope Connector (10 pack)	Stone
SLPCONEXTGRY-10	Extender Connector (10 pack)	Gray
SLPCONEXTSTN-10	Extender Connector (10 pack)	Stone

Bird Wire



Bird Wire installed on window ledges

Advantages & Benefits

- ▶ #1 Bird Wire system specified by architects! CAD details and specifications available at www.birdbgone.com
- ▶ Low profile and low visibility!
- ▶ Low maintenance!
- ▶ Ideal for hand rails!
- ▶ Affordable pricing!
- ▶ Industry leading 5 year guarantee!
- ▶ Approved for use on federal and state government structures!
- ▶ Ideal for large birds such as pigeons, gulls and crows!




Custom Bird Wire brackets manufactured at Bird•B•Gone, installed on beams at the Orange County Convention Center, Orlando, FL.




Industry Leading 5 Year Guarantee

Bird Species	Pigeons and seagulls
Where to Use	Ledges, signs, rooftops, curved or flat surfaces
Material	Stainless steel wire coated with U.V. stabilized clear nylon
Bird Pressure	Light to Medium
Warranty	5-Year

Bird Wire is a post and wire system that provides an unstable landing area for pigeons or seagulls. The Bird Wire system is low profile and ideal where aesthetics are a concern.



To install: Surface should be clean and dry before installation. Measure surface area to determine how many rows are required. Posts are placed every 5' with a new spring every 10'. Alternate post heights when installing multiple rows.



Bird Wire involves a series of stainless steel posts supporting nylon coated stainless steel wire. The wire is tensioned between the posts using springs to create an unstable landing surface.

Bird Wire

Nylon Coated Bird Wire



Bird Wire is strung between posts.

- ▶ Stainless steel wire coated with U.V. stabilized clear nylon
- ▶ .045 mm 1 x 7 wire

BWNCW1	820' (249.94 m) Roll
BWNCW2	328' (99.97 m) Roll

Glue-On Bases



Glue-On Bases can be screwed or glued onto surfaces where drilling is not an option.

- ▶ U.V. protected glass filled nylon
- ▶ Support Bird Wire posts

BWB100	Gray Bases (100 per pack)
BWB050	Gray Bases (50 per pack)

Anchor Rivets



Anchor Rivets support Bird Wire posts when drilling into surface.

- ▶ Use 6.5 mm drill bit

BN10R	1" (25.4 mm) Anchor Rivet (100 per pack)
BN15R	1.5" (38.1 mm) Anchor Rivet (100 per pack)

Stainless Steel Posts



Stainless Steel Posts are used to suspend Bird Wire.

- ▶ 4 mm diameter, 316 marine grade stainless steel posts
- ▶ Ends are beveled to aid installation into either the anchor rivet or stick-on base

BWSSP60-100	6" (15.24 cm) Post (100 per pack)
BWSSP60-25	6" (15.24 cm) Post (25 per pack)
BWSSP50-100	5" (12.70 cm) Post (100 per pack)
BWSSP50-25	5" (12.70 cm) Post (25 per pack)
BWSSP45-100	4.5" (11.43 cm) Post (100 per pack)
BWSSP45-25	4.5" (11.43 cm) Post (25 per pack)
BWSSP35-100	3.5" (8.89 cm) Post (100 per pack)
BWSSP35-25	3.5" (8.89 cm) Post (25 per pack)

Nickel-Plated Copper Crimps



Copper Crimps are used to secure the end of the bird wire.

BWCC-100	Copper Crimps (100 per pack)
-----------------	------------------------------

3-Post Ridge Bracket



3-Post Ridge Bracket is designed for roof peaks and special installation areas.

BW3PRB	3-Post Ridge Bracket (each) (3) 3.5" (8.89 cm) posts
---------------	---

Stainless Steel Springs



Stainless Steel Springs make the Bird Wire unstable when birds land.

- ▶ 316 Grade Stainless Steel Springs
- ▶ Available in two sizes: Standard and Micro

BWSSS-100	Standard Springs (100 per pack)
BWSSS-50	Standard Springs (50 per pack)
BWMS1	Micro Springs (100 per pack)
BWMS1-5	Micro Springs (50 per pack)

Gutter & Girder Clamps



Used to attach the Bird Wire system to gutters or girders. Fits I-beams up to 3/4" (1.91 cm) thick.

BWBC00	Bird Wire Beam Clamp (10 per pack)
BWGC00	Bird Wire Gutter Clamp (10 per pack)

Railing Clamps


Used to attach the Bird Wire system to railings or pipes.

- ▶ Adjustable stainless steel clamps with 3.5" (8.89 cm) Bird Wire posts



Part #	Clamp Size	Size of Railing
BWRC-1	1" (2.54 cm) Clamp 1 Post (10 per pack)	3/4" - 1-1/4" (1.91 cm - 3.17 cm)
BWRC-2	2" (5.08 cm) Clamp 1 Post (10 per pack)	1-5/16" - 2-1/2" (3.33 cm - 6.35 cm)
BWRC-3	3" (7.62 cm) Clamp 1 Post (10 per pack)	2-9/16" - 3-1/2" (6.51 cm - 8.89 cm)
BWRC-4	4" (10.16 cm) Clamp 1 Post (10 per pack)	3-9/16" - 4-1/2" (9.05 cm - 11.43 cm)
BWRC-4/2	4" (10.16 cm) Clamp 2 Posts (10 per pack)	3-9/16" - 4-1/2" (9.05 cm - 11.43 cm)
BWRC2P-6	6" (15.24 cm) Clamp 2 Posts (10 per pack)	5-1/8" - 6" (13.01 cm - 15.24 cm)
BWRC2P-6	6" (15.24 cm) Clamp 2 Posts (10 per pack)	5-1/8" - 6" (13.01 cm - 15.24 cm)

The Bird Spider 360°™ NEW!



Bird Spiders are stand-alone physical deterrents used to scare large pest birds away from concentrated areas. The Bird Spiders “arms” bounce and sway in the wind, creating a visual distraction zone, birds will not want to come near the area being treated.

Advantages & Benefits

- ▶ Free PVC mounting base and hardware included!
- ▶ Available in 4 sizes: 2', 4', 6' and 8' diameters!
- ▶ No moving parts in the base makes the Bird Spider extra sturdy and stable!
- ▶ No assembly required and easy to install!
- ▶ Virtually invisible and maintenance free!

The Bird Spider 360°™

Part #	Diameter	Area of Coverage
BS200SPN	2' (0.61 m)	1'-2' (0.30 m - 0.61 m)
BS400SPN	4' (1.21 m)	3'-4' (0.91 m - 1.21 m)
BS600SPN	6' (1.82 m)	4'-6' (1.21 m - 1.82 m)
BS800SPN	8' (2.43 m)	6'-8' (1.82 m - 2.43 m)

Boat Base



- ▶ Attaches directly to Bird Spider
- ▶ Secures with bungee cords or other tie-down systems

The Boat Base is used to install the Bird Spider around masts or spreaders.

BSBB2 | Boat Base

Sand Bag Base



- ▶ Attaches directly to Bird Spider
- ▶ Hardware included

The Sand Bag Base provides a portable weighted option for boat canvases and Biminis.

BSBB-SB | Sand Bag Base

Bird Spider 360° Railing Mount



Bird Spider with Railing Mount allows for easy attachment to boat railings.

RLMNT | Railing Mount



Bird Species	Starlings, pigeons, seagulls and larger birds
Where to Use	AC units, street lights, signs, boats, rooftops
Material	316 marine grade stainless steel “arms” and “pin” on a U.V. protected polycarbonate base. Separate PVC base and #10 316 grade screws included
Bird Pressure	Light to Medium

The Bird Spider 360° features long lasting U.V. protected polycarbonate tips that help the arms bounce and sway in the wind. The new tips also prevent scuffing on surfaces.



To install: Choose the size of Bird Spider 360° that best fits the area being treated. Once the base is in place, place the top onto the center pin and lightly push down. Insert the locking pin to hold the top in place. The Bird Spider 360° can be glued or screwed down to most surfaces. It can also be installed using a railing mount, a sandbag base or a boat base.



Easily glues in place. Construction grade adhesives available on page 49.



Gull Wire is easily installed by stringing wire between several poles located in a square pattern around the roof. These poles are supported by a hollow base that can be filled with sand or water to weigh down the poles. The wire is strung through the brackets on top of several poles creating a large mesh pattern suspended 6-8' feet above the ground. This prevents birds from landing as their wings would get caught in the wire. Birds will avoid landing on buildings with gull wire installed.

Advantages & Benefits

- ▶ Prevents gulls from landing on flat roofs!
- ▶ Cost effective and easy to install!
- ▶ Covers a large area!
- ▶ Virtually invisible from the ground!
- ▶ Fillable bases make the bases easy to move when desired!
- ▶ Can be installed without drilling into the roof of buildings!
- ▶ Extendable poles allow for adjustable height of wire!




Base




Wire Spool

Bird Species	Gulls and other large birds
Where to Use	Rooftops, parking lots, landfills and other open flat areas
Material	Steel poles supported by plastic bases, polyethylene/steel wire
Bird Pressure	Light to Medium

KEEP ROOFTOPS AND OUTDOOR AREAS GULL FREE!



Gull Wire protects large open flat spaces such as parking lots and outdoor eating areas by blocking the ability for gulls and other large birds to land. The wire is colored to create a grid in the bird's line of sight, preventing them from attempting to land. Gull Wire can be strung taut or loose depending on the location and can be tightened by using Bird Net Turnbuckles (pg. 16).



To install: Place bases approximately 6-10 feet apart in a grid pattern. Attach one end of Gull Wire to the bracket using ferrules to secure. Run wire across grid to other end and attach to end of turnbuckle. Connect turnbuckle to bracket. Continue to string wire in a criss-cross pattern until all brackets have perpendicular wires crossing them. Tighten wire by tightening turnbuckles until wire is taut.

Part #	Description
GW-BASE	Gull Wire Hollow Base
GW-POLE	Gull Wire Pole
GW-WIRE	Gull Wire Polyethylene and Steel Wire
GW-BRACKET	Gull Wire Bracket for Pole

Bird•B•Gone AAFS

[Automated Avian Fogging System]



Bird•B•Gone AAFS is an advanced hazing system that releases a nearly invisible fog into the air to deter pest birds from open spaces. The unit distributes methyl anthranilate, a non-toxic, food grade grape extract effective in repelling pest birds.

Advantages & Benefits

- ▶ Save money! Unit uses significantly less liquid repellent than other fogging units!
- ▶ Control panel visually shows repellent levels and tells you when to refill!
- ▶ Made in the U.S.A.!

AAFS Control Unit



- ▶ Controls spray levels and spray times
- ▶ Touch pad controllable
- ▶ Controls up to 64 Spray Units

AAFS-CONTMOD | AAFS Control Unit

AAFS Spray Unit



- ▶ Holds one gallon bottle of repellent
- ▶ Easy to attach adjustable nozzle
- ▶ Advanced nozzle design sprays 5-micron particle size leaving no residue

AAFS-SPRYDROP | Avian Fog Spray Unit

Bird Species	All Birds
Where to Use	Outdoor areas, roll up doors, loading docks, parking garages
Material	Metal boxes distributing methyl anthranilate fog
Bird Pressure	Light to Medium

Air Tube Quick Connect



- Poly Coupling for (2) 50' (15.24 m) Air Tubes

AAFS-COUPLER2 | Air Tube Quick Connect

Poly Tube for Air



- Air Tube 50' (15.24 m) Length
- Connects Spray Unit to Spray Unit and for extended runs

AAFS-AIRTUBE | Poly Tube for Air

Quick Connect Air Tube



- Air Tube 5' (1.52 m) length
- Connects compressor to first Spray Unit

AAFS-QCKCONT | Quick Connect Air Tube

T-Network Cable Splitter



- ▶ To attach Network Cable in two different directions

AAFS-TSPLIT | T-Network Cable Splitter

Network Cable Coupler



- ▶ Attaches Network Cable together for longer cable runs

AAFS-NETCOUPLER | Network Cable Coupler

Air Tube Quick Connect



- ▶ Poly Coupling for (3) 50' (15.24 m) Air Tubes

AAFS-TCOUPLER3 | T Air Tube Quick Connect

Network Cable



- ▶ 50' (15.24 m) male to female
- ▶ Attaches first Spray Unit to Control Unit and Spray Unit to Spray Unit

AAFS-MFCABLE | Network Cable

Repeller 360°

NEW!



Advantages & Benefits

- ▶ Uses sustainable wind energy!
- ▶ Ideal for docks and boats!
- ▶ Patent pending clip locks unit into place - will not blow off in high winds!
- ▶ UV protected - designed for outdoor use!
- ▶ Sweeps birds continually in a 5' diameter!
- ▶ Humane! Won't harm birds!

RPL360	Repeller 360°
RLMNT	Railing Mount
BSBB-SB	Sandbag Base

Bird Species	Starlings, pigeons, seagulls and larger birds
Where to Use	Boats, A/C units, signs, rooftops, marinas
Material	Polycarbonate fins and base supported by two stainless steel rods
Bird Pressure	Light to Medium

The Repeller 360° spins in the wind to prevent large birds such as gulls, pigeons and crows from landing in unwanted areas. The unit has a 6' diameter and is ideal for boats and docks.!



Ideal for Boats



The Railing Mount is easily attached to railings sizes 1" to 5" thick, simply tighten the screw until secure.

Solar Bird Repeller




Advantages & Benefits

- ▶ Solar powered with rechargeable batteries!
- ▶ Rechargeable batteries store power for use in low or no light!
- ▶ Lightweight propeller rotates at 30 RPMs!
- ▶ Telescoping arms cover a 5' (1.52 m) diameter!
- ▶ Sweeps birds continually in a 5' diameter!
- ▶ Humane! Won't harm birds!

RPLR-SLR1	Solar Bird Repeller
RPLR-ARMS	(2) Replacement Telescoping Rods 2.5' (.076 m)

Bird Species	Starlings, pigeons, seagulls and larger birds
Where to Use	Boats, signs, docks, billboards, parapet walls, roofs or any flat surface
Material	Two 2.5' (0.76 m) adjustable stainless steel rods, solar powered motor generates power for extended coverage
Bird Pressure	Light to Medium



Ideal for Boats

The Solar Repeller is a solar powered bird deterrent that uses continuous motion to prevent large pest birds from landing. Rotating "arms" mounted on top of the unit sweep birds off of signs, streetlights, balconies, boats, AC units and more!

Beakguard®
Woodpecker Deterrent

NEW!



Advantages & Benefits

- ▶ Environmentally friendly; it will not harm woodpeckers or any other bird species!
- ▶ Applies easily!
- ▶ Durable and weather-resistant!
- ▶ Applies to almost any surface!
- ▶ Effects are virtually immediate!

Part #	Description	Coverage
WPK-BG	Beakguard [1 Gallon]	180 sq. ft. [16.72 sq. m]

Bird Species	Woodpeckers
Where to Use	Siding, stucco, foam, wooden poles, telephone poles, power poles
Material	Elastomeric acrylic paint
Bird Pressure	Light to heavy

Beakguard is an elastomeric acrylic finish that applies to surfaces like standard latex paint, including: wood, fiber-cement, stucco, aluminum or vinyl. This compound immediately communicates a warning signal to woodpeckers, prompting them to find a more desirable location. BeakGuard offers outstanding durability, extended service life, maximum dirt pick-up resistance and weatherability in a vapor permeable, flexible membrane with exceptional color retention.



To install: BeakGuard® is easily applied to virtually any exterior surface including wood, fiber-cement, stucco, aluminum or vinyl. Apply like standard latex paint.

Sniff N' Stop
Woodpecker Deterrent

NEW!



Advantages & Benefits

- ▶ Durable – once in place the solution will flex and move without separating from the wood!
- ▶ Sterilizes the decay in the wood!
- ▶ Built in odor continues to deter woodpeckers!
- ▶ Applies easily!

Part #	Description
WPK-SNS1	Sniff N' Stop IPAK [1 Pound Box]
WPK-SNS3	Sniff N' Stop IPAK [3 Pound Box]

Bird Species	Woodpeckers
Where to Use	Siding, wooden poles, telephone poles, power poles
Material	Scented foam (polymer concrete) and resin
Bird Pressure	Light to heavy

Sniff N' Stop is a total solution to fixing and preventing structural damage caused by woodpeckers. Upon application, the foam solution (polymer concrete) expands to twice its size and the chemical compounds penetrate through any decay to bond into the undecayed wood. Once in place the solution will flex and move without separating from the wood. The solution also has an odor that further repels woodpeckers.



To install: Combine package contents and mix until consistent. Squeeze into holes letting product expand and solidify to prevent decay and new holes.

Transparent Bird Gel



Bird Species	Pigeons and Starlings
Where to Use	Ledges, I-beams, parapet walls, conduit, pipes, flat or curved surfaces
Material	Polybutene 93% Inert 7%
Bird Pressure	Light to Medium

Transparent Bird Gel is a sticky gel used to keep pest birds off of horizontal surfaces. Birds can't stand the sticky sensation on their feet and will move on.



To install: Transparent Bird Gel is applied in a zig-zag pattern with no more than 2" (5 cm) gaps. Do not install on a vertical surface.

Advantages & Benefits

- ▶ Creates a sticky surface which birds hate!
- ▶ Not harmful to birds and people!
- ▶ Designed for pigeons and starlings, not for use for protected species of birds.
- ▶ Lasts up to 6 months outdoors!
- ▶ Effective at wide temperature extremes: 15° F (-9° C) to 200° F (93° C)!
- ▶ Virtually invisible!

Part #	Description	Coverage
TBG-CASE	Transparent Bird Gel (Case of 12)	120' (36.57 m) x 3" (7.6 cm)

Bird-OFF Gel Pigeon & Bird Repellent

NEW!



Advantages & Benefits

- ▶ Smell and sticky feeling on the feet of birds drives them away!
- ▶ Will not entrap non-targeted species!
- ▶ Product is safe for installers to use without fear of burning sensation!
- ▶ Made in the USA!
- ▶ Lasts up to 1 year per application!
- ▶ Easy to clean up using soap and water!
- ▶ Virtually invisible!

Bird Species	Pigeons and Starlings
Where to Use	Ledges, I-beams, parapet walls, conduit, pipes, flat or curved surfaces
Material	Geraniol white pepper, Mineral Oil, Silica
Bird Pressure	Light to Medium



Bird-OFF gel is a liquid gel used to keep pest birds off of horizontal surfaces. The unique combination of smells and sticky sensation on their feet causes birds to stop landing on the surface and leave the area. Bird-OFF Gel has no burning sensation and is safe for installers.

NO CAPSAICIN - WILL NOT BURN INSTALLER!

To install: Bird-OFF Gel is applied in a zig-zag pattern with no more than 2" (5 cm) gaps. Do not install on a vertical surface.

Part #	Description	Coverage
BOG-CASE	Bird-OFF Gel (Case of 10)	100' (30.48 m) x 3" (7.6 cm)

Avian Control

NEW!



Sold in 1 Gallon Containers!



Advantages & Benefits

- ▶ Can be distributed either by fog or spray.
- ▶ Covers a large area. Uses 12-16 oz per acre!
- ▶ Lasts up to 3 times longer than other goose deterrents!
- ▶ Unique patent pending formula increases efficiency!
- ▶ Safe for people, pets and birds! All ingredients considered "Generally Regarded As Safe" by the FDA!
- ▶ Low cost, effective solution!
- ▶ Run-off will not contaminate nearby bodies of water!



Use a fogger to disperse Avian Control in large open areas such as parks and golf courses.

Part #	Description	Coverage
AVN-GAL	Avian Control [1 Gallon]	16,000 sq. ft [1,486 sq. m]

Bird Species	All Birds
Where to Use	Parks, golf courses, industrial parks, waterfront homes, athletic fields and more
Active Ingredient	Methyl Anthranilate
Bird Pressure	Light to Medium



Avian Control™ is a non-lethal repellent that discourages birds from congregating on golf courses, parks, athletic fields, airports, vineyards and other areas where birds are grazing.

- ♦ Humane - Does Not Harm Birds!
- ♦ Will Not Harm Grass or Shrubs!
- ♦ Will Not Wash Away From Rain or Sprinklers!

Using a unique patent pending formula, Avian Control irritates the birds' mucous membranes causing them to avoid the area. Avian Control can either be sprayed or fogged for desired effect.



Approved by the Environmental Protection Agency (EPA) for use on numerous crops to prevent damage from foraging birds.

Goose Repellent



Geese can't stand the taste!

Bird Species	Geese
Where to Use	Parks, golf courses, industrial parks, waterfront homes, athletic fields and more
Active Ingredient	Methyl Anthranilate
Bird Pressure	Light to Medium

Migrate Goose Repellent is a liquid repellent used to make grass areas unpalatable to geese. Migrate is made from a food grade grape extract that geese cannot stand.

Advantages & Benefits

- ▶ Not harmful to birds and people!
- ▶ Keeps property clear of goose droppings!
- ▶ Geese will find treated area unpalatable and move on!
- ▶ Use on grass or other areas where geese are feeding!
- ▶ Applied with a hand-held sprayer!
- ▶ Water (rain) will not wash off product!
- ▶ 1 gallon treats 16,000 sq. ft!
- ▶ Run-off will not contaminate nearby bodies of water!



To install: Mix 1 gallon concentrate with 3 gallons water. Apply to lawn and shrubbery with hand-held sprayer.

Part #	Description	Coverage
GRG-GAL1	Migrate Goose Repellent (1 Gallon)	16,000 sq. ft (1,486 sq. m)

Fog Repellent



Advantages & Benefits

- ▶ Used to deter birds and geese from open spaces!
- ▶ Fine fog acts as an irritant to the trigeminal membrane causing birds to leave the area!
- ▶ Liquid repellent that will not harm birds or people!

Fog Force Fog Repellent is a liquid repellent that is sprayed into the air using a thermal fogger. It drives birds away from the area by irritating their trigeminal membrane.

Bird Species	Geese
Where to Use	Parks, golf courses, industrial parks, waterfront homes, athletic fields and more
Active Ingredient	Methyl Anthranilate
Bird Pressure	Light to Medium



To install: Applied with a thermal fogger or used with the Bird•B•Gone AAFS [page 38].

Part #	Description	Coverage
BFFDA	Fog Force Repellent (1 Gallon)	16,000 sq. ft (1,486 sq. m)

Mist Netting



Mist Net is a simple, humane way to capture and release trapped birds.

Advantages & Benefits

- ▶ Mist Net humanely captures birds for removal!
- ▶ Made from extremely fine fibers that birds cannot see!
- ▶ Will not harm birds!
- ▶ Designed to capture multiple birds with 1 net!
- ▶ Ideal for big box stores, warehouses, grocery stores or other indoor areas where birds are trapped!
- ▶ Available in 4 sizes!

To install: Mist Net is hung directly in birds' flight paths. When birds hit the net, they become immobile, which makes it easy to remove and set free outside of the structure.

Mist Nets	Dimensions
MIST7X10	7' x 10' (2.13 m x 3.04 m)
MIST10X20	10' x 20' (3.04 m x 6.09 m)
MIST10X30	10' x 30' (3.04 m x 9.14 m)
MIST10X40	10' x 40' (3.04 m x 12.19 m)

Hook Attachment



- ▶ Use to hang Mist Nets from metal ceiling beams

MISTHOOK | Hook Attachment

Laser Pointer



- ▶ Use Laser Pointer to scare birds into Mist Net

MISTLZR | Laser Pointer

Telescoping Poles



- ▶ Use to hang Mist Net

MISTP18 | Two Telescoping Poles 18' (5.4m)

Magnet Attachment



- ▶ Use to hang Mist Nets from metal ceiling beams

MISTMGNT | Magnet Attachment

Magnet Cover



- ▶ For easy removal of magnet attachment

MISTRCLR | Rubber Magnet Cover

Carrying Case



- ▶ Convenient for storing and transporting Mist Net components

MISTCS1 | Mist Net Carrying Case

Bird Species	All Birds
Where to Use	Warehouses, Big Box Stores, Airplane Hangars, Grocery Stores
Material	U.V. Protected Nylon
Bird Pressure	Light - Heavy

Mist Net Kit



Mist Net Kit Includes

Mist Net	10' x 30' (3.04m x 9.14m)
Telescoping Poles	2 ea.
Hook Attachments	2 ea.
Magnet Attachments	2 ea.
Laser Pointer	1 ea.
Carrying Case	1 ea.
Magnet Covers	2 ea.

Our Mist Net Kit contains everything needed to capture and release trapped birds.

MISTCAP-KIT | 10' x 30' (3.04 m x 9.14 m)



Advantages & Benefits

- ▶ Humane, will not harm birds!
- ▶ Only 12.5 inches long and 2.3 lbs!
- ▶ Net launches up to 60 feet!
- ▶ 2" mesh effective for all birds!
- ▶ Used worldwide by animal control agencies and research scientists!
- ▶ Ideal for warehouses, food production sites, storage facilities, big box stores and other areas!
- ▶ Kit comes complete with everything needed including air cartridges and multiple net launchers!
- ▶ Used exclusively by the USDA, US Fish & Wildlife and APHIS!
- ▶ Made in the USA!



Catch and release birds and other animals humanely!

Mist Nets	Description
NETGUN/KIT-2	SuperTalon Ultra Net Launcher Kit
NETGUN/CARTRIDGE	Air Cartridges
NETGUN/CONE-2	Net Cone with 2" mesh
NETGUN/CONE-4	Net Cone with 4"mesh
NETGUN/CONE-4G	Net Cone with 4" mesh/no grapples
NETGUN/CONE-6	Net Cone with 6" mesh
NETGUN/NET-2	Net 2" mesh
NETGUN/NET-6	Net 6" mesh

Bird Species	All Birds
Where to Use	Where ever birds need to be relocated. Indoor or outdoor use.
Material	Durable plastic with nylon netting.
Bird Pressure	Light - Heavy

The Super Talon Ultra is a heavy duty hand held net launcher used to capture birds for later release. The Super Talon comes complete with accessories and a carrying case.



Super Talon Net Launcher Kit

Kit Includes:

- ♦ Firing Handle
- ♦ 2 Net Launchers
- ♦ 10 Air Cartridges
- ♦ Carrying Strap
- ♦ 2 Replacement "O"Rings
- ♦ 1 Spare End Cover Cap
- ♦ A Lockable Aluminum Foam
- ♦ Lined Carrying Case

Additional mesh sizes available for wildlife control!



Just aim and shoot!

Professional Bird Traps



Slanted Surface Pigeon Trap with Shade, Food & Water

- One 1-gallon water container and feeder pan
- Adjustable legs ideal for slanted surfaces
- Six one-way entry doors with door guard
- Heavy slide out galvanized flat pan and fold down landing platforms
- Hinged shade screens
- Capacity: 20+ birds
- 29 lbs. (13.15 kg)
- Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.4 cm)


BMP-SW/AD-LEGS | Slanted Surface Pigeon Trap



Large Pigeon Trap with Shade, Food & Water

- One 1-gallon water container and feeder pan
- Six one-way entry doors with door guard
- Divided trap with two access top doors
- Hinged shade screen
- Capacity: 30+ birds
- 23 lbs. (10.43 kg)
- Dimensions: 46" x 24" x 10" (116.84 cm x 60.96 cm x 25.4 cm)


BMP-SW/LP-SFW | Large Pigeon Trap



Pigeon Trap with Shade, Food & Water


- Three one-way entry doors with door guard
- Centered top access door for easy removal of birds
- Hinged shade screen
- Water container and feeder pan
- Capacity: 12+ birds
- Lightweight 10 lbs. (4.53 kg)
- Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)

BMP-SW/SP-SFW | Pigeon Trap




Snap Traps

- Simple to use with proven results.
- When bait tray is triggered, a spring loaded nylon net closes over the birds to trap them quickly and safely.
- Base of trap and net are green to blend in with its surroundings.
- This trap can be mounted on buildings, walls, and can even be put in trees.
- The snap trap is powder coated for rust resistance.
- Snap traps are designed for replacement springs if needed.



Part #	Dimensions
BMP-SW/SNAP-S	17" x 17" x 2.5" (43.18 cm x 43.18 cm x 6.35 cm)
BMP-SW/SNAP-M	24" x 24" x 2.5" (60.96 cm x 60.96 cm x 6.35 cm)
BMP-SW/SNAP-L	36" x 36" x 2.5" (91.44 cm x 91.44 cm x 6.35 cm)


Professional Bird Traps



Sparrow Trap

- Two chamber
- Bi-level repeating trap
- Dual level design eliminates captured feeling by birds
- Large capacity (can hold a large number of sparrows)
- Lightweight: 4 lbs. (1.81 kg)
- Dimensions: 16" x 12" x 8" (40.64 cm x 30.48 cm x 20.32 cm)

BMP-SP2C | Sparrow Trap



Sparrow Trap with Food and Water

- Two top access removal doors
- Bi-level with access to feed pan and water container
- Repeating trap
- Easy access to service feed and water station
- Six entry funnel doors (three per compartment)
- 13 lbs. (5.89 kg)
- Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.40 cm)

BMP-SW/SSP3-WF | Sparrow Trap with Food and Water



Collapsible Pigeon Trap

- Easily assembles and collapses to 1" (2.54 cm) high
- One door on each side
- Capacity: 18+ pigeons
- Lightweight 14 lbs. (6.35 kg)
- Dimensions: 40" x 22" x 12" (101.60 cm x 55.88 cm x 30.48 cm)

BMP-PSCP | Collapsible Pigeon Trap



Pigeon Motel

- Ideal for commercial or residential use
- Two one way entry doors
- Each door has a door guard
- Easy to store and re-use
- Portable
- Capacity: 6+ birds
- Lightweight 5 lbs. (2.26 kg)

BMP-SW/SPM | Pigeon Motel



Collapsible Pigeon Trap with Shade

- Four one way entry doors - one on each side
- Easily assembles and collapses to 1" (2.54 cm) high
- Hinged shade screen
- Capacity: 12+ birds
- Lightweight 8 lbs. (3.62 kg)
- Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)

BMP-SW/CP-S | Collapsible Pigeon Trap with Shade

Solar Bird Chase Super Sonic™ **NEW!**



Solar Powered Sound Deterrent

Advantages & Benefits

- ▶ Unit powered by sustainable solar energy!
- ▶ Deters birds from large open spaces with recorded bird distress and predator calls!
- ▶ Covers 1 acre!
- ▶ Comes with rechargeable batteries for operation during nighttime!
- ▶ Water resistant – meant for outdoor use!
- ▶ Programmable!
- ▶ Day and Night mode activated with light sensors!
- ▶ Unconditional 30 day money back guarantee!

Ideal For:

- ▶ Parks!
- ▶ Golf Courses!
- ▶ Athletic Fields!
- ▶ Water Front Properties!
- ▶ Campuses!
- ▶ Rooftops!
- ▶ Vineyards!
- ▶ Industrial Parks!
- ▶ Resorts!
- ▶ And more!



Gardens



Orchards



Docks



Rooftops

Bird Species	All Birds
Where to Use	Warehouses, Rooftops, Yards, Open Lots
Bird Pressure	Light - Medium

The Solar Bird Chase Super Sonic™ is a solar powered sound deterrent that plays recorded bird distress and predator calls to deter birds from large open spaces.

- ▶ Powered By Sustainable Solar Energy!
- ▶ Covers Up To An Acre!
- ▶ Weather Resistant!

When birds hear the recorded calls their natural instinct is to flee the area. A solar panel mounted on top of the unit powers the system during the day, while rechargeable batteries keep the unit running at night.



The Solar Bird Chase Sonic is ideal for use in large open spaces where there is no access to a power source. Solar panels charge and store energy to keep the system operating day and night.

To Install: Place unit in sun for 8 hours to charge. Optionally you can plug in and charge it for 4 hours. Once the unit is fully charged, place the unit on a flat surface where it receives sun for most of the day. This will keep it optimally charged. Select the proper bird setting from the menu, choose day or night setting, adjust volume and watch the birds disappear.

Part #	Description	Coverage
UR58	Solar Bird Chase Super Sonic	1 acre

Bird Chase Super Sonic



Bird Species	All Birds
Where to Use	Warehouses, Rooftops, Yards, Open Lots
Bird Pressure	Light - Medium

The Bird Chase Super Sonic is an outdoor sound device used to deter pest birds. Distress and predator calls from over 22 types of birds are broadcast for two minutes at ten minute intervals to scare pest birds from large open spaces.



Advantages & Benefits

- ▶ Deter birds from large open spaces with bird distress and predator calls!
- ▶ Low cost method of protecting your property!
- ▶ Features the distress and predator calls of 22 types of birds!
- ▶ Programmable, you can choose your target bird!
- ▶ U.V. protected and water resistant!
- ▶ Can be programmed to turn on/off automatically at night!
- ▶ Covers 1 acre. Add additional speakers for coverage up to 5 acres!
- ▶ 30-day unconditional money back guarantee!

Part #	Description	Coverage
IB50-PCOM	Bird Chase Super Sonic	1 acre
IB50-PPII	Bird Chase Super Sonic Pro 2	3 acres
IB50-PPIV	Bird Chase Super Sonic Pro 4	5 acres
SONIC-SP2	Super Sonic Speakers (2)	2 acres

Goose•B•Gone Super Sonic



Bird Species	Geese and Ducks
Where to Use	Walkways, Waterfronts, Yards, Open Lots
Bird Pressure	Light - Medium

The Goose•B•Gone Super Sonic is an outdoor sound device used to deter pest geese. Distress calls of Canada Geese and predator calls are broadcast for two minutes at ten minute intervals to scare geese from large open spaces.



Advantages & Benefits

- ▶ Deter geese from large open spaces with goose distress and predator calls!
- ▶ Actual distress and alarm calls of Canada Geese recorded in their natural habitat!
- ▶ U.V. protected and water resistant!
- ▶ Can be programmed to turn on/off automatically at night!
- ▶ Unit comes with one internal speaker and two satellite speakers covering up to 3 acres!
- ▶ Add additional speakers for coverage up to 5 acres!
- ▶ 30-day unconditional money back guarantee!

When geese hear the distress and predator calls their natural instinct is to leave the area.

Part #	Description	Coverage
GBG-SS	Goose•B•Gone Super Sonic	3 acres
SONIC-SP2	Super Sonic Speakers (2)	2 acres

Visual Bird Deterrents

Flash Tape



- ♦ Iridescent foil tape scares birds away with reflective surface
- ♦ 50' [15.24 m] per roll

MMFT-050 | Mylar Flash Tape

Bird•B•Gone Diverter



- ♦ Iridescent foil "predator" eye scares birds away
- ♦ 5 diverters per pack

SED-5 | Bird B Gone Diverter

Bird•B•Gone Balloon



- ♦ Inflatable scare device
- ♦ Confuses birds with lifelike reflective "predator" eyes

SEB-1 | Bird B Gone Balloon

Physical Bird Deterrents

Scarecrow



- ♦ The motion activated infrared sensor detects birds when they are present
- ♦ "Fires" water over 1,000 times on only one 9 volt battery

SCRW-MAS | Scarecrow

Mini Scarecrow



- ♦ Sensor detects motion up to 3.5' [1 m] away
- ♦ Sprays compressed air - odorless and harmless
- ♦ Each can holds over 500 sprays

SCRW-MINI | Mini Scarecrow

Copper Mesh



- ♦ Ideal for roof tiles and open spaces around dryer vents
- ♦ Pack tightly into cracks or holes for exclusion of pests and birds

CMS-20	Copper Mesh 20' (6.09 m)
CMS-100	Copper Mesh 100' (30.48 m)

Cleaning Supplies



Disinfectant Cleaner

Concentrated:
8 ounces makes
16 quarts (4 gallons)!

*Includes all items shown

DIS-SQ8 | Microcide SQ Disinfectant



Waste Digester

Disinfects and
Eliminates Odors!

DISAZ-1GAL | Airzyme Waste Digester

Installer Kit

NEW!

Introducing the Bird•B•Gone Installer Kit - a heavy duty portable tool box that includes all the tools and hardware needed to start a successful bird control business.



INST-KIT | Installer Kit

- ♦ Heavy Duty Portable / Rolling Tool Box
- ♦ Hog Ring Tool
- ♦ Assorted Drill Bits
- ♦ Caulking Gun
- ♦ Crimp Tool
- ♦ Cable Cutting Tool
- ♦ Lag Screw Driver
- ♦ Copper Mesh
- ♦ Construction Grade Adhesive
- ♦ Bird Wire: Cable, Posts, Glue on Bases, Crimps, and more!
- ♦ Bird Netting: Straining Wire, Corner Attachments, Intermediate Attachments, Turnbuckles, Ferrules, Hog Rings and more!

Adhesives & Sealants



Bird•B•Gone offers a quality line of adhesives to help match any of your job requirements. They are durable and meant for outdoor use.



Ecobond

Complies with
CA prop 65!



Part #	Description	Coverage
ADBOND-CLR	Clear Sealant	25' (7.62 m)



Sikaflex

Additional colors
available upon
request!

Part #	Description	Coverage
ADFLEX-BLK	Black Sealant	25' (7.62 m)
ADFLEX-GRY	Gray Sealant	25' (7.62 m)
ADFLEX-WHT	White Sealant	25' (7.62 m)



Quick Adhere

Part #	Description
BWQAA-2	Quick Adhere (2/pk)
BWQAAP	Quick Adhere Applicator
BWQAAN-12	Quick Adhere Nozzles (12/pk)

Vinyl Strip Doors



- ♦ Stop birds from entering buildings, warehouses and loading docks
- ♦ Can be used in conjunction with Bird Net 2000, Shock Track and other Bird•B•Gone products
- ♦ Custom sizes available
- ♦ Complete with hardware and ready to hang

Custom Size Strip Doors Flat Strip - Full Overlap

Part #	Door Width x Height	% of Overlap
VSD-08CS	8" x .080" (20.32 cm x .20 cm) Door Strip x Door Height	Full
VSD-12CS	12" x .120" (30.48 cm x .3048 cm) Door Strip x Door Height	Full
VSD-16CS	16" x .160" (40.64 cm x .406 cm) Door Strip x Door Height	Full

Standard Size Strip Doors Made with Standard Flat Strip

Part #	Door Width x Height	% of Overlap
VSD-3X7	3' w x 7' h (.914 m w x 2.13 m h)	50%
VSD-4X8	4' w x 8' h (1.21 m w x 2.43 m h)	50%
VSD-6X8	6' w x 8' h (1.82 m w x 2.43 m h)	50%
VSD-8X8	8' w x 8' h (2.43 m w x 2.43 m h)	50%
VSD-8X10	8' w x 10' h (2.43 m w x 3.04 m h)	66%
VSD-10X10	10' w x 10' h (3.04 m w x 3.04 m h)	66%
VSD-12X12	12' w x 12' h (3.66 m w x 3.66 m h)	66%



Vinyl Strip Doors can be purchased in either standard sizes or custom cut widths and lengths.



Vinyl Strip Doors are especially effective at deterring birds from entering loading docks.

Marketing Materials for Authorized Installers

Display Case



Our display case is the perfect visual tool to bring along when giving a sales presentation on bird control services.

Display Case | **FREE**

Interactive Display Case

NEW!



The interactive display case showcases our products with case studies and specs all on one USB device.

Interactive Display Case Thumb Drive | **FREE**

Display Case iPad App

NEW!



Designed for both the iPhone and iPad, this app lets you take a virtual display box everywhere your iDevice goes.

iPad App of Display Box | **FREE**

Customized Sell Sheets



We offer free customized “sell sheets” you can give to existing or potential customers to let them know you provide bird control as a service.

Customized Sell Sheets | **FREE**

Authorized Installer Logo Sticker*



When displayed on your vehicle, this waterproof vinyl sticker is perfect for letting customers know you can help them with their bird control needs.

AI Sticker (9" x 6") | **FREE**

Training Manual



Our free training manual is a comprehensive guide to all aspects of bird control including marketing, site evaluation, quoting and presentation.

Training Manual | **FREE**

Bird•B•Gone Hat

NEW!



A Bird•B•Gone logo hat to show your customers that you use the best brand in bird control products

Bird•B•Gone Hat | **\$10.00**

Bird•B•Gone Shirt

NEW!



Bird•B•Gone logo shirt shows your customers you use only the best brand of bird control products

Bird•B•Gone Shirt (other colors available) | **\$25.00**

Bird•B•Gone Jacket

NEW!



Bird•B•Gone logo jacket shelters you from the cold while letting your customers know that you use only the finest in bird control products.

Bird•B•Gone Jacket (style may vary) | **\$40.00**



Bird•B•Gone University is a free training course designed to teach the basics of bird control. Classes are taught by our bird control specialists who have extensive experience in the industry.

If you are looking to expand your business by increasing the services your company provides, or just looking to develop your bird control knowledge, this is an excellent opportunity for you.

Classes are held at the Bird•B•Gone manufacturing facility in Santa Ana, California. Those who attend are added to Bird•B•Gone's list of authorized installers and receive a certificate of completion. Bird•B•Gone University can also be applied as credit hours earned towards a Pest Control Applicators License in many states.

Interested in hosting a Bird•B•Gone University class at your business?

Call us at 1-800-392-6915 for details!

Earn your Authorized Installer certificate at Bird•B•Gone University!



Topics Include:

- ▶ How to market and make a profit in bird control
- ▶ Site evaluation
- ▶ Choosing the right product
- ▶ How to install products (hands-on training)
- ▶ Quoting bird jobs
- ▶ How to hang netting (hands-on)
- ▶ How to avoid problems and troubleshooting



Learn how to install Bird Netting at Bird•B•Gone University

Worldwide On-site Training

Bird•B•Gone offers on-site training for complex bird jobs. Whether you need help choosing and installing products or would like on the job training, our sales team can help.

Call us at 1-800-392-6915 for details!



Group trainings are a great way to get all of your team involved in bird control projects. Bird•B•Gone training in Malaysia.



Our bird control engineers will train you on every aspect of the job.

Need an Authorized Installer?

If you don't have the time, resources or expertise to solve your bird problem we can connect you with a Bird•B•Gone certified Authorized Installer.

Bird•B•Gone has trained an extensive network of Authorized Installers who can install our line of professional bird control products around the world. Whether it's a commercial, residential or industrial setting, our installers have the training and experience needed to solve your pest bird problem.

We work closely with our installers to make sure they are qualified to help you get rid of your pest birds while providing excellent customer service.



Call us today for an Authorized Installer in your area. **1-800-392-6915**

Be an Authorized Installer!

As an Authorized Bird•B•Gone installer you will be working with the highest quality bird control products on the market, and receive the best customer service. Whether bird control is your primary business or installing bird control products is a natural add-on to many of the services you already provide, it can be a lucrative way to add extra dollars to your bottom line. There are many advantages to becoming an Authorized Installer including:

Bird•B•Gone Products

Bird•B•Gone products are effective, humane and will deter pest birds from industrial, commercial or residential settings. We manufacture a majority of our products at our facility in the U.S. ensuring the highest quality bird control products with the longest guarantees.

Customer Service / Technical Support

Bird•B•Gone creates predictable success for our Authorized Installers by advising and supporting them on their jobs. Our goal is not to "sell" you products, but rather to position you to make the best quality decisions when it comes to designing, specifying and installing the right products to fit your job. Our bird control specialists have over 90 years of combined experience and will help you in all aspects of bird control.

Training

In addition to Bird•B•Gone University and our free training manual, we can provide on-site training for difficult installations and group trainings for your entire staff.

Marketing

We actively promote our line of professional bird control products and put a heavy emphasis on marketing. Bird•B•Gone offers free marketing materials to help build your bird control business.



Quality Guaranteed



- ▶ Stainless Steel Bird Spikes - 10 Years
- ▶ Polycarbonate Bird Spikes - 5 Years
- ▶ Bird Net 2000 Heavy Duty (Black) - 10 Years
- ▶ No-Knot Netting - 10 Years
- ▶ Bird Wire - 5 Years
- ▶ Bat Netting - 10 Years

Bird•B•Gone manufactures products in the United States ensuring they meet the highest standard of quality in the industry. All products go through an extensive quality control process before they leave our warehouse. All of our products are hand inspected and signed as they're packaged. This allows us to offer the industry's longest guarantees.





Each product is quality tested before it reaches our customers. Our bird netting is tested using ISO 9001 and ISO 1806 protocol standards.

Shipping

Bird•B•Gone provides the fastest and most efficient shipping in the industry. We make our own products which means same day shipping even on custom cut nets. We use a variety of trackable shipping methods to guarantee your product gets there on time including express air, ground and ocean. Wherever you are in the world, Bird•B•Gone will ship to you!



Specifications & CAD Details



Bird•B•Gone is the #1 specified bird control company by architects, engineers and government agencies. Since 1992, we have worked closely with the AEC industry both in the design and implementation of effective, humane and cost efficient bird control solutions.

Specifications, CAD and BIM details can be found on the Bird•B•Gone website. If you need help specifying bird control on a project, contact our bird control specialists who can help you choose the right product and even put you in contact with an Authorized Installer.

Innovation

At Bird•B•Gone, we make it our business to stay on top of the latest advancements in the bird control industry. We incorporate new technologies with tried and true methods to develop the most effective bird deterrents available.

- ▶ We have over **21 patents** and **23 patents pending** on bird control products; the most in the industry!
- ▶ Bird•B•Gone invented and patented the original plastic bird spike; a revolutionary tool in bird control.
- ▶ Our Bird Jolt Flat Track has recently received another patent on its anti-arcng and trough designs, the only electric track that prevents electrical shorting.
- ▶ The patented bend and crush design on our Bird•B•Gone Stainless Steel Spikes ensures the spikes stay secured in the base.

We are constantly developing new products to meet the needs of our customers. We strive to provide the most effective, efficient and reliable bird control methods on the market.



On-staff Ornithologist



The Bird Whisperer

Contact Dr. Rob Fergus directly by visting the “Ask the Bird Expert” page of our website.

Dr. Fergus is very active in bird conservation programs nationwide. In 1999 he founded the Hornsby Bend Bird Observatory in Austin, TX in 1999 and shortly after he created additional bird conservation programs and became the first executive director of the 2,500 member Travis Audubon Society.

From 2004 to 2009 Dr. Fergus acted as the Senior Scientist for the Urban Bird Conservation at the National Audubon Society. In addition to researching and consulting on human/bird interactions in cities across the United States, Latin America and Europe, Dr. Fergus currently teaches Urban Bird Conservation at Rowan University in Glassboro, New Jersey.

Dr. Rob has teamed up with Bird•B•Gone to help answer your bird questions and to bridge the gap between the science of nature and the nature of bird control. Ask him a question today!

Dr. Fergus will help to improve and develop new products and help customers tackle tough pest bird problems. It is our goal that Dr. Fergus will be instrumental in helping teach our customers about bird habits and behavior. Our “Ask the Bird Expert” division is a helpful new tool in the bird control industry.

Dr. Fergus is an ornithologist who specializes in urban ecology and human/wildlife interactions. He has more than 15 years of experience in creating and managing innovative bird conservation and citizen science programs for Audubon and other environmental non-profits. He is a conservationist studying urban bird ecology and how to make cities sustainable for birds and people. He received his Ph.D. in urban bird conservation from the University of Texas at Austin.



Bird•B•Gone Gives Back



**CHILDREN
OF THE NATIONS®**

Our motto is "it's more than just bird control products, it's faith, family and friends" and we don't just say it, we live it! Not only do we treat our team members and customers like family we have extended this motto to include those less fortunate around the world. Bird•B•Gone has teamed with **Children of the Nations**, (a non-profit organization that provides holistic care to orphaned and destitute children across the globe) to help fund the building of orphanages in Liberia and Sierra Leone! We couldn't do it without you! Your continued support of Bird•B•Gone allows us to make a life-saving and positive impact on impoverished and orphaned children's lives!



Bird•B•Gone family and friends participate in a Food Packaging Marathon!



Children gather with Bruce on recent trip to Sierra Leone, Africa!



We support Children of the Nations!

www.cotni.org



Through your continued support of Bird•B•Gone products, we have been able to provide COTN in Sierra Leone with a brick making machine. This machine creates bricks out of local materials to create homes, classrooms and hospitals.



Entrance to the "Bird•B•Gone" Dormitory.



On the porch of the Dormitory.



Interior of the "Bird•B•Gone" Dormitory.

Some of Our Prestigious Clients

Government

United States Postal Service
Ellis Island Monument
Yosemite National Park
Jackson County Courthouse, MS
NASA
City of Austin, Texas
Orange County (FL) Convention Center
USDA
City of Phoenix
US Bureau of Land Management
City of Portland
NYPD
US Fish & Wildlife
CA Department of Corrections
City of Ithica consolidated Transit
City of Minneapolis
Port of Portland
Port of Seattle
San Francisco Housing Auth.
SEPTA - Philadelphia
Federal Aviation Administration

Transportation

Union Pacific Railroad
Delta Airlines
New York State Department of Transportation
Bay Area Rapid Transit
Chicago Transit Authority
Pennsylvania Department of Transportation
Long Island Railroad
Southwest Airlines
Fort Worth Transportation Center
American Airlines
Continental Airlines
MTA - New York
Amtrak
Minnesota DOT
MTA Los Angeles
Delaware DOT
Oats Transit Missouri
Dallas Area Rapid Transit
Miami-Dade DOT
Jacksonville FL DOT

Construction

Trammell Crow
Lusardi Construction
Whiting Turner Construction
FineLine Construction
ABM Engineering
Walsh Construction
Archer Daniels Midland
Barton Malow Company
Skanska
Bouis Lend Lease
Clark Construction
FH Paschen
CIANBRO Corporation
S.J. Amoroso
Swinerton Builders
Kiewit
McCarthy Contstruction
Flintco Construction
Cadence McShane
Hoffman Construction
Turner Construction



Ft. Smith Air Force Base



Terrebonne General Medical Center



Safeway Stores

Utility

Pacific Gas And Electric
South Carolina Electric and Gas
Socal Edison
XCEL Energy
BC Hydro
LA Dept Water & Power
Sierra Pacific Power
Georgia Power
Florida Power & Light
TXU Generation Co
Duke Energy
American Electric Power
Entergy
Xcel Energy
Genon Energy
Centerpoint Energy
Bonneville Power Administration - Seattle
Detroit Edison Power

Military

Camp Pendleton
Scott Air Force Base
Andrews Air Force Base
Camp Lejeune
United States Coast Guard
Fort Stewart
Fort Bragg
Nellis Air Force Base
Travis Air Force Base
Vandenberg Air Force Base
Hurlburt Field
MCAs Miramar
March Air Force Base
US Army Corps of Engineers
Offuit Air Force Base
Navy Public Works
Altus Air Force Base
McGuire Air Force Base
Buckley Air Force Base

Hospitals

Kaiser Permanente
V.A. Medical Center - Long Beach, CA
Cedars-Sinai Medical Center
Mayo Clinic
Cardinal Health
St. John's Hospital - MI
St. Mary's Hospital - MN
LSU Medical Center
Three Rivers Med Center
NYS Psychiatric Institute
Tyco Healthcare
Mercy Medical
Elmhurst Memorial Hospital
Presbyterian Hospital Charlotte, NC
Bergan Mercy Hospital - Omaha, NE
Texas Children's Hospital
University of Utah Huntsman Cancer Institute
Florida Hospital Ormond Memorial
Terrebonne General Medical Center

Airports

Delta Airlines
Southwest Airlines
American Airlines
Continental Airlines
Gerald Ford Airport
Portland International Airport
Seattle-Tacoma Airport
Long Beach Airport, CA
San Diego County Regional Airport
Raleigh Durham International Airport
Pitt Greenville Airport - NC
Boston Regional Airport - Manchester, NH
Philadelphia International Airport
Dallas-Fort Worth International Airport
Rochester International Airport
Denver International Airport
Asheville Regional Airport - NC
Tulsa Airport Authority, OK
Kahului Airport, HI

Municipalities

Minneapolis, MN
Austin, TX
Phoenix, AZ
Portland, OR
Dallas, TX
Houston, TX
Las Vegas, NV
Los Angeles, CA
Milwaukee, WI
Sacramento, CA
Tucson, AZ
Salt Lake City, UT
Tampa, FL
Wichita, KS
Chattanooga, TN
Columbus, OH
Cedar Rapids, IA
Santa Monica, CA
Baltimore, MD

Stadiums

Yankee Stadium
Soldier Field
Citi Field Ball Park
Wrigley Field
Oklahoma State University
Camden Yards
Lincoln Financial Field
Citizens Bank Park
Texas A&M Olsen Field
Texas A&M Kyle Field
Sacramento City College
Hughes Stadium
Chesapeake Energy Arena
Kentucky Horse Park
Petco Field - San Diego, CA
Swayze Field - Mississippi
Flagler Dog Track



Hewlett School



Medical Center - Anaheim, CA



Airplane Hangar, Arkansas

Education

LA Unified School District
School District of Philadelphia
University of Arizona
University of Southern California
Purdue University
Tulane University
Texas Tech University
Louisiana State University
UCLA
University of Oklahoma
University of Texas
University of Georgia
University of Missouri
UC Santa Barbara
Cal Poly San Luis Obispo
UC San Francisco
Cornel University
University of Washington
Portland State University
California Institute of Technology

Retail

Home Depot
Walmart
McDonald's
Nordstrom
Costco
Sears
Kmart
Walgreens
Hewlett-Packard
PetSmart
Lowe's Home
Improvement
CVS
Ethan Allen
Carmax
Target
Burger King
Meijer
Publix Super Markets
Kraft Foods

Misc.

Seaworld
Gallo Winery
Hertz Rent A Car
Ritz-Carlton
Marriott Hotels
Florida Aquarium
Six Flags
Caesar's Palace
Lincoln Center for the
Performing Arts
Disney
Tropicana Products
Leprino Foods
Life Foods
Kennedy Space Center
Valero
Loury Park
Tampa Zoo
Alcatraz
9/11 Memorial - NJ
Exxon



BIRD•B•GONE[®] Inc.
PROFESSIONAL BIRD CONTROL SOLUTIONS

WORLDWIDE

2013 PRODUCT CATALOG



Call Us (800) 392-6915

www.birdbgone.com | nobirds@birdbgone.com