



BIRD•B•GONE[®]

PROFESSIONAL BIRD CONTROL PRODUCTS

YOUR PARTNERS IN BIRD CONTROL



birdbgone.com

800-392-6915

The industry leader since 1992

Bird•B•Gone is the world's leading manufacturer of professional bird control products and technical support. Founded by Bruce and Julie Donoho in 1992, our extensive line of humane bird deterrents have solved pest bird problems in commercial, industrial, recreational, government, agricultural, and residential settings across the globe.

Today, Bird•B•Gone is part of the Pelsis family of brands who globally believe in purposeful innovation and strategic partnerships to equip our customers with the tools they need to take on challenges every day.



Why Bird•B•Gone?



PRODUCTS & PEOPLE YOU CAN TRUST!

- ▶ Bird•B•Gone products are humane, effective, and carry industry leading guarantees.
- ▶ The #1 most specified products by architects, engineers, and government agencies.
- ▶ We manufacture the majority of our own products at our facility in the United States.
- ▶ Our products have been used to successfully deter pest birds from high profile locations such as airports, schools, hospitals, military bases, historical buildings and more.
- ▶ Our bird control experts have over 100+ years of hands-on experience.
- ▶ We offer free training and support for all aspects of bird control, including on-site training and technical support.
- ▶ We regularly host a free training course, Bird•B•Gone University, that teaches everything from quoting a job to product installation.
- ▶ We offer custom cut nets, same day and express shipping.
- ▶ Our products are available worldwide through a network of quality distributors.

TABLE OF CONTENTS

WHY BIRD•B•GONE®?

About Bird•B•Gone	2
Why Bird•B•Gone?	2
Products by Area	4
Products by Pest Bird	5
Our bird control experts	6
Why Bird Control?	7
Partner with Bird•B•Gone	9
Bird•B•Gone University	10
Innovative New Products	10
Our Clients	59

SPIKES

Stainless Steel Bird Spikes	12
Mega Spikes	13
Gutter Spike	13
Girder Spike	13
Plastic Bird Spikes	14
Bird Spike Installation	15

NETTING

Bird Net 2000™ Heavy Duty Netting	18-19
No-Knot Netting	20
Installation and Tools	21
Corner Attachments	22-23
Straining Wire & Cabling	24
Fasteners	24
Hog Rings	25
Accessories for Access & Tools	26
Heavy Duty Bird Control Starter Kit	26
Bat Netting	27
Ultra Net™	27
Flame Net	28

ELECTRIC TRACK

Bird Jolt Flat Track®	30
Installation Accessories	31
Electric Track Chargers	32
Installation Components	32
Bird Jolt Flat Track® Kit	33

DETERRENTS

Bird Slope™	36
Bird Slope™ Installation Accessories	37
Solar Panel Bird Deterrent Kit	37
Bird Wire	38
Bird Wire Hardware	39
Bird Spider 360°®	40
Agrilaser®	41
Bird Chase Super Sonic™	42
Solar Bird Chase Super Sonic™	42
Reflect-A-Bird™	43

TRAP & CAPTURE

Mist Net & Mist Net Kit	46
Sparrow Capture Trap	47
Professional Bird Traps	48

REPELLENTS

Bird-Out™ Aromatic Bird Repellent	10
SpectrumV® Holographic Bird Gel™	50
Bird-OFF™ Gel	50
Transparent Bird Gel	51
Avian Block™ Bird Repellent	52
Bird•B•Gone Bird Hazer	52
Avian Control®	54
EcoBird 4.0®	54
Avian Migrate™	55
Avian Fog Force™ TR	55

MISCELLANEOUS

Adhesives & Sealants	57
Cleaning Supplies	57
The Defender™ Premium Vent Cover	57
Vinyl Strip Doors	58
BeakGuard™	58
Visual & Physical Bird Deterrents	59
Marketing Materials	59



Bird netting can be used in heavy nesting areas where birds need to be excluded. Netting can be used in roofs, warehouses, docks, airplane hangars and other enclosures.

EXCLUSION PRODUCTS

Bird Net 2000™ Heavy Duty Netting	18
No-Knot Netting	20
Bat Netting	27
Ultra Net™	27
Flame Net	28
Pond Netting	28
Bird Slope™	36
Solar Panel Bird Deterrent	37
Vinyl Strip Doors	59



Sensory products are used when pest birds become a problem in outdoor dining or break areas, semi-enclosed and wide open spaces like parks, golf courses, airports, vineyards, and agricultural areas.

SENSORY & REPELLENT PRODUCTS

Bird-Out™ Aromatic Bird Repellent	10
Agrilaser®	41
Bird Chase Super Sonic™	42
Reflect-A-Bird™	44
SpectrumV® Holographic Bird Gel™	50
Transparent Bird Gel	51
Avian Block™ Bird Repellent	52
Avian Control®	54
Swallow Shield™	58



Exposed ledges include roof lines, parapet walls, window sills, ledges, beams, and other open areas where birds choose to land.

LEDGE PRODUCTS

Stainless Steel Bird Spikes	12
Mega Spike	13
Gutter Spike	13
Girder Spike	13
Plastic Bird Spikes	14
Bird Jolt Flat Track®	30
Bird Wire	38
Bird Spider 360°®	40
SpectrumV® Holographic Bird Gel™	50
Bird-OFF™ Gel	50
Transparent Bird Gel	51



When large numbers of birds take over a building or enclosed space, reduction products may be required before other bird control methods can be installed.

REDUCTION PRODUCTS

Mist Net & Mist Net Kit	46
Sparrow Capture Trap	47
Professional Bird Traps	48

PRODUCTS BY PEST BIRD

There are many factors to consider when choosing the right bird control product. Not all products work for every situation and some situations may require multiple products. Choosing the correct product can mean the difference between success and failure.



PIGEONS

Bird-Out™	10
Bird Spikes	11
Bird Netting	17
Electric Track	29
Bird Slope™	36
Bird Wire	38
Bird Spider 360®	40
Trapping	45
Bird Gels	50
Hazing	52



SPARROWS

Bird-Out™	10
Bird Netting	17
Electric Track	29
Bird Slope™	36
Super Sonics	42
Trapping	45
Sparrow Capture Trap	47
Hazing	52



STARLINGS

Bird-Out™	10
Bird Netting	17
Electric Track	29
Bird Slope™	36
Super Sonics	42
Trapping	45
Hazing	52
Fogging	54



GEESE

Bird-Out™	10
Visual Deterrents	41
Super Sonics	42
Goose Repellents	54
Fogging	54



GULLS

Bird-Out™	10
Bird Spikes	11
Electric Track	29
Bird Slope™	36
Bird Spider 360®	40
Super Sonics	42



WOODPECKERS

Bird Netting	17
UltraNet™	27
Visual Deterrents	41
Super Sonics	42
BeakGuard™	58



GRACKLES

Electric Track	29
Bird Gels	50
Hazing	52




CROWS

Bird-Out™	10
Bird Spikes	11
Bird Netting	17
Electric Track	29
Super Sonics	42
Bird Gels	50



SWALLOWS

Bird Netting	17
Bird Slope™	36



VULTURES & RAPTORS

Mega Spike	13
Plastic Bird Spikes	14
Bird Netting	17
Electric Track	29



Our customer support team is a phone call away to assist you in finding the best solution
Call 800.392.6915

OUR BIRD CONTROL EXPERTS

MORE THAN 100+ YEARS OF COMBINED EXPERIENCE IN THE BIRD CONTROL INDUSTRY!

A company or organization is only as good as its people and Bird•B•Gone® has the best! Our bird control experts lead the industry. We've seen it all! Everyday we consult with large and small companies worldwide, helping them avoid costly mistakes and create "predictable success."



Bruce Donoho

28 years experience

"When we started Bird•B•Gone in 1992, we envisioned a company culture that would provide quality, innovative products delivered on-time, treat each customer as friend, treat each employee as family and make a difference in the lives of those less fortunate. 28 years later, Bird•B•Gone is blessed with the daily opportunity to help our friends grow. Need help growing your business? Give our amazing team a call today!"



Mike Dougherty

21 years experience

"I love educating PMP's so they can capture more revenue on the outside of the structure, which is even more important with the disease and sanitization sensitivity of our culture. If you need some help and you don't mind talking about the Raiders, don't hesitate to give me a call!"



Jeff Watts

18 years experience

"I've been blessed by being able to travel around the world meeting people and helping them grow their businesses. There is no better feeling than helping out our friends, whether it's their first successful project or their hundredth!"



Chris Fields

15 years experience

"I have the pleasure of working with architects and engineers every day helping them plan for the future. Designing and developing plans to protect old and new structures from bird debris is something I take pride in."



Shaun Johnson

9 years experience

"From business owner to homeowner, I enjoy recommending the right product for each customer's situation. It's great to have quality products available through various points of distribution worldwide!"



Brandon Lea

10+ years experience

"I have been blessed to work in the pest control industry for 10+ years. I enjoy solving complex issues, so naturally bird control is something I have come to enjoy. Bird control is ever evolving, and we have the opportunity to help educate and grow with our colleagues in the pest control industry. Bird control is another opportunity for PMP's to show the general public that they are defenders of public health."



Billy Bohn

1.5 years experience

"I enjoy the opportunity to solve a customer's bird problem because the ripple effect goes beyond bird control. When we succeed, we get to see people grow their businesses and provide a higher quality of life for their families and their own customers."



Carissa Mollick

"From being a distributor for Bird B Gone to being a part of the BBG team, I enjoy helping customers find the right products for their pest control needs. I am excited to focus on bird control and work with a new genre of customers."

BIRD CONTROL IS AN INVESTMENT

It's important to take a proactive approach when dealing with pest birds. Birds not only carry and spread disease, but bird feces can corrode building materials. The build-up of droppings or nesting materials is unsightly and can host parasites like bird mites. In the long run, bird control can save you time and money.

- ▶ Eliminate safety and health hazards - decrease your liability
- ▶ Eliminate the spread of diseases to your employees and patrons
- ▶ Decrease expenses/costs on maintenance and repair
- ▶ Protect your property value
- ▶ Improve and protect your image

HEALTH RISK



Birds, droppings, and nesting materials can carry up to 60 different diseases that can be passed to humans and animals.

BRAND IMAGE



Birds on a ledge or sign, or droppings covering a sidewalk, will send a message to visitors that the business is careless and should not be trusted.


INVENTORY DAMAGE

Droppings can damage products and contaminate production lines.

WORK STOPPAGES

Employees will not and should not work in areas that are unsafe due to an accumulation of droppings.

SLIP AND FALL RISK



Droppings can be slippery. If a customer or employee falls they could get seriously injured and sue the building owner.

HEALTH CODE VIOLATIONS

Pest bird droppings found in food processing plants, restaurants, storage facilities or other areas may violate health codes resulting in fines, legal action, or closures.

CLOGGED DRAINS

Droppings and nesting materials regularly clog drains, causing damage during heavy rains.

PROPERTY/EQUIPMENT DAMAGE



Droppings are acidic and can corrode through paint, roofing materials and fabrics. These will need restoration or complete replacement.

COST OF CLEANUP

Businesses that clean up after birds on a daily or weekly basis incur high clean-up costs.

PARTNER WITH BIRD•B•GONE®

We are constantly improving current technologies and developing new products to meet our customers' needs. We strive to provide the most effective, efficient and reliable bird control methods on the market.

Bird•B•Gone has over 60 patents worldwide and 38 pending patent applications—the most in the industry!

Some of our outstanding patented products:



- ▶ Bird•B•Gone invented and patented the original Plastic Bird Spike. This revolutionary bird control tool is one of our best sellers.
- ▶ Bird Jolt Flat Track® received another patent on its innovative anti-arc and trough design.
- ▶ Bird•B•Gone Stainless Steel Bird Spikes™ patented “bend and crush” design ensures that the spikes stay firmly secure in their base.

Because Bird•B•Gone is only involved in bird control, we make it our business to stay on top of the latest advancements in the industry. We continue to provide our customers with the products and services that give them a leading edge in bird control.



**AT BIRD•B•GONE, WE
MAKE IT OUR BUSINESS
TO STAY ON TOP OF THE
LATEST ADVANCEMENTS
IN THE BIRD CONTROL
INDUSTRY.**



QUALITY GUARANTEED

Bird•B•Gone products go through an extensive quality control process before they leave our warehouse. All products are hand inspected and signed as they are packaged. This allows us to offer the industry's longest guarantees.

- Stainless Steel Bird Spikes: 10 Years
- Plastic Bird Spikes: 5 Years
- Black Bird Net 2000™ Heavy Duty: 10 Years
- No-Knot Netting: 10 Years
- Bird Wire: 5 Years
- Bat Netting: 10 Years



SHIPPING

Bird•B•Gone provides the fastest and most efficient shipping in the industry. We manufacture our own products. This enables us to offer customers convenient and expedited shipping. Orders placed before 12 pm PST, will ship the same day. We use traceable shipping methods to guarantee your products arrive on time. Wherever you are in the world, Bird•B•Gone will ship to you!




SPECIFICATIONS & CAD DETAILS

We are the #1 bird control company specified by architects, engineers and government agencies. Since 1992, we have worked with the AEC industry in the design and application of effective, humane, and cost efficient bird control solutions.

Specifications, CAD, and BIM details can be found on our website. If you need help specifying bird control on a project, contact our bird control experts to help you choose the right product and place you in contact with an Authorized Installer.

BECOME AN AUTHORIZED INSTALLER



Earn your Authorized Installer Certificate at Bird•B•Gone® University—a free training course designed to teach the basics of bird control. Virtual and In Class courses are taught by our bird control specialists and held at the Bird•B•Gone training facility in Santa Ana, California. Those who attend receive a Certificate of Completion which can be applied as CEU hours towards a Pest Control Applicator's License in many states.

As an Authorized Bird•B•Gone Installer, you will work with the highest quality bird control products and receive the best customer service. Whether you are looking to develop a primary bird control business or wish to add an additional service to your existing business, bird control can be a lucrative way to add extra dollars to your bottom line. We pride ourselves on the personal relationships we build with our customers and are here to assist you in building and growing your bird control business!



TOPICS INCLUDE:

- ▶ Basics of Bird Control
- ▶ Site Evaluation Best Practice
- ▶ Sensory Bird Control
- ▶ Ledge & Remediation Bird Control
- ▶ Exclusion Bird Control
- ▶ Bidding & Selling Bird Control



WORLDWIDE ON-SITE TRAINING

At Bird•B•Gone, our goal is not to “sell” you products, but to position you to make the best quality decisions when it comes to designing, specifying, and installing the right products to fit your job. Our bird control engineers have 100+ years of combined experience and will help you in all aspects of bird control.

Need to train a group of employees? Have a complex bird job? Bird•B•Gone will provide the expertise necessary to bring success to your job. To schedule on-site training, contact our installation experts at 800.392.6915.

NEW

BIRD-OUT™ AROMATIC BIRD REPELLENT

ADVANTAGES & BENEFITS

Bird-Out™ Aromatic Bird Repellent is a fast, trouble-free solution for keeping pest birds away from patios, decks, garages, warehouses and other outdoor dining areas. Each easy-to-use cartridge contains 50g of Methyl Anthranilate, a grape seed extract proven to repel birds. Just snap the cartridge into the dispenser, give it a twist, and enjoy up to 60 days of effortless protection.

- ▶ Ideal for residential, commercial and agricultural use.
- ▶ Low cost, effective, simple to use bird control system.
- ▶ Effectively deters many bird species.
- ▶ Humane solution—does not harm birds, people, pets or animals.
- ▶ Dispenser placement is fast, easy.
- ▶ Provides up to 60 days of no-maintenance protection.
- ▶ Protects 8,000 cubic feet (20' x 20' x 20').
- ▶ Bird repellent made from food-grade ingredients; EPA registered*.
- ▶ Increasing coverage is as simple as installing additional dispensers.
- ▶ Small, silent, and discreet.

*This product is currently going through EPA registration and may not be available for immediate sale in all states.



Watch our Bird-Out installation video at:
www.birdbgone.com/birdout

INSTALLS IN MINUTES

1

Mount Dispenser in desired location

2

Twist Cartridge

3

Click Cartridge

4

Insert Cartridge into Dispenser

BIRD SPECIES

Pigeons, starlings, seagulls, blackbirds including grackles, cliff swallows, sparrows, house finches, and American crows as well as these wild migratory waterfowl: geese, mute swans, and Coot.

WHERE TO USE

Use this product to repel birds from small areas where birds roost such as balconies, decks, patios, garages, tool sheds, warehouses, barns, building ledges, outdoor dining areas, windowsills, backyards, and other outdoor areas. Only for outdoor use and in buildings with openings that permit bird access.

BIRD PRESSURE


Light to heavy

MATERIAL

Each cartridge contains the active ingredient Methyl Anthranilate (MA)—20%

DESIGN

Six strands of Polyethylene UV-treated twine. Each strand is 12/100" thick. The filaments are twisted and knotted for ultimate strength and longevity. Pressure stretched and tightened

ITEM	ITEM #	DESCRIPTION
	BIRD-OUT™ AROMATIC BIRD REPELLENT	Bird-Out Kit (Includes Dispenser and 1 Cartridge)
	BIRDOUT-REF	Single Cartridge Refill
	BIRDOUT-2PK	2-pack Cartridge Refill
	BIRDOUT-6PK	6-pack Cartridge Refill
	BIRD-OUT-DISP	Bird-Out Dispenser

SPIKE



Preventing birds from landing on ledges is an important and crucial step in bird deterrence.

Bird spikes, from Bird•B•Gone®, offer an effective and humane deterrent for larger bird species like pigeons and seagulls. We invented and patented the first plastic bird spike and offer highly durable construction that carries an industry Bird•B•Gone guarantee for all products. Stainless steel bird spikes are virtually invisible and our plastic bird spikes are available in seven colors.

Spikes are easily installed on ledges, roof peaks, I- beams, parapet walls, conduits, signs, flat or curved surfaces. They are designed to blend with a building's color scheme and design. Bird spikes provide a cost term solution to deter nuisance bird infestations and protect a property from damage.

STAINLESS STEEL BIRD SPIKES

10
YEAR

WARRANTY


ADVANTAGES & BENEFITS PATENTS # US6250023 / US6775950

Bird•B•Gone® Stainless Steel Bird Spikes™ create an uneven surface preventing birds from landing on flat or curved areas. Spikes come pre-assembled in 2' sections and are made of stainless steel pins in a polycarbonate base.

- ▶ #1 specified bird spike by architects contractors and government agencies.
- ▶ The lowest price and the longest guarantee.
- ▶ Virtually invisible.
- ▶ Will fit any contour, can safely bend 360 degrees.
- ▶ Humane, will not harm birds.
- ▶ Easy to install. Can be glued, screwed, or tied down.
- ▶ Will not cut or injure the installer.
- ▶ Patented "bend and crush" design for permanent installations.
- ▶ 2' (61 cm) lengths. Up to 40 spikes per foot in linear array. Cuts labor time in half.
- ▶ Weatherproof design will not rust. No gap spacing to deter birds from roosting or landing.
- ▶ Industry leading 10 year guarantee.








Watch our podcast on the basics of bird spike:
birdbgone.com/birdspikebasics




BIRD SPECIES	Pigeons, seagulls, or larger birds			
WHERE TO USE	Ledges, I-beams, parapet walls, conduits, signs, flat, or curved surfaces			
BIRD PRESSURE	Light to Medium			
GUARANTEE	10 years			
MATERIAL	Stainless steel spikes manufactured into a UV protected polycarbonate base			
ITEM #	BBG2001-8	BBG2001-5	BBG2001-3	BBG2001-1
COVERAGE AREA	7" - 9" (17.78 cm - 22.86 cm)	4" - 6" (10.16 cm - 15.24 cm)	2" - 4" (5.08 cm - 10.16 cm)	1" - 2" (2.54 cm - 5.08 cm)
PACK SIZE	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box

WIDTH



MEGA SPIKE



Patented
US 6775950



BIRD SPECIES Pigeons, seagulls, cormorants, vultures, raptors, or larger birds


WHERE TO USE Ledges, I-beams, parapet walls, conduits, pipes, flat or curved surfaces

BIRD PRESSURE Light to Medium

GUARANTEE 10 years


MATERIAL Stainless steel spikes manufactured into a UV protected polycarbonate base

- ▶ Tallest bird spike deterrent available
- ▶ Will not harm birds
- ▶ Stainless steel spikes are virtually invisible
- ▶ Easy to install. Can be glued, screwed, or tied down • 2' (60.96 cm) lengths cuts labor in half



ITEM #	COVERAGE AREA	PACK SIZE
BBG2001-MS7	3" - 7" (7.62 cm - 17.78 cm)	2' (61 cm) sections 50' (15.24 m) per box

GUTTER SPIKE



Patented
US 6775950



BIRD SPECIES Pigeons, seagulls, or larger birds

WHERE TO USE For gutters up to 3/4"

BIRD PRESSURE Light to Medium

GUARANTEE 10 years

MATERIAL Stainless steel spikes manufactured into a UV protected polycarbonate base with aluminum clamps

- ▶ Prevents birds from landing on gutter ledges and from nesting in gutters
- ▶ No need for separate clips or hardware
- ▶ Virtually invisible
- ▶ 2' (61 cm) lengths cuts labor time in half
- ▶ Attached thumb screws make for easy installation



ITEM #	COVERAGE AREA	PACK SIZE
BGS	4" - 6" (10.16 cm - 15.24 cm)	2' (61 cm) sections 50' (15.24 m) per box

GIRDER SPIKE



Patented
US 6775950



BIRD SPECIES Pigeons, seagulls, or larger birds

WHERE TO USE Adapts to any size girder up to 1" thick

BIRD PRESSURE Light to Medium

GUARANTEE 10 years

MATERIAL Stainless steel spikes manufactured into a UV protected polycarbonate base with aluminum clamp

- ▶ Prevents birds from landing on steel girders and I-beams
- ▶ Fits any girder up to 1" (2.54 cm) thick
- ▶ No need for separate clips or hardware
- ▶ Ideal where clean up of debris or droppings is not possible
- ▶ Attached girder clamps make for easy installation



ITEM #	COVERAGE AREA	PACK SIZE
BBGGDR-3	3" (7.62 cm)	2' (61 cm) sections
BBGGDR-5	5" (12.70 cm)	50' (15.24 m) per box
BBGGDR-8	8" (20.32 cm)	

PLASTIC BIRD SPIKES

ADVANTAGES & BENEFITS

- ▶ Lowest cost commercial bird spike.
- ▶ Will not harm birds; virtually invisible.
- ▶ Non-conductive. Will not interfere with electrical or communication transmissions.
- ▶ Durable and super strong.
- ▶ Break-away points, no tools necessary.
- ▶ UV protected and weatherproof. Won't be affected by extreme temperatures -200° F to 310° F (-129° C to 154° C).
- ▶ 2' (61 cm) lengths, cuts labor time in half.
- ▶ Easy to install. No maintenance. Can be glued, screwed, or tied down.
- ▶ Industry leading 5 year guarantee.

5
YEAR
WARRANTY



Watch our Introduction to Plastic Bird Spikes video at:
birdbgone.com/plasticspikeintro

AVAILABLE COLORS



WHITE



BLACK



GRAY



TAN



BROWN



BRICK RED



7"



5"






3"

BIRD SPECIES	Pigeons, seagulls, or larger birds
WHERE TO USE	Ledges, I-beams, parapet walls, conduits, signs, flat, or curved surfaces
BIRD PRESSURE	Light to Medium
GUARANTEE	5 years
MATERIAL	UV protected polycarbonate plastic one-piece rigid construction

ITEM #	BBG2000-7	BBG2000-5	BBG2000-3
COVERAGE AREA	6"- 8" (15.24 cm - 20.32 cm)	4"- 6" (10.16 cm - 15.24 cm)	1"- 4" (2.54 cm - 10.16 cm)
PACK SIZE	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box

WIDTH



PREPARATION

See Page
57



The first step prior to installing bird spikes is to clean and dry the area where spikes will be installed. Bird•B•Gone® offers cleaning supplies to get the job started off right.

ADHESION

See Page
57



Surface should be clean and dry before installation. Select width of bird spike based on surface to be covered. Glue, screw, or tie down to surface.



INSTALLATION VIDEOS




Watch our spike installation video at:
www.birdbgone.com/stainlessspikeinstall



Watch our spike installation video at:
www.birdbgone.com/spikeinstall

BIRD•B•GONE® PARTNERS WITH AN AUTHORIZED INSTALLER TO DONATE AND INSTALL BIRD SPIKE TO HIGH SCHOOL IN SURROUNDING COMMUNITY.

Bird•B•Gone LLC extended its foundational values of “Faith, Family, and Friends” to include a local high school in the surrounding community. As part of a multi-level service project, Bird•B•Gone reached out to a local high school to offer a donation of bird control products and installation services to help resolve an unwanted pigeon presence. Located within the center of the school’s campus, there is an outdoor lunch area that provides both shelter and food for pest birds. With the assistance of a local authorized installer, Kevin Hearne from Zapp Pest Management, Bird•B•Gone provided and installed bird spikes to deter the birds. The high bird pressure area was located above the lunch area, within which the students would leave behind left-over portions of food and drinks. The birds would land and rest on the north most building, upon which they were provided both protection as well as a “bird’s-eye” view of the campus. Once the lunch period had ended, the birds would promptly move to the ground and scavenge for the left-over food. With easy access to the three necessary components for living (food, water, and shelter) this campus was a perfect location for pest birds.



“There was a clear presence of the pest birds on this campus, however it was not until we observed and recorded the recurring activity of the birds that we understood the proper way to deal with the problem,” explained Kevin Hearne. “Once we had conducted a proper Bird•B•Gone Site Evaluation, we were prepared to perform the necessary bird exclusion processes including both site cleanup and product installation.” For this particular bird control job, the process included removing worn-down product, cleaning and sanitizing the installation area, and installing 8-inch Stainless Steel Bird Spikes to the ledge using E-6100® adhesive. As a result of this service installation, Bird•B•Gone excluded the majority of pest birds from the campus, effectively minimizing the pest problem and furthering the exceptional academic environment of the school.

NETTING



Bird•B•Gone® Bird Netting is the #1 specified bird netting by architects and government agencies.

For strip malls, warehouses, loading docks, hangars and other large structures, birds can quickly become a very costly nuisance. Birds often nest under awnings, overhangs, open roofs and covered beams in breezeways. One of the most effective and humane ways to keep birds from the property is to create a physical barrier to seal them out with specially designed bird netting.

Once installed, the netting is virtually invisible. Bird•B•Gone Bird Netting is backed by industry leading guarantees.

BIRD NET 2000™ HEAVY DUTY NETTING

ADVANTAGES & BENEFITS


Bird Net 2000™ Heavy Duty Bird Netting is a polyethylene knotted net used to block birds from entering unwanted areas. Bird Net 2000™ is the most efficient and effective method for excluding birds.

- ▶ #1 specified bird netting by architects contractors and government agencies.
- ▶ The strongest netting at the lowest price.
- ▶ UV-stabilized, rot proof, and waterproof.
- ▶ ISO 1806 and 9001 protocol tested.
- ▶ Available in 3 colors to blend in with area of installation and virtually invisible.
- ▶ Sub-zero stable and 270° F (132° C) melting point.
- ▶ Non-conductive.
- ▶ We offer all the necessary hardware to install bird netting.
- ▶ Industry leading 10 year guarantee.



90,000 sq. ft. (8,360 sq. m) of Bird Net 2000™ Heavy Duty Netting installed on canopy at Portland International Airport

BIRD SPECIES	All birds
WHERE TO USE	Roofs, warehouses, loading docks, airplane hangars, and other enclosures
BIRD PRESSURE	Light, medium, or heavy
GUARANTEEE	Black net: 10 years; Stone net: 3 years; White net: 3 years
MATERIAL	UV-stabilized knotted polyethylene net. Flame-resistant, rot-proof, non-conductive, and stable in sub-zero temperatures
DESIGN	Six strands of Polyethylene UV-treated twine. Each strand is 12/100" thick. The filaments are twisted and knotted for ultimate strength and longevity. Pressure stretched and tightened
BURST STRENGTH protocol	ISO 1806 and 9001 Protocol test in excess of 40 lbs. burst/break strength per twisted strand
THERMAL PROPERTIES	High Temp: Melting point in excess of 270° F; Low Temp: Stable to -250° F
ELECTRICAL PROPERTIES	Non-conductive



FREE

extra foot for custom cuts!
*All custom cuts 100 sq. ft. minimum.





Watch our net installation video at:
www.birdbgone.com/birdnetinstall

INSTALLATION HELP

Bird•B•Gone® will connect you with a network of Authorized Installers across the globe who professionally install Bird Net 2000™. If you are looking to install netting yourself, our team of bird control engineers can help you with technical assistance and training.

AVAILABLE COLORS




BLACK

10
YEAR
WARRANTY



STONE

3
YEAR
WARRANTY



WHITE

3
YEAR
WARRANTY



3/4" MESH
All birds



1 1/8" MESH
Starlings
and pigeons



2" MESH
Pigeons
and larger

SIZE	3/4" MESH			1 - 1/8" MESH	2" MESH	
	BLACK	STONE	WHITE	BLACK	BLACK	STONE
Custom: Includes FREE extra foot*	034BCUSTOM	034SCUSTOM	034WCUSTOM	118BCUSTOM	200BCUSTOM	200SCUSTOM
25' x 25' (7.62 m x 7.62 m)	034B25X25	034S25X25	034W25X25	118B25X25	200B25X25	200S25X25
25' x 50' (7.62 m x 15.24 m)	034B25X50	034S25X50	034W25X50	118B25X50	200B25X50	200S25X50
50' x 50' (15.24 m x 15.24 m)	034B50X50	034S50X50	034W50X50	118B50X50	200B50X50	200S50X50
50' x 75' (15.24 m x 22.86 m)	034B50X75	034S50X75	034W50X75			
50' x 100' (15.24 m x 30.48 m)	034B50X100	034S50X100	034W50X100	118B50X100	200B50X100	200S50X100
100' x 100' (30.48 m x 30.48 m)	034B100X100	034S100X100	034W100X100		200B100X100	200S100X100
100' x 200' (30.48 m x 60.96 m)	034B100X200	034S100X200	034W100X200	118B100X200	200B100X200	200S100X200
200' x 200' (60.96 m x 60.96 m)				118B200X200	200B200X200	200S200X200

NO-KNOT NETTING


ADVANTAGES & BENEFITS

SOFT ON YOUR HANDS: No-Knot Netting is a heavy duty, flame resistant polypropylene knotless bird net used to block birds from entering unwanted areas. No-Knot Netting is made from a UV-stabilized mesh and excludes all birds. No-Knot Netting is installed in the same manner as the Bird Net 2000™.

- ▶ 3/4" mesh excludes all birds.
- ▶ Super strong, light and easy to install.
- ▶ UV stabilized, rot proof, and waterproof.
- ▶ ISO 1806 and 9001 protocol tested; 40 lb. burst strength.
- ▶ Multi-stranded polypropylene fiber.
- ▶ High resistance to acids and alkalies and non-conductive.
- ▶ Virtually invisible.
- ▶ We offer all the necessary hardware to install bird netting. Uses the same Bird•B•Gone® installation hardware as heavy duty knotted net.
- ▶ Industry leading 10 year guarantee.



BIRD SPECIES	All birds
WHERE TO USE	Roofs, warehouses, loading docks, airplane hangars, and other exposed enclosures
BIRD PRESSURE	Light, Medium, or Heavy
GUARANTEE	10 years
MATERIAL	U.V. stabilized knotless polypropylene netting
BURST STRENGTH	ISO 1806 and 9001 protocol tested: 40 lbs. burst strength
THERMAL PROPERTIES	Flame resistant (270°F melting point)
CHEMICAL PROPERTIES	Polypropylene is chemically inert and highly resistant to a wide range of chemicals at ordinary temperatures. Fibers have a high resistance to acids and alkalies. Does not rot or absorb water and will not mildew.
ELECTRICAL PROPERTIES	Non-conductive



FREE

extra foot for custom cuts!
*All custom cuts 100 sq. ft. minimum.



3/4" MESH
All birds


ITEM #	SIZE	COLOR
034BKK25X25	25' x 25' (7.62 m x 7.62 m)	Black
034BKK25X50	25' x 50' (7.62 m x 15.24 m)	Black
034BKK50X50	50' x 50' (15.24 m x 15.24 m)	Black
034BKK50X75	50' x 75' (15.24 m x 22.86 m)	Black
034BKK50X100	50' x 100' (15.24 m x 30.48 m)	Black
034BKKCUSTOM	Custom: Includes FREE extra foot*	Black

INSTALLATION AND TOOLS


PROPER INSTALLATION OVERVIEW

To properly install a netting system the following steps must be accomplished:

1. Install all anchors using the correct parts for the building material you are attaching to. These will be the foundation for your netting.
2. Run the cable, turnbuckles and ferrules through your attachments and tighten the cable. The tension should be similar to that of a guitar string.
3. Once this is done, you are ready to attach the net to the cable. Attaching the net to the cable is the most time-consuming part of the process.
4. After the net has been installed, add a zipper for access to lighting and plumbing fixtures, safety equipment and such.



3/4" MESH
All birds



1 1/8" MESH
Starlings
and pigeons




2" MESH
Pigeons and
larger

TOOLS



ITEM NAME	ITEM #	DESCRIPTION	PACK SIZE	DETAIL
HILTI .27 CARTRIDGES	BNHS-27	Bird Net Hilti .27 Booster Loads Red	100 per pk	Hilti Cartridges are powder activated boosters used in a Hilti gun to secure attachments to steel and concrete. For use with BNMPCB-125HP-C, BNMPCB-125HP-S, and S-Clips



Watch our net installation video at:
www.birdbgone.com/birdnetinstall

INTRODUCTION TO BIRD NETTING






Join our bird control experts as they guide you through bird net installation tips, how to estimate a bird net job and more.

ANCHORING (CORNER & INTERMEDIATE ATTACHMENTS)












There are two types of anchors—corner attachments and intermediate attachments.

1. Corner attachments are used where the cable begins and ends, and generally at every 50 feet of cable length. They are under the most pressure and must be the strongest part of the system.
2. Intermediate attachments hold the cable to the structure. They must be installed every foot to every foot and a half between the corner attachments.

CORNER ATTACHMENTS

ITEM NAME	ITEM #	DESCRIPTION	PACK SIZE	DETAIL
	NET BOLTS			
	BNM6EB	M6 Medium Net Bolt Galvanized	10 per pk	High load bearing expansion bolts used as corner attachments for masonry, concrete or stone. Use M6/Medium Net Bolts for cable runs under 75' Use M8/Large Net Bolts for cable runs over 75' Use galvanized Net Bolts with galvanized wire Use stainless steel Net Bolts with stainless steel wire Drill Bits M6: 10 mm drill bit M8: 13 mm drill bit
	BNM6EB-BLK	M6 Medium Net Bolt Galvanized Black		
	BNM6SSEB	M6 Medium Net Bolt Stainless Steel		
	BNM8EB-BLK	M8 Large Net Bolt Galvanized Black		
	BNM6SSEB-BLK	M6 Medium Net Bolt Stainless Black		
	BNM8EB	M8 Large Net Bolt Galvanized		
	BNM8EB-BLK	M8 Large Net Bolt Galvanized Black		
	GIRDER CLAMP			
	BNGCL-3	Net Girder Clamp	10 per pk	Used to attach netting to girders. Attach bolt onto flat steel or I-beam. For steel up to 3" (7.62 cm) thickness Use as an intermediate attachment. Use as a corner attachments if drilling is not an option.
	MINI-NET BOLT			
	BNMNB-G-BLK	Mini-Net Bolt Galvanized Black	10 per pk	Corner attachment used for cable runs of less than 20' (6.09 m). Use galvanized Net Bolts with galvanized wire Use stainless steel Net Bolts with stainless steel wire Drill Bits 8 mm drill bit
	BNMNB-G	Mini-Net Bolt Galvanized		
	BNMNB-S	Mini-Net Bolt Stainless Steel		
	BNMNB-S-BLK	Mini-Net Bolt Stainless Steel Black		
	EYE BOLT W/ NUT			
	BNGEB-NUT	Galvanized Eye Bolt w/Nut	20 per pk	Corner attachment for steel I-beams or other thick metals. Use galvanized Eye Bolts w/ galvanized wire
	BNSEB-NUT	Stainless Steel Eye Bolt w/Nut	10 per pk	Use stainless steel Eye Bolts w/ stainless steel wire Drill Bits 8 mm drill bit
	SCREW EYES			
	BNLSE-G	Large Wood Screw Eye Galvanized	100 per pk	Used as a corner attachment into wood. Use Large Screw Eyes for runs over 20' (6.1 m) Use Small Screw Eyes for runs under 20' (6.1 m) Use galvanized with galvanized wire Use stainless steel with stainless steel wire
	BNLSE-S	Large Wood Screw Eye Stainless Steel	20 per pk	
	BNSSE-G	Small Wood Screw Eye Galvanized	100 per pk	
	BNSSE-S	Small Wood Screw Eye Stainless Steel	20 per pk	



INTERMEDIATE ATTACHMENTS

ITEM NAME	ITEM #	DESCRIPTION	PACK SIZE	DETAIL
 NET MAGNET	BN200MGNT	Net Magnet - 2" (3.18 cm)	10 per pk	For easy and secure attachment for various types and sizes of hardware when drilling is not possible 40 lb. pull strength ceramic magnet in steel casing. Best for smaller jobs.
 MULTI-PURPOSE CABLE BRACKET WITH HILTI PIN	BNMPCB-125HP-C BNMPCB-HPC-BLK BNMPCB-125HP-S BNMPCB-HPS-BLK	1.25" (3.18 cm) Bracket w/ Hilti pins for concrete 1.25" (3.18 cm) Bracket w/ Hilti pins for concrete - black bracket 1.25" (3.18 cm) Bracket w/ Hilti pins for steel 1.25" (3.18 cm) Bracket w/ Hilti pins for steel - black bracket	100 per pk	For attaching to concrete or steel. (Hilti Gun required). Use with BNHS-27 Used to secure cable around the perimeter of the net installation. Can be installed for permanent installation or easy release
 MULTI-PURPOSE CABLE BRACKET	BNMPCB125-100 BNMPCB125-100BLK	1.25" (3.18 cm) Bracket 1.25" (3.18 cm) Bracket Black	100 per pk	Used to secure cable around the perimeter of the net installation For permanent installation run cable through bracket hole or easy release by running cable through hook
 NET SPIKES	BNNS-SM BNNS-LG	Bird Net 3/16" (4.76 mm) Diameter Small Spike Bird Net 1/4" (6.35 mm) Diameter Large Spike	100 per pk	Used to secure netting into concrete Small net spikes have a bend in the body Large net spikes will "flange" out when hammered Drill Bits Large Net Spike: 6.5 mm Small Net Spike: 5.0 mm
 LAG SCREWS	BNLS-SSM BNLS-LGG BNLS-ASM	Small Steel Lag Screw Large Galv. Lag Screw Small Lag Screw Anchor	100 per pk	Lag Screws are ideal for concrete, stucco, and wood Used to secure cable around the perimeter of a net installation Use Anchor for extra support when using small Lag Screws
 GIRDER CLIPS	BN116GC BN018GC BN014GC BN012GC	Girder Clip: 1/16" - 1/8" (1.59mm - 3.1mm) Girder Clip: 1/8" - 1/4" (3.17mm - 6.35mm) Girder Clip: 1/4" - 1/2" (6.35mm - 12.7mm) Girder Clip: 1/2" - 3/4" (12.7mm - 19.05 mm)	100 per pk	Designed to attach cable to I-beams or steel surfaces Clips hammer directly onto the I-beam to secure the cable Annealed Carbon Spring Steel attachments come in 4 widths
 THIN WIRE NET CLIP	BNTWNC-1	Thin Wire Net Clip	100 per pk	Ideal for small net installations that require the net to be removed Stainless steel intermediate attachment
 STAINLESS STEEL NET LOOP	BNNL	Bird Net Loop	100 per pk	Ideal for wood and sheet metal To secure, use self tapping sheet metal screws or wood screws
 SPLIT PINS AND ANCHOR RIVETS	BN10R BN10SP BN15R BN15SP	1" (2.54 cm) Rivet 1" (2.54 cm) Stainless Steel Split Pin 1.5" (3.81 cm) Rivet 1.5" (3.81 cm) Stainless Steel Split Pin	100 per pk	Used on stone or brick surfaces Low profile intermediate attachment Available in two sizes Use 6.5 mm drill bit
 HEAVY DUTY CLAMP	BNBCLP-2	1 3/8" Heavy Duty Clamp	4 per pk	Designed for large installations and creates a strong hold on steel and I-beams Holds straining wire to steel 0" - 1 3/8" Jaw opening Hot Dip Galvanized
 6" ROOF TILE BRACKET	BNRTB-600	6" (15.24 cm) Roof Tile Bracket	10 per pk	Used to install netting on roofs that have tiles Slides underneath the tile to create a bracket for netting cables

INSTALLATION AND TOOLS

CABLING (STRAINING WIRE)

Once you have installed the corner and intermediate attachments, it is time to run your cable or straining wire. Cabling is available in galvanized or stainless steel and in two different thicknesses for different size jobs. Use straining wire as a perimeter cable to support your netting installation.




	ITEM NAME	ITEM #	DESCRIPTION	PACK SIZE	DETAIL
	STRAINING WIRE	BNSW500G332	3/32" Straining Wire 500' Galvanized**	1 per pk	For jobs OVER 50' in length 3/32" Diameter, 7 x 7 Stranded Construction Cable
		BNSW500S332-BLK	3/32" Straining Wire Galvanized Black		
		BNSW250G332	3/32" Straining Wire 250' Galvanized		
		BNSW250G332-BLK	3/32" Straining Wire Galvanized Black		
		BNSW500S332	3/32" Straining Wire 500' Stainless Steel (316)**		
		BNSW500G332-BLK	3/32" Straining Wire Galvanized Black		
		BNSW250S332	3/32" Straining Wire 250' Stainless Steel (316)		
		BNSW250S332-BLK	3/32" Straining Wire Stainless Black (316)		
		BNSW500G116	1/16" Straining Wire 500' Galvanized		For jobs UNDER 50' in length 1/16" Diameter, 7 x 7 Stranded Construction Cable
		BNSW500G116-BLK	1/16" Straining Wire Galvanized Black		
		BNSW250G116	1/16" Straining Wire 250' Galvanized		
		BNSW250G116-BLK	1/16" Straining Wire Galvanized Black		
		BNSW500S116	1/16" Straining Wire 500' Stainless Steel (316)		
		BNSW500S116-BLK	1/16" Straining Wire Stainless Black (316)		
		BNSW250S116	1/16" Straining Wire 250' Stainless Steel (316)		
		BNSW250S116-BLK	1/16" Straining Wire Stainless Black (316)		
	BIRD NET CABLE CUTTER	BNCCT	Heavy Duty Cable Cutter	1 per pk	A long lasting professional grade tool used to cut heavy duty cable. Durable, high quality tool. Easy to use. Cuts both 1/16" and 3/32" straining wire.


**Use galvanized cable for normal areas of installation. Use 316 grade stainless steel cable for areas near salt water, chemicals, etc.

FASTENERS

Fasteners are used to secure and tighten the cabling to prevent sagging or drooping. Cabling is attached to the anchors using ferrules. Ferrules are used at the first corner attachment and later at the turnbuckle. Run two ferrules through the end of the cable. Then loop the cable through the first corner attachment and back through the ferrules. Crimp the ferrules twice to lock the cable into place with a ratchet crimp tool.

Run cable through all intermediate attachments and finally through the turnbuckle at the end of the cable run. Turnbuckles are used to tighten your straining wire. Make sure the turnbuckle at the end of the run is fully open before securing and tightening the cable.

	ITEM NAME	ITEM #	DESCRIPTION	PACK SIZE	DETAIL
	BIRD NET RATCHET CRIMP TOOL	BNRCT-SBHS	Ferrule Crimping Tool	1 per pk	Used for crimping ferrules around straining wire. Works with ferrules sized 1/16" (1.58 mm) to 3/32" (2.38 mm)
		BNF332A	3/32" (2.38 mm) Aluminum	100 per pk	Used to secure straining wire at the ends.
	FERRULES	BNF116A	1/16" (1.58 mm) Aluminum		Use aluminum ferrules with galvanized cable. Use copper ferrules with stainless steel cable.
		BNF332C	3/32" (2.38 mm) Copper		For use with Bird Net Ratchet Crimp Tool.
		BNF116C	1/16" (1.58 mm) Copper		Use 3/32" ferrules with 3/32" cable Use 1/16" ferrules with 1/16" cable
	CABLE CLAMPS	BNCC-G	Cable Clamps Galvanized	10 per pk	Alternative method of securing cable.
		BNCC-S	Cable Clamps Stainless		Use galvanized cable clamps for normal installation. Use stainless steel cable clamps for areas near salt water or chemicals, etc. Runs up to 100' (30.48 m): Use two (2) clamps Runs over 100' (30.48 m): Use three (3) clamps

ITEM NAME	ITEM #	DESCRIPTION	PACK SIZE	DETAIL
 TURNBUCKLES	BNGTS	M5 Small Galvanized Turnbuckle	10 per pk	Used to tighten straining wire to prevent sagging.
	BNGTS-BLK	M5 Small Galvanized Turnbuckle Black		
	BNGTM	M6 Medium Galvanized Turnbuckle		Use galvanized turnbuckles with galvanized wire and aluminum ferrules.
	BNGTM-BLK	M6 Medium Galvanized Turnbuckle Black		
	BNGTL	M8 Large Galvanized Turnbuckle		Use stainless steel turnbuckles
	BNGTL-BLK	M8 Large Galvanized Turnbuckle Black		and wire with copper ferrules for installations near salt water, chemicals, etc.
	BNSSTS	M5 Small Stainless Steel Turnbuckle		Cable runs under 25' (7.62 m): M5 turnbuckles
	BNSSTL-BLK	M5 Small Stainless Steel Turnbuckle Black		
	BNSSTM	M6 Medium Stainless Steel Turnbuckle		Cable runs of 25' - 75' (7.62 m - 22.86 m), use M6 turnbuckles
	BNSSTM-BLK	M6 Medium Stainless Steel Turnbuckle Black		
	BNSSTL	M8 Large Stainless Steel Turnbuckle		Cable runs over 75', use M8 turnbuckles
	BNSSTS-BLK	M8 Large Stainless Steel Turnbuckle Black		

HOG RINGING

Once your perimeter is established, netting is attached to the cable using a hog ring tool. This tool loops a metal ring around the net and the cable. You can apply a hog ring every other square when using ¾" netting.

Start on one corner and hog ring on a straight line leaving 2-4 squares of excess mesh. Stay on the same row of mesh or your netting will be uneven at the end. Proceed for about 3 feet and then return to the corner. Hog ring the net in the other direction.

At this point you should have a nice corner of netting attached to the cable. Proceed to finishing one side completely and move along to complete the installation on the remaining sides. Once your net is installed, trim the excess netting and inspect all attachments for strength.

ITEM NAME	ITEM #	DESCRIPTION	PACK SIZE	DETAIL
 HOG RING TOOL & HOG RINGS	BNHRT	Bird Net Hog Ring Tool	1 per pk	Use galvanized rings for normal areas of installation
	BNHRG	Galvanized Hog Rings	2,500 per pk	Use stainless steel rings near salt water or chemicals
	BNHRS	Rings	2,500 per pk	Hog Ring Tool holds one cartridge of 50 hog rings.
	BNHRZ-BLK	Black Zinc Hog Rings	2,500 per pk	
 B14 HOG RING TOOL & HOG RINGS	BNHRT-B14	Bird Net Hog Ring Tool B14	1 per pk	
	BNHRT-B14-RING-G	B14 Galvanized Hog Rings	2,500 per pk	Our most ergonomic manual hog ring tool
	BNHRT-B14-RING-SS	B14 Stainless Steel Hog Rings	2,500 per pk	Use galvanized rings for normal areas of installation. Use stainless steel rings near salt water or chemicals
	BNHRT-B14-RINGS-Z-BLK	Black Zinc Hog Rings	2,500 per pk	Good for tight spaces
 BIRD•B•GONE® PNEUMATIC HOG RING TOOL & HOG RINGS	BNHRTPN-AC01CH	Pneumatic Hog Ring Tool	1 per pk	
	BNHRPG-AC31CH	Galvanized Hog Rings	10,000 per pk	Lowest Cost Pneumatic Hog Ring Tool Fast operating / saves time and money Uses compressed air for quick &
	BNHRPS-AC31CH	Stainless Steel Hog Rings	10,000 per pk	efficient installations. Ideal for large jobs. Use stainless steel Hog Rings for areas near salt water, chemicals, etc.
	BNHRPZAC31CH-BLK	Black Zinc Hog Rings	10,000 per pk	
 STANLEY BOSTITCH PNEUMATIC HOG RING TOOL & HOG RINGS	BNHRTPN*	Pneumatic Hog Ring Tool	1 per pk	Fast operating / saves time and money This tool uses compressed air for quick & efficient installations. Ideal for large jobs
	BNHRPG**	Galvanized Hog Rings	10,000 per pk	
	BNHRPS**	Stainless Steel Hog Rings	10,000 per pk	Use stainless steel Hog Rings for areas near salt water, chemicals, etc.






*Stanley Item: SC761

**Hog Rings also fit Stanley tools number SC461 and SC661

INSTALLATION AND TOOLS

ACCESSORIES FOR ACCESS AND TOOLS

After the net has been installed there may be a need to access lighting and plumbing fixtures, safety equipment and such. Installing a zipper offers easy open and close access. Keep the zipper closed, apply the hog rings to the cloth portion of the zipper, and attach the zipper to the net. When you are done attaching both sides of the zipper with hog rings, open the zipper and cut the middle strands of net. This creates a hole that can be opened and closed.

ITEM NAME	ITEM #	DESCRIPTION	PACK SIZE	DETAIL
    	ZIPPERS	BNZ-12B Net Zipper - 1' (.30 m) Black Net BNZ-18B Zipper - 1.5' (.46 m) Black Net BNZ-24B Zipper - 2' (.61 m) Black Net BNZ-36B Zipper - 3' (.91 m) Black Net BNZ-48B Zipper - 4' (1.22 m) Black Net BNZ-72B Zipper - 6' (1.82 m) Black Net BNZ-96B Zipper - 8' (2.44 m) Black Net BNZ-120B Zipper - 10' (3.05 m) Black Net BNZ-12S Zipper - 1' (.30 m) Stone Net BNZ-36S Zipper - 3' (.91 m) Stone Net BNZ-72S Zipper - 6' (1.8 m) Stone Net BNZ-12W Zipper - 1' (.30 m) White Net BNZ-36W Zipper - 3' (.91 m) White Net BNZ-72W Zipper - 6' (1.8 m) White	1 per pk	Zippers are installed at areas that will need to be opened, such as under lighting fixtures or A.C. units. Hog rings are used to attach zippers to the net. Available in 7 sizes and 3 colors. Open-ended and custom sizes available.
	NET CLIPS	BNNC-034 Bird Netting Clips BNNC-200	100 per pk	Net Clips are installed in areas that will need to be opened such as under lighting fixtures or A.C. units. 3/4" (1.91 cm) Net Clip 2" (5.08 cm) Net Clip
	BIRD SCAPE™	BNBS-05 Bird Scape™	1 per pk	Bird Scape™ is a netting accessory that lets trapped birds leave netted off areas. Features a funnel that birds can fly out of, but not back into. Installs directly into bird netting with hog rings.
	SCREW EYE DRIVER	BNSED Screw Eye Driver	1 per pk	The Screw Eye Driver is a small drill attachment used for installing Screw Eyes into wood surfaces. For use with all styles of screw eyes.
	SDS MASONRY DRILL BITS	BNDB0500 Bird Net Drill Bit (5.0mm x 100mm) BNDB0600 Bird Net Drill Bit (6.0mm x 100mm) BNDB0650 Bird Net Drill Bit (6.5mm x 100mm) BNDB0800 Bird Net Drill Bit (8.0mm x 100mm) BNDB0100 Bird Net Drill Bit (10mm x 100mm) Bird BNDB0120 Net Drill Bit (12mm x 100mm) Bird Net BNDB0140 Drill Bit (14mm x 100mm)	1 per pk	Masonry Drill Bits are used for drilling into concrete, brick, block, stone, or other masonry. Penetrates up to 50% faster than standard masonry bits.

HEAVY DUTY BIRD CONTROL STARTER KIT

ITEM #: INST-KIT

BIRD NET ITEMS INCLUDED:

- (1) Screw Eyes: Galvanized; Lg (25pk)
- (1) Screw Eyes: Galvanized; Sm (25pk)
- (1) Multi-Purpose Cable Bracket: (25pk)
- (1) 3/16" Diameter Sm Spike; (25pk)
- (1) Thin Wire Net Clip; (25pk)
- (1) Hog Rings: Galvanized; (2,500pk)
- (1) Net Bolts: Galvanized; Med (10pk)
- (1) Mini Net Bolts: Galvanized; (10pk)
- (1) Ferrules 1/16": Aluminum; (100pk)
- (1) Turnbuckles: Galvanized; Med (10pk)

TOOLS INCLUDED

- (1) Heavy Duty Portable Rolling Tool Box
- (1) Sikaflex® Gray Adhesive Glue Tube
- (1) Screw Eye Driver
- (1) Drill Bit: 12mm x 100mm
- (1) Drill Bit: 5mm x 100mm
- (1) Hog Ring Tool
- (1) Lag Screw Driver
- (1) Bird Net Cable Cutter
- (1) Ratchet Crimp Tool

BIRD WIRE ITEMS INCLUDED

- (1) Stainless 3.5" Steel Posts: 10pk
- (1) Stainless 5" Steel Posts: 10pk
- (1) Stainless Steel Springs: 25pk
- (1) Straining Wire Galvanized 1/16": 250ft
- (1) Glue-On Bases: 50pk
- (1) Nickel-Plated Copper Crimps: 100pk
- (1) Nylon Coated Bird Wire: 328ft

MISCELLANEOUS

- Copper Mesh: 20ft



BAT NETTING

ADVANTAGES & BENEFITS

- ▶ Block bats from entering unwanted areas.
- ▶ Long lasting UV protected polyethylene mesh.
- ▶ Industry leading 10-year guarantee.

WHERE TO USE	Eaves, canopies, attics, bell towers, etc.
GUARANTEE	10 years
MATERIAL	3/8" (9.52 mm) polyethylene knotted black mesh



ITEM #	SIZE
BAT-10X10	10' x 10' (3.05 m x 3.04 m)
BAT-25X25	25' x 25' (7.62 m x 7.62 m)
BAT-50X50	50' x 50' (15.24 m x 15.24 m)
BAT-50X100	50' x 100' (15.24 m x 30.48 m)
BAT-CUSTOM	Custom: Includes FREE extra foot* 100 sq. ft. minimum



ULTRA NET™

ADVANTAGES & BENEFITS

- ▶ Protects plants and crops.
- ▶ Easy to handle and install.
- ▶ 3 sizes of mesh to exclude all birds.
- ▶ Inexpensive one season netting.
- ▶ Available in bulk rolls or small sizes.
- ▶ Lightweight and virtually invisible.

BIRD SPECIES	All birds
WHERE TO USE	Gardens, vineyards, fruit trees, bushes, eaves, orchards, etc.
MATERIAL	UV protected polypropylene



ITEM #	MESH SIZE	SIZE
UN-141	1/4" (6.3 mm)	14' x 100' (4.27 m x 30.48 m)
UN-142	1/4" (6.3 mm)	14' x 200' (4.27 m x 60.96 m)
UN-121	1/2" (12.7 mm)	14' x 100' (4.27 m x 30.48 m)
UN-122	1/2" (12.7 mm)	14' x 200' (4.27 m x 60.96 m)
UN-341	3/4" (19 mm)	14' x 100' (4.27 m x 30.48 m)
UN-342	3/4" (19 mm)	14' x 200' (4.27 m x 60.96 m)

POLY-CLIP

For fast and easy installation of Ultra Net™



ITEM #	PACK SIZE
UNCLIPS-CASE	Case Clips (250 per box)
UNCLIPS-1/2CASE	Half Case Clips (125 per box)


ADVANTAGES & BENEFITS

- ▶ Ideal for use in inside applications such as airplane hangars, large warehouses, and even residential installations.
- ▶ Netting extinguishes itself using a revolutionary red strand of filament.
- ▶ Will stop itself from burning when exposed to open flame.
- ▶ Break strength in excess of 33 lbs.
- ▶ Easily installed with same hardware as Bird Net 2000™
- ▶ Test report available upon request.
- ▶ Industry leading 10-year guarantee.

BIRD SPECIES	All birds
WHERE TO USE	Airplane hangars, large warehouses, residential
MATERIAL	Flame resistant polyethylene net interwoven with a self-extinguishing strand of red filament

ITEM #	SIZE
034FR50X100	50' x 100'
034FR-CUSTOM	Custom: Includes FREE extra foot*

*All custom cuts 100 sq. ft. minimum



READY TO WALK A JOB SITE?

Be prepared with our Site Evaluation Form.

Notate customer concerns, infestation locations, restrictions, recommended solutions and more!

Download our Site Evaluation Form today!

birdbgone.com/siteevaluationform





SITE EVALUATION FORM
800-392-6995 | info@birdbgone.com

Date: _____ Time of Site Evaluation: _____ AM _____ PM

Customer: _____

Contact Name: _____

Email: _____ Phone: _____

Site Address: _____

Decision Maker: _____

Title: _____

Phone: _____

Estimated Decision Date: _____ Estimated Installation Date: _____

Customer Concerns: ☐ Aesthetics ☐ Health ☐ Property/Equipment Damage ☐ Utilities ☐ Work Stoppages

Other: _____

BIRD SPECIES

☐ Pigeon ☐ Sparrow ☐ Starling ☐ Crow ☐ Squirrel ☐ Bat ☐ Other _____

INFESTATION LEVEL

☐ No problem ☐ Minimal ☐ Moderate ☐ Severe ☐ Estimate P/B Count _____

BIRD ACTIVITY

☐ Nesting ☐ Landing/Roosting ☐ Occasional

INFESTATION LOCATIONS

☐ Perimeter ☐ Entry Way ☐ Roof ☐ Sutter ☐ Ceiling ☐ Rear ☐ Roof Overhang

☐ Window Sills ☐ Downspout Elbows ☐ Porches ☐ Columns ☐ Roofs Returns ☐ Landing Sticks

☐ Other _____

STRUCTURE MATERIAL(S)

<input type="checkbox"/> Block	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair	<input type="checkbox"/> Brick Mortar	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair
<input type="checkbox"/> Concrete	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair	<input type="checkbox"/> Corrugated Metal	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair
<input type="checkbox"/> Mortar Joints	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair	<input type="checkbox"/> Sheet Metal	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair
<input type="checkbox"/> Shingle	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair	<input type="checkbox"/> Steel	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair
<input type="checkbox"/> Slat	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair	<input type="checkbox"/> Stucco	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair
<input type="checkbox"/> Vinyl	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair	<input type="checkbox"/> Wood	<input type="checkbox"/> Good	<input type="checkbox"/> Bad	<input type="checkbox"/> Needs Repair
<input type="checkbox"/> Other _____							

Notes: _____

ELECTRIC TRACK



Many customers face expensive clean-up bills, removing birds and bird droppings from signage, windows, awnings and walkways. Restaurant owners and others who deal with food face fines and shutdowns as health inspectors note evidence of bird droppings in or around their property. Fortunately, there is a solution to the pest bird problem.

Harmlessly “Educates” Pest Birds to Stay Away

Bird•B•Gone® low-profile electric track bird deterrent system prevents birds from landing or nesting in unwanted areas. The unique electrically charged tracks impart a mild electrical shock when birds land on them. The shock will not harm birds, but will condition them to avoid the area.

Multiple Birds, Multiple Locations

The Bird Jolt Flat Track® system is ideal for use in a multitude of applications where pest birds habitually perch and roost.

BIRD JOLT FLAT TRACK®

ADVANTAGES & BENEFITS

Bird Jolt Flat Track® is a low profile electrical track system which produces a mild electrical “jolt” when birds land on it. It uses copper knitted wire mesh, in a continuous “tube-in-tube” stocking design. This allows for greater conductivity, strength and reliability.

- ▶ The ultimate product for modifying bird behavior.
- ▶ #1 specified electric track by architects and government agencies.
- ▶ Does not harm birds.
- ▶ Patented “anti-arcing” design means the ultimate in safety.
- ▶ Effective for both small and large pest birds.
- ▶ Crush proof; will continue to work even if stepped on by window washers or building maintenance crews.
- ▶ Glue troughs allow for easy installation with construction grade adhesive.
- ▶ Completely flexible; can bend 360°.
- ▶ Low profile and virtually invisible. Only 1/4” (6.35 mm)
- ▶ “Snug-fit” connectors make it the easiest shock system to install.
- ▶ Comes in easy-to-dispense box and can be cut with scissors.
- ▶ Bird Jolt Flat Track® Kits available*.




Watch our track installation video at:
www.birdbgone.com/trackinstall

PATENTS

US 6250023 / US 7596910 / US 7941977
US 8191303 / US 8245435 / US 8250814
US 9032663 / US 9101127 / US 9232781
AU 2013205241 / CA 2750218 / CN 102356699

BIRD SPECIES	All birds
WHERE TO USE	Ledges, signs, rooftops, I-beams, parapet walls, conduit, flat or curved surfaces
BIRD PRESSURE	Light to Heavy
GUARANTEE	Lightweight flexible UV stabilized PVC with copper knitted wire mesh “tube-in-tube” stocking design
MATERIAL	Lightweight: 100’ (30.48 m) of track weighs only 16 lbs (7.26 kg)
DESIGN	ISO 1806 and 9001 protocol tested: 40 lbs. burst strength

PATENTED ANTI-ARCING DESIGN



AVAILABLE COLORS



CLEAR



STONE



BLACK



GRAY



RED



TERRACOTTA

* Bird Jolt Flat Track® Kits available, see page 33

SELECT AND ADHERE THE TRACK

Bird Jolt Flat Track® easily glues in place with construction grade adhesives. Installation requires general knowledge of electrical systems. If you have questions or need an Authorized Installer call us at 800.392.6915.




See Page
57




LIGHT INFESTATION (LARGE BIRDS)

Single row of track at the outer edge(s):




7" Wide Ledge




7" Wide Ledge

HEAVY INFESTATION (LARGE OR SMALL BIRDS)

Multiple rows of track:







7" Wide Ledge



7" Wide Ledge

INSTALLATION ACCESSORIES

ITEM	ITEM #	DESCRIPTION	PACK SIZE	COLOR
	SNUG-FIT™ CONNECTORS BJFT-SFC10	Used to connect track to a charger, to branch off in a new direction, or to connect two pieces of track.	10 per pk	Gray
	BJFT-SFC10-BLK		10 per pk	Black
	SNUG-FIT™ CORNER CONNECTORS BJFT-SFCC	Used to turn a 90° corner with the Bird Jolt Flat Track®.	10 per pk	Gray
	BJFT-SFCC-BLK		10 per pk	Black
	BLUE WIRE CONNECTORS BJFT-BCN100	Used to connect electric track together or to a charger from the Snug-Fit™ Connectors.	100 per pk	Blue
	ANTI-DAMMING RISERS BJFT-ADR	Used to lift track to prevent water from damming or to install on a surface that is hard to glue onto.	10 per pk	Gray

BIRD JOLT FLAT TRACK®

CONNECT AND TEST THE TRACK

BIRD JOLT FLAT TRACK SOLAR CHARGER

Uses sunlight to supply power to up to 300' of electric track. Completely weatherproof.



ITEM #	CHG-SLR740
DIMENSIONS	9.75" x 6.5" x 6.5" (24.77 cm x 16.51 cm x 16.51 cm)
WEIGHT	3.5 lbs. (1.59 kg)
LENGTH	300' (91.44 m) of track
VOLTAGE	Output Voltage: 8 KV +/- 20% open circuit voltage

BIRD JOLT FLAT TRACK DIRECT CHARGER

Plugs into a regular 110v outlet and supplies power up to 500 feet of electric track. If outdoors, use weatherproof box.



ITEM #	CHG-AC750
DIMENSIONS	4.75" x 4.5" x 2.25" (12 cm x 11.5 cm x 5.7 cm)
WEIGHT	13.6 oz. (386 g)
LENGTH	500' (152.4 m) of track
VOLTAGE	Input Voltage 110-120 VAC, 60 Hz, 1VA Output Voltage 6,000 V (unloaded) Output Joule rating: 0.1








18 GAUGE MARINE GRADE COPPER LEAD-IN WIRE

Used to connect your charger to the electric track systems and also connect sections of track. Available in three colors and three roll sizes.



ITEM #	COLOR	LENGTH
BJFT-LIW20BLK	Black	20' (6.10 m)
BJFT-LIW50BLK	Black	50' (15.24 m)
BJFT-LIW100BLK	Black	100' (30.48 m)
BJFT-LIW20GRY	Gray	20' (6.10 m)
BJFT-LIW50GRY	Gray	50' (15.24 m)
BJFT-LIW100GRY	Gray	100' (30.48 m)
BJFT-LIW20STN	Stone	20' (6.10 m)
BJFT-LIW50STN	Stone	50' (15.24 m)
BJFT-LIW100STN	Stone	100' (30.48 m)

INSTALLATION COMPONENTS

ITEM	ITEM #	DESCRIPTION	PACK SIZE
	CONNECTOR LOOPS	STPWC-10	Used to attach the copper lead-in wire to your charger.
	BILINGUAL WARNING LABELS	BJFTWRNBI-10	Placed every 10' to warn people of possible shock. (English/Spanish)
	VOLTAGE TESTER	BJFT-VLT	Used with the Electric Track systems to test the systems' output voltage.
	SOLAR BATTERY REPLACEMENT	CHG-SLR740BAT	Battery for the Solar Charger (CHG-SLR740) should be replaced about once a year.
	WATERPROOF BOX	CHG-ACBOX	Protects Direct Chargers from weather when installed outdoors. (Dimensions: 8"x8"x4")

ENSURE SYSTEM SAFETY AND INTEGRITY

BILINGUAL WARNING LABELS

Placed every 10' to warn people of possible shock.
(English/Spanish)



ITEM #	PACK SIZE
BJFTWRNBI-10	10 per pk

THE BIRD JOLT FLAT TRACK® KIT



The Bird Jolt Flat Track® Kits come in a light-weight, easy-to-dispense box with carrying handle. Each kit contains:

- (1) Bird Jolt Flat Track® (Choose Color) 100' (30.48 m)
- (1) Accessory Kit includes:
 - ▶ Lead-in Connector Loops (2 each)
 - ▶ Snug Fit™ Track Connectors (3 each)
 - ▶ Bilingual Warning Labels (10 each)
 - ▶ Snug Fit™ Corner Connectors (3 each)
 - ▶ Blue Wire Connectors (10 each)
 - ▶ Lead wire and charger sold separately.

ITEM #	LENGTH	COLOR
BJFTKIT-GRY	100' (30.48 m)	Gray
BJFTKIT-STN	100' (30.48 m)	Stone
BJFTKIT-TER	100' (30.48 m)	Terracotta
BJFTKIT-BLK	100' (30.48 m)	Black
BJFTKIT-RED	100' (30.48 m)	Red
BJFTKIT-CLR	100' (30.48 m)	Clear
BJFT-ACCKIT	100' (30.48 m)	Acc. Kit (Only)



BIRD•B•GONE® CONDUCTS ADVANCED BIRD JOLT FLAT TRACK® TRAINING IN ARIZONA

A PGA building in Arizona was having pest bird problems. Bird feces and nests were creating unhealthy and hazardous conditions for staff and guests. To make matters worse, a poorly installed net had fallen around the facility's air handlers. As the job posed a number of installation challenges, Chemtech utilized the on-site training option offered by Bird•B•Gone to:

1. Offer hands-on instruction to team members
2. Highlight and clarify installation techniques
3. Confirm the selected products for the job
4. Ensure that all products are installed properly

Goal of Installation: Prevent birds from landing on horizontal surfaces. Block birds from entering unwanted areas. Remove the old cabling, anchors, and net that were poorly installed and had fallen around the air handlers.



Product Installed: Bird Jolt Flat Track®

To prevent birds from landing on the horizontal surfaces the team chose to install Bird Jolt Flat Track®. Bird Jolt Flat Track® is an electric track system that produces a mild electric shock when birds land on it. The non-intrusive, low profile and patented anti-arching design made this an ideal choice. The electric track system was properly installed in various “high bird pressure” areas and has successfully deterred the birds and kept them away.



Product Installed: Bird Net 2000™

To block birds from entering unwanted areas, the team chose to install the most efficient and effective bird exclusion product, heavy duty black 2 in. mesh bird netting – Bird Net 2000™. The old cabling, anchors and net were removed. New heavy duty netting was properly installed and correctly anchored.

The result: a humane and highly effective bird control installation that keeps birds and their droppings away from the building.



DETERRENTS



Bird•B•Gone® has a wide variety of effective and humane products to deter pest birds.

Physical, visual, and sound deterrents make areas inaccessible unstable, and uncomfortable for birds, keeping them from landing, roosting or nesting, and forcing them to move on to a new location.


- Physical deterrents are ideal for use on flat surfaces in concentrated areas like ledges, parapet walls, windowsills, roof edges, and more.
- Visual bird deterrents create distraction zones that confuse the birds causing them to flee the area.
- Sound deterrents use bird distress and predatory calls to startle and warn birds so they leave the targeted area.

ADVANTAGES & BENEFITS

PATENTS # US8640397 / US8689497 / US8925256 / US9185900

The unique design of Bird Slope™ makes it impossible for birds to land or roost on 90° areas like eaves and ledges.






- ▶ Prevents birds from landing and nesting on ledges up to 5.5" (13.97 cm) wide.
- ▶ Unique "Slope Extender" increases coverage for areas up to 10.5" (26.67 cm) wide.
- ▶ Effective for both large and small birds.
- ▶ Ideal for parking garages, I-beams and 90° ledges.
- ▶ Glue trough on underside for easy adhesive application.
- ▶ Easy-to-install End Caps prevent birds from getting behind Slope.
- ▶ Made of a UV-protected outdoor grade PVC plastic.
- ▶ Longest guarantee and lowest cost.
- ▶ Fast installation with 4' (1.22 m) sections.



Watch our deterrent installation video at:
www.birdbgone.com/slopeinstall

BIRD SPECIES	All birds
WHERE TO USE	Ledges, parking garages, I-beams, window sills and eaves with widths up to 10.5" (26.67 cm)
BIRD PRESSURE	Light, Medium, or Heavy
GUARANTEE	2 years
MATERIAL	UV protected outdoor grade PVC

ITEM #	SIZE	PACK SIZE	COLOR
SLP-GRY4	5.5" (13.97 cm)	4' (1.22 m) sections 48' (14.63 m) per box	Gray
SLP-STN4	5.5" (13.97 cm)	4' (1.22 m) sections 48' (14.63 m) per box	Stone

	ITEM NAME	ITEM #	DESCRIPTION	PACK SIZE	DETAIL
	BIRD SLOPE™ EXTENDERS	SLPEXT-GRY4	Bird Slope™ Extenders Gray	48' (14.63 m) per pk	Extenders can be attached to cover ledges between 5.5" to 10.5" wide. Easily "snaps on" to Bird Slope™ for wider ledges (up to 10.5") Twelve 4' sections per box
		SLPEXT-STN4	Bird Slope™ Extenders Stone	48' (14.63 m) per pk	
	BIRD SLOPE™ CONNECTORS	SLPCONGRY-10	Slope Connector: Gray	10 per pk	Connectors available for Bird Slope™ and Slope Extenders Ideal for sloped surfaces. Snap into place Eliminates gaps between two pieces of Slope.
		SLPCONSTN-10	Slope Connector: Stone	10 per pk	
		SLPCONEXTGRY-10	Extender Connector: Gray	10 per pk	
		SLPCONEXTSTN-10	Extender Connector: Stone	10 per pk	
	MOUNTING CLIPS	SLP-MC20	Slope Mounting Clips-Clear	20 per pk	Use Mounting Clips to install Bird Slope™ on vertical surfaces. One clip every 1' (30.48 cm) 20 per pack
	END CAPS	SLPECAP-GRY SLPECAP-STN	Bird Slope End Caps - Gray Bird Slope End Caps - Stone	10 per pk 10 per pk	Block birds from entering the open area behind slope. Simply glue the end cap to each end
	EXTENDER END CAPS	SLPEXTCAP-GRY SLPEXTCAP-STN	Bird Slope Extender End Caps - Gray Bird Slope Extender End Caps - Stone	10 per pk 10 per pk	Block birds from entering the area behind extended-width slope. For use with Bird Slope™ Extenders. Glues into place.

INSTALLATION

To install: surface should be clean and dry before installation. Bird Slope™ covers a 5.5” ledge; for larger ledges Extenders are available. Glue onto surface using recommended adhesives; place glue in glue troughs. End Caps should be installed to prevent birds from getting behind Slope.



Bird Slope™ installed on window sills



Bird Slope™ Installed in parking garages

SOLAR PANEL BIRD DETERRENT KIT

ADVANTAGES & BENEFITS

Rooftop solar panels create an ideal environment for pigeons and other pest birds to nest and roost. The panels provide shade from the hot sun, security from predators, and an easy in-and-out vantage point for birds. The best way to address this problem is to install bird deterrents, when the solar panels are first installed or before the pest birds arrive.

- ▶ The weather-resistant mesh effectively blocks pest birds from nesting and roosting under panels.
- ▶ No drilling required.
- ▶ Mesh is virtually invisible once installed.
- ▶ Clips will not scratch or affect integrity of solar panels.



Watch our solar installation video at:
www.birdbgone.com/solarmesh

BIRD SPECIES	All birds
WHERE TO USE	Under solar panels
BIRD PRESSURE	Light to Heavy
MATERIAL	UV resistant materials



Durable clips easily install without drilling



Weather Resistant Mesh Panels



100-foot rolls available



Installed Kit

ITEM	ITEM #	PACK SIZE	DETAILS
SOLAR PANEL BIRD DETERRENT KIT	SLRKIT-50	35 per pk (Clips) 10 per pk (Mesh)	Solar Clips 5' x 8" Weather Resistant Mesh Panels
SOLAR PANEL BIRD DETERRENT MESH	SLRMESH-100	1 per pk	100' roll by 8" tall; 1/2" Mesh Size
SOLAR PANEL BIRD DETERRENT CLIPS	SLRCLPS-35 SLRCLPS-50 SLRCLPS-100	35 per pk 50 per pk 100 per pk	Durable solar clips designed for easy installation of Solar Mesh without drilling

BIRD WIRE

ADVANTAGES & BENEFITS

Bird Wire is a post and wire system that provides an unstable landing area for pigeons, seagulls, or crows. Ideal for areas where aesthetics are a concern, the low-profile Bird Wire involves a series of stainless steel posts supporting nylon coated 316 stainless steel wire that is tensioned between the posts using springs.

- ▶ #1 Bird Wire system specified by architects.
- ▶ CAD details and specifications available at birdbgone.com.
- ▶ Low profile and low visibility.
- ▶ Low maintenance.
- ▶ Safe for handrails, ledges, rooftops and more.
- ▶ Affordable pricing.
- ▶ Industry leading 5-year guarantee.
- ▶ Approved for use on federal and state government structures.





Watch our introduction to Bird Wire video at:
www.birdbgone.com/introbirdwire

BIRD SPECIES	Pigeons and seagulls
WHERE TO USE	Ledges, signs, rooftops, curved or flat surfaces
BIRD PRESSURE	Light to Medium
GUARANTEE	5 years
MATERIAL	316 Stainless steel wire coated with UV stabilized clear nylon
DESIGN	ISO 1806 and 9001 protocol tested: 40 lbs. burst strength












INSTALLATION

Surface should be clean and dry before installation. Measure surface area to determine how many rows are required. Posts are placed every 5' with a new spring every 10'. Alternate post heights when installing multiple rows.





	ITEM	ITEM #	DESCRIPTION	PACK SIZE	DETAILS
	NYLON COATED BIRD WIRE	BWNCW1 BWNCW2	820' (250 m) Roll Nylon Bird Wire 328' (100 m) Roll Nylon Bird Wire	1 roll per pk 1 roll per pk	Strung between Stainless Steel Posts. 316 Stainless steel wire coated with UV stabilized clear nylon. .045 mm 1 x 7 wire
	GLUE-ON BASES	BWB100 BWB050	Bird Wire Post Gray Bases	100 per pk 50 per pk	Can be screwed or glued onto surfaces where drilling is not an option. UV protected glass filled nylon. Support Bird Wire post
	STAINLESS STEEL POSTS	BWSSP60-100 BWSSP60-25 BWSSP50-100 BWSSP50-25 BWSSP45-100 BWSSP45-25 BWSSP35-100 BWSSP35-25	6" Bird Wire (15.24 cm) Post 6" Bird Wire (15.24 cm) Post 5" Bird Wire (12.70 cm) Post 5" Bird Wire (12.70 cm) Post 4.5" Bird Wire (11.43 cm) Post 4.5" Bird Wire (11.43 cm) Post 3.5" Bird Wire (8.89 cm) Post 3.5" Bird Wire (8.89 cm) Post	100 per pk 25 per pk 100 per pk 25 per pk 100 per pk 25 per pk 100 per pk 25 per pk	Used to suspend Bird Wire. 4 mm diameter, 316 marine grade stainless steel posts. Ends are beveled to aid installation into either the anchor rivet or glue-on base
	NICKEL-PLATED COPPER CRIMPS	BWCC-100	Bird Wire Copper Crimps	100 per pk	Used to secure bird wire to the posts. Nickel-plated for durability
	RAILING CLAMPS	BWRC-1 BWRC-2 BWRC-3 BWRC-4 BWRC-4-2 BWRC2P-6	Railing Clamp 1" (2.54 cm) 1 Post Railing Clamp 2" (5.08 cm) 1 Post Railing Clamp 3" (7.62 cm) 1 Post Railing Clamp 4" (10.16 cm) 1 Post Railing Clamp 4" (10.16 cm) 2 Posts Railing Clamp 6" (15.24 cm) 2 Posts	10 per pk 10 per pk 10 per pk 10 per pk 10 per pk 10 per pk	<i>Railing Size</i> 3/4" - 1-1/4" 1-5/16" - 2-1/2" 2-9/16" - 3-1/2" 3-9/16" - 4-1/2" 3-9/16" - 4-1/2" 5-1/8" - 6" Used to attach Bird Wire system to railings or pipes. Adjustable clamps with 3.5" (8.89 cm) Bird Wire posts.
	STAINLESS STEEL SPRINGS	BWSSS-100 BWSSS-50 BWMS1 BWMS1-5	316 Grade Stainless Steel Standard Springs 316 Grade Stainless Steel Micro Springs	100 per pk 50 per pk 100 per pk 50 per pk	Causes the Bird Wire to be unstable when birds land on it. Two sizes available: Standard & Micro
	GUTTER & GIRDER CLAMPS	BWBC00-1 BWGC00	Bird Wire Beam Clamp Bird Wire Gutter Clamp	10 per pk 10 per pk	Used to attach the Bird Wire system to gutters or girders. Fits I-beams up to 3/4" (1.91 cm) thick.
	ANCHOR RIVETS	BN10R BN15R	1" (25.4 mm) Anchor Rivet 1.5" (38.1 mm) Anchor Rivet	100 per pk 100 per pk	Support Bird Wire posts when drilled into surface. Use 6.5 mm drill bit
	3-POST RIDGE BRACKET	BW3PRB	3-Post Ridge Bracket 3.5" (8.89 cm) posts	1 per pk	Designed for roof peaks & special installation areas. Stainless steel brackets perfect for angled surfaces and corners

BIRD SPIDER 360°®

ADVANTAGES & BENEFITS

PATENT # US7036278

The Bird Spider 360° is a humane stand-alone physical bird deterrent that is used to prevent birds from landing. The Bird Spider 360° can be used in a variety of settings including: Boats, docks, Biminis, light posts, air conditioner units, skylights, dock pilings, and more!




- ▶ Bird Spider 360° is a visual bird deterrent used to scare large birds away from concentrated areas.
- ▶ This bird deterrent is humane, safe, and will not harm
- ▶ No-tangle “arms” bounce and sway in the wind, creating a visual distraction zone so birds will not want to come near the area.
- ▶ Available in 2 ft., 4 ft., 6 ft., and 8 ft. diameters for optimal coverage.
- ▶ Patented design has been high wind tested – will not break or fall off in high wind areas.
- ▶ Pre-assembled and easy-to-install.



BIRD SPECIES	Pigeons, seagulls, and larger birds
WHERE TO USE	AC units, street lights, signs, boats, rooftops
BIRD PRESSURE	Light to Medium
MATERIAL	316 marine grade stainless steel “arms” on a UV protected polycarbonate base. Separate PVC base and #10 316 grade screws included.

ITEM #	SIZE	DIAMETER
BS200SPN	1'- 2' (0.30 m - 0.61 m)	2' (0.61 m)
BS400SPN	3'- 4' (0.91 m - 1.22 m)	4' (1.22 m)
BS600SPN	4'- 6' (1.22 m - 1.83 m)	6' (1.83 m)
BS800SPN	6'- 8' (1.83 m - 2.44 m)	8' (2.44 m)

INSTALLATION ACCESSORIES

	ITEM	ITEM #	DESCRIPTION	PACK SIZE	DETAILS
	BOAT BASE	BSBB2	Bird Spider 360® Boat Base	1 per pk	Used to install the Bird Spider around masts or spreaders. Attaches directly to Bird Spider 360° Secures with bungee cords or other tie-down systems.
	SAND BAG BASE	BSBB-SB	Bird Spider 360® Sand Bag Base	1 per pk	Provides a portable weighted option for boat canvases and Biminis. Attaches directly to Bird Spider 360° and Repeller 360°. Weighs 6.5 lbs. Hardware included.
	RAILING MOUNT	RLMNT	Bird Spider 360® Railing Mount	1 per pk	Easily secures Repeller 360° and Bird Spider 360° to railing sizes up to 1.875" thick. Includes disk and screws for mounting/attachment. Can easily be removed and stowed while sailing or cruising.



Bird Spider 360°® easily glues in place using the included base. The Bird Spider 360° features long lasting UV protected polycarbonate tips that help the arms bounce and sway in the wind, also prevent scuffing on surfaces.



AGRILASER®

AVIX LITE

The AVIX Lite can repel birds during lighting conditions of 20,000 Lux or less, which you can compare with cloudy weather. Birds perceive the green laser beam as an approaching physical danger and fly away. After consistent use birds will perceive the area as unsafe and will not return.

- ▶ Range up to 1,000 meters.
- ▶ Fast and long-lasting results.
- ▶ Suitable for repelling most bird species.
- ▶ Environmentally and animal friendly



The compact solution to bird nuisance

ITEM NAME	ITEM #
AVIXLITE	AGRL-AVXLT

AGRILASER® HANDHELD

The Agrilaser Handheld 500 is the ultimate solution for long range bird nuisance. It's easy use, range up to 2500 meters will produce immediate and long lasting results. The Handheld 500 is both animal and environmentally friendly, and it's rugged construction ensures high performance even in the most demanding situations.

- ▶ Range up to 2,500 meters.
- ▶ Fast and long-lasting results.
- ▶ Suitable for repelling most bird species.
- ▶ Animal and environmentally friendly.



ITEM NAME	ITEM #
AGRILASER® HANDHELD 500	AGRL-500HH

BIRD CHASE SUPER SONIC™

ADVANTAGES & BENEFITS

The Bird Chase Super Sonic is an outdoor sound device used to deter pest birds. Distress and predator calls from 24 types of birds are broadcast for two minutes at ten minute intervals to scare pest birds from large open spaces.

- ▶ Includes goose deterrent sounds.
- ▶ Low cost method of protecting your property.
- ▶ Programmable, you can choose your target bird.
- ▶ UV protected and water resistant.
- ▶ Can be programmed to turn on/off automatically at night.
- ▶ Covers 1 acre. Add additional speakers for coverage up to 5 acres.
- ▶ 30-day unconditional money back guarantee.
- ▶ 100 ft of speaker wire for each speaker.



BIRD SPECIES	All birds
WHERE TO USE	Warehouses, rooftops, yards, open lots
BIRD PRESSURE	Light to Medium

ITEM NAME	ITEM #
BIRD CHASE SUPER SONIC	IB50-PCOM
BIRD CHASE SUPER SONIC PRO PACK 2	IB50-PPII
BIRD CHASE SUPER SONIC PRO PACK 4	IB50-PPIV
SUPER SONIC SPEAKERS (2)	SONIC-SP2

SOLAR BIRD CHASE SUPER SONIC™

ADVANTAGES & BENEFITS

The Solar Bird Chase Super Sonic is ideal for use in large open spaces where there is no access to a power source. Solar panels charge and store energy to keep the system operating during inclement weather. To install: Place unit in sun for 8 hours to charge. Optionally, you can plug unit in and charge for 4 hours. Once it is fully charged, place the unit on a flat surface to receive sun for most of the day for optimal charging. Select the proper bird setting from the menu, adjust volume, and watch birds disappear.

- ▶ Unit powered by sustainable solar energy.
- ▶ Deters birds from large open spaces with recorded bird distress and predator calls.
- ▶ Covers 1 acre.
- ▶ Water resistant – meant for outdoor use.
- ▶ Programmable.
- ▶ Light sensor automatically powers down the deterrent when the sun goes down.



BIRD SPECIES	All birds
WHERE TO USE	Warehouses, rooftops, yards, open lots
BIRD PRESSURE	Light to Medium

ITEM NAME	ITEM #
SOLAR BIRD CHASE SUPER SONIC™	UR58

ADVANTAGES & BENEFITS

Bird•B•Gone® Reflect-a-Bird is a silent wind-powered spinning visual bird deterrent that effectively scares birds away. The mirror-like design uses sunlight and wind to create a distraction zone that confuses pest birds causing them to flee the area. For best results, use Reflect-a-Bird in conjunction with other visual or physical bird deterrents.

- ▶ Great for use on buildings, boats, and within agricultural settings.
- ▶ Easy to install, extremely effective.
- ▶ Angled design (up to 90 degrees) allows Reflect-a-Bird to be installed in various directions.
- ▶ Can be glued, screwed, or tied down to flat surfaces.
- ▶ Weatherproof aluminum and plastic construction.




ITEM NAME	ITEM	PACK SIZE
12.18" (31 cm) h x 11.34" (28.8 cm) diameter	RFLT-1	1 per pk

MAKE YOUR BUSINESS SOAR



Partner with the best

- Lead generation
- Quoting assistance
- On-the-job training for big jobs



Grow profits

- Increase pest control business
- Expand customer business
- Build recurring business



Train to win

- Free training
- Become an authorized Installer
- Learn to market bird control



Become a Bird•B•Gone® Authorized Installer today!



TRAP AND CAPTURE



When trapping is necessary, Bird•B•Gone® has the widest selection of humane live traps available.

When there are 20 or more pest birds at a job site, trapping may be necessary to reduce the birds before you install a permanent bird control system. Trapping is often overlooked because it can be time consuming and an unpleasant part of the job. If left undone, however, your bird control product installation can be unsuccessful.

Bird•B•Gone's complete line of professional bird traps come in a variety of sizes to help accommodate the species of pest bird posing a problem, the size of the flock, and the location of where the trap is going to be placed.

MIST NET

ADVANTAGES & BENEFITS

When the netting is hung directly in a bird's flight path, the bird flies into the net, becomes immobile, and makes it easy to remove the bird and set it free outside of the structure. The Mist Net is a simple, humane way to catch and release birds.

- ▶ Will not harm birds.
- ▶ Made from extremely fine fibers that birds cannot see.
- ▶ Designed to capture multiple birds with 1 net.
- ▶ Available in 4 sizes.
- ▶ Ideal for big box stores, warehouses, grocery stores or other indoor areas where birds are trapped.









Watch our mist net kit video at:
www.birdbgone.com/mistnetinstall

BIRD SPECIES	All birds
WHERE TO USE	Warehouses, big box stores, airplane hangars, grocery stores
BIRD PRESSURE	Light to Heavy
MATERIAL	UV protected nylon



ITEM #	NET SIZE
MIST7X10	7' x 10' (2.13 m x 3.05 m)
MIST10X20	10' x 20' (3.05 m x 6.10 m)
MIST10X30	10' x 30' (3.05 m x 9.14 m)
MIST10X40	10' x 40' (3.05 m x 12.19 m)

ITEM	ITEM #	DETAILS
	TELESCOPING POLE	MISTP18 Use to hang Mist Net: 18' (1 per pk)
	HOOK ATTACHMENT	MISTHOOK Attaches to Telescoping Pole to hang Mist Nets from ceiling (1 per pk)
	MAGNET ATTACHMENT	MISTMGNT Attaches to Telescoping Pole to hang Mist Nets from metal ceiling beams (1 per pk)
	LASER POINTER	MISTLZR Use light beam to scare birds into Mist Net (1 per pk)
	CARRYING CASE	MISTCS1 Convenient for storing and transporting Mist Net components (1 per pk)
	MAGNET COVER	MISTRCLR For easy removal of magnet attachment (1 per pk)

MIST NET KIT

Our Mist Net Kit contains everything needed to capture and release trapped birds.

- ▶ Mist Net - 1 per kit (10'x20' or 10'x30')
- ▶ Telescoping Poles - 2 each
- ▶ Hook Attachments - 2 each
- ▶ Magnet Attachments - 2 each
- ▶ Laser Pointer - 1 each
- ▶ Carrying Case - 1 each
- ▶ Magnet Covers - 2 each



Carrying Case

ITEM #	NET SIZE
MISTCAP-KIT	Net: 10' x 30' (3.05 m x 9.14 m)
MISTCAP-KIT-20	Net: 10' x 20' (3.05 m x 6.10 m)
MISTCAP-KIT-CHRM	Net: 10' x 30' (3.05 m x 9.14 m) & Sparrow Charmer
MISTCAP-KIT-20-CHRM	Net: 10' x 20' (3.05 m x 6.10 m) & Sparrow Charmer

SPARROW CAPTURE TRAP

ADVANTAGES & BENEFITS

The Sparrow Capture Trap is a hanging trap designed for the capture of sparrows with multiple sensory luring capabilities.


- ▶ The perfect tool for control of pesky sparrows.
- ▶ Mirror located adjacent to perch to attract sparrows.
- ▶ Built to resemble a common birdhouse in order to conceal the trap.
- ▶ Spring-loaded door snaps when a sparrow enters and lands on a perch beneath the opening.
- ▶ Includes mounting bracket to allow for easy placement.
- ▶ For maximum effect, lure sparrows in with Sparrow Charmer™.
- ▶ Simple assembly; assembles in minutes.

ITEM

DIMENSIONS

BMP-CAPTURE

Pop up feature: Closed: 12"x6.5"x9";
Open: 18"x6.5"x11"



PROFESSIONAL BIRD TRAPS

COLLAPSIBLE PIGEON TRAP




ITEM #: BMP-PSCP

- ▶ Easily to assemble and collapses to 1" (2.54 cm) high
- ▶ One door on each side
- ▶ Capacity: 18+ pigeons
- ▶ Weight: 14 lbs. (6.35 kg)

Dimensions: 40" x 22" x 12" (101.60 cm x 55.88 cm x 30.48 cm)

PIGEON MOTEL



ITEM #: BMP-SW-SPM

- ▶ Ideal for commercial or residential use
- ▶ Two one-way entry doors
- ▶ Each door has a door guard
- ▶ Easy to store and re-use
- ▶ Portable
- ▶ Capacity: 6+ birds
- ▶ Lightweight: 5 lbs. (2.26 kg)

Dimensions: 24" x 12" x 8" (60.96 cm x 30.48 cm x 20.32 cm)

COLLAPSIBLE PIGEON TRAP WITH SHADE



ITEM #: BMP-SW-CP-S

- ▶ Four one way entry doors - one on each side
- ▶ Easily assembles and collapses to 1" (2.54 cm) high
- ▶ Hinged shade screen
- ▶ Capacity: 12+ birds
- ▶ • Lightweight: 8 lbs. (3.62 kg)

Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)

LARGE PIGEON TRAP WITH SHADE, FOOD & WATER



ITEM #: BMP-SW-LP-SFW

- ▶ One 1-gallon water container and feeder pan
- ▶ Six one-way entry doors with door guard • Divided trap with two access top doors
- ▶ Hinged shade screen
- ▶ Capacity: 30+ birds

Dimensions: 45" x 24" x 10" (116.84 cm x 60.96 cm x 25.4 cm)

PIGEON TRAP WITH SHADE, FOOD & WATER



ITEM #: BMP-SW-SP-SFW

- ▶ Three one-way entry doors with door guard
- ▶ Centered top access door for easy removal of birds
- ▶ Hinged shade screen
- ▶ Water container and feeder pan
- ▶ Capacity: 12+ birds
- ▶ Lightweight: 10 lbs. (4.53 kg)

Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)

SLANTED SURFACE PIGEON TRAP WITH SHADE, FOOD & WATER



ITEM #: BMP-SW-AD-LEGS

- ▶ One 1-gallon water container and feeder pan
- ▶ Adjustable legs ideal for slanted surfaces
- ▶ Six one-way entry doors with door guard
- ▶ Heavy slide out galvanized flat pan and fold down landing platforms
- ▶ Hinged shade screens
- ▶ Capacity: 20+ birds
- ▶ Weight: 23 lbs. (10.43 kg)

Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.4 cm)

PROFESSIONAL BIRD TRAPS

SNAP TRAP



ITEM #: BMP-SW-SNAP-S BMP-SW-SNAP-M

- ▶ Effective for both small and medium birds
- ▶ Simple to use with proven results
- ▶ When bait tray is triggered, a spring loaded nylon net closes over the birds to trap them quickly and safely
- ▶ This trap can be mounted on buildings, walls, and trees
- ▶ The snap trap is powder coated for rust resistance

Dimensions: BMP-SW-SNAP-S: 17" x 17" x 2.5" (43.18 cm x 43.18 cm x 6.35 cm)
BMP-SW-SNAP-M: 24" x 24" x 2.5" (60.96 cm x 60.96 cm x 6.35 cm)

SPARROW TRAP WITH FOOD & WATER




ITEM #: BMP-SW-SSP3-WF

- ▶ Two top access removal doors
- ▶ Bi-level eliminates birds feeling captured
- ▶ Repeating trap
- ▶ Easy access to service feed and water station
- ▶ Six entry funnel doors (three per compartment)
- ▶ Weight: 13 lbs. (5.89 kg)

Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.40 cm)

SPARROW TRAP



ITEM #: BMP-SP2C

- ▶ Two chamber
- ▶ Bi-level repeating trap
- ▶ Dual level design eliminates captured feeling by birds
- ▶ Large capacity (can hold a large number of sparrows)
- ▶ Lightweight: 4 lbs. (1.81 kg)

Dimensions: 16" x 12" x 8" (40.64 cm x 30.48 cm x 20.32 cm)

BIRD HOUSE ENGLISH SPARROW TRAP



ITEM #: BMP-BHSPT

- ▶ Single bird live trap
- ▶ Bird-house naturally attracts Sparrows. When the Sparrow enters the house and lands to perch, the spring-loaded trap door snaps closed.
- ▶ Once the trap is closed, the fluorescent sticker will show through the hole located on the front trap door to let you know the trap is now occupied.

Dimensions: 9"H x 5"W x 5.5"D

SPARROW SKY TRAP



ITEM #: BMP-SW-SKY

- ▶ A hanging trap designed for the capture of sparrows and smaller birds in high traffic areas
- ▶ Proven V-top entry design enables Sky Trap to hang from the ceiling or sit on a flat surface
- ▶ Includes water and feed containers along with a perch to calm birds after capture

Dimensions: Closed: 24"W x 12"L x 18"H (60.96 cm x 30.48 cm x 45.72 cm)

WATCH BIRD•B•GONE® TRAPPING TIPS & TRICKS PLAYLIST

Are you new to trapping? Did you know it's often necessary to trap and remove pest birds before you install a permanent bird deterrent system? Don't miss this highly informative 2 Part Series on all things bird trapping.



Watch our Trapping Tips & Tricks video at:
www.birdbgone.com/birdtrappingtips

REPELLENTS



Bird•B•Gone® offers a number of highly effective and humane bird repellents that are non-toxic to address these problems and keep areas bird free.

Birds Deface and Damage Buildings/Structures

Bird nests and feathers can clog rain gutters and downspouts, leading to roof leaks. This debris can also jam up AC units, window frames and rooftop vents. Bird droppings can deface and damage wood, metal, plastic and stone surfaces. Outdoor light fixtures, security cameras, and dish antennas can only take so much abuse from bird droppings before they begin to fail. The diseases carried by bird droppings can render surfaces unsanitary.

Geese Destroy Lawns, Gardens and Water Features

Pest birds like geese can quickly destroy golf courses, corporate lawns, parks and water features. These large birds can cover an area with unsightly and smelly droppings, which can ruin the aesthetics of a park or garden.

SPECTRUMV® HOLOGRAPHIC BIRD GEL™

ADVANTAGES & BENEFITS

SpectrumV® Holographic Bird Gel™ is an easy, economical and effective sensory bird control solution. Each easy-to-apply dish contains an innovative gel that uses a combination of sight, sense and smell to keep birds away from edges, ledges, and more!

- ▶ Ideal for commercial and residential use.
- ▶ Easy, economical, and effective.
- ▶ Effectively deters all bird species.
- ▶ Protects edges, ledges, and more!
- ▶ Long lasting, low-cost humane solution.
- ▶ Tri-sensory bird repellent action.
- ▶ Easy to install - no assembly required.
- ▶ Not harmful to birds.
- ▶ U.V. protected - won't degrade or discolor in sunlight.
- ▶ Built-in glue troughs for better dish adhesion.
- ▶ Product placement is fast and easy.
- ▶ Increasing coverage is as simple as placing an additional dish.



Watch our SpectrumV installation video at:
www.birdbgone.com/spectrumvinstall

INSTALLS IN MINUTES



BIRD SPECIES	All birds
WHERE TO USE	Rooflines, ledges, signs, I-beams, railings, gutters, window sills, HVAC units, parapet edges, equipment, street lights, and other places where nuisance birds may congregate.

BIRD PRESSURE	Each PVC dish contains an innovative, proprietary gel that uses a combination of sight, sense and smell to keep birds away.
MATERIAL	

TOUCH



If touched birds do not like the sticky sensation on their feet, encouraging them to leave the area.

SIGHT



Holographic reflection technology creates visual hot spots that scares birds away.

SMELL



Proprietary blend of ingredients creates an aroma that is unpleasant to birds.

ITEM NAME	ITEM #	DESCRIPTION	PACK SIZE	DETAIL
SPECTRUMV® HOLOGRAPHIC BIRD GEL™	SPECV-MINI	SpectrumV Holographic Bird Gel- 12/pk	12 per pk	Use on Rooflines, ledges, signs,
	SPECV-24	SpectrumV Holographic Bird Gel- 24/pk	24 per pk	I-beams, gutters, window sills, HVAC
	SPECV-MAX	SpectrumV Holographic Bird Gel- 240/pk	240 per pk	units, equipment, street lights, and more.

ADVANTAGES & BENEFITS

Bird-OFF™ Gel is used to keep pest birds off of horizontal surfaces. The unique combination of smells and the sticky sensation on their feet causes birds to stop landing on the surface and leave the area. Bird-OFF™ Gel causes no burning sensation and is safe for installers.

- ▶ Smell and sticky feeling on the feet of birds drives them away
- ▶ Non-toxic and natural ingredients.
- ▶ Lasts up to 1 year per application.
- ▶ Easy to clean up using soap and water.
- ▶ Virtually invisible.

BIRD SPECIES	Pigeons, sparrows, starlings, gulls and more.
WHERE TO USE	Horizontal surfaces including: Ledges, I-beams, parapet walls, conduit, pipes, flat or curved surfaces
BIRD PRESSURE	Light to Medium
MATERIAL	Geraniol White Pepper, Mineral Oil, Silica

ITEM	ITEM #	COVERAGE
BIRD-OFF™ GEL (10 TUBES/CASE)	BOG-CASE	100' (36.58 m) x 3" (7.6 cm)
BIRD-OFF™ GEL (5 GALLONS)	BOG-5GAL	640' (36.58 m) x 3" (7.6 cm)
APPLICATOR CAULKING GUN (24 OZ.)	BOG-APP-GUN	For use with 5-Gal pail
APPLICATOR FOLLOW PLATE	BOG-APP-PLT	For use with 5-Gal pail

INSTALLATION

To install: 4 inches wide top to bottom – (2, 3, 4 inch distance between waves, depending on bird pressure)

DO NOT INSTALL ON A VERTICAL SURFACE.



Bird-OFF™ Gel
BOG-APP-GUN



Bird-OFF™ Gel
BOG-5GAL



TRANSPARENT BIRD GEL

ADVANTAGES & BENEFITS

Transparent Bird Gel is a sticky gel used to keep pest birds off of horizontal surfaces. Birds can't stand the sticky sensation on their feet and will move on.

- ▶ Creates a sticky surface that birds avoid.
- ▶ Not harmful to birds and people.
- ▶ Designed for pigeons and starlings, not for use for non-targeted species of birds.
- ▶ Lasts up to 6 months outdoors.
- ▶ Effective from 15° F (-9° C) to 200° F (93° C).
- ▶ Virtually invisible.

BIRD SPECIES	Pigeons and Starlings
WHERE TO USE	Horizontal surfaces including: Ledges, I-beams, parapet walls, conduit, pipes, flat or curved surfaces
BIRD PRESSURE	Light to Medium
MATERIAL	Polybutene 93%; Inert 7%

ITEM NAME	ITEM #	COVERAGE AREA
TRANSPARENT BIRD GEL (12 TUBES/CASE)	TBG-CASE	120' (36.58 m) x 3" (7.6 cm)



See Page
57

INSTALLATION

To install: 4 inches wide top to bottom – (2, 3, 4 inch distance between waves, depending on bird pressure)

DO NOT INSTALL ON A VERTICAL SURFACE.



AVIAN BLOCK™ BIRD REPELLENT

ADVANTAGES & BENEFITS

Avian Block™ is an aromatic bird repellent that uses passive scent technology to disperse Methyl Anthranilate (MA) into the air to effectively repel all birds from outdoor and semi-enclosed areas. MA is a naturally occurring, nonhazardous food-grade ingredient that is widely used in various industries to give products grape scent and flavor.


Quick and easy Avian Block™ is a humane, non-lethal easy to use; will repel birds for up to 3 months. Available in two versatile formulations: pouch and block.

Keep nuisance birds away from commercial, agricultural and residential properties with Avian Block™.

- ▶ Ideal for residential, commercial and agricultural use
- ▶ Low cost, effective, simple to use bird control system
- ▶ Effectively deters all bird species*
- ▶ Humane and simple to use
- ▶ Does not harm birds, people, pets or animals
- ▶ Pouch or block placement is fast, easy
- ▶ Easy to install - no assembly required
- ▶ Non-hazardous bird repellent made from food-grade ingredients; EPA registered**
- ▶ Increasing coverage is as simple as placing an additional pouch or block
- ▶ Virtually invisible - doesn't need to be seen to work
- ▶ Non-conductive - will not interfere with electrical or communication & transmissions



Watch our sensory bird control video at:
www.birdbgone.com/sensorybirdcontrol



BIRD SPECIES	All birds
WHERE TO USE	Commercial /residential structures, trees, vines, shrubs, bushes, picnic or patio areas, under house eaves, attic spaces of garages or storage sheds, rafters, warehouses, walkway covers, industrial equipment, air conditioning units, HVAC installations, and more.
BIRD PRESSURE	Light to heavy
MATERIAL	Each bird repellent pouch or block contains the active ingredient Methyl Anthranilate (MA) – 14.75% (proprietary form).



ITEM NAME	ITEM #	DESCRIPTION	PACK SIZE	DETAIL
AVIAN BLOCK™ BIRD REPELLENT	POUCH-AVN	Avian Pouch – 6/pk (CAN NOT FLY)	6 per pk	Used on outdoor dining, trees, bushes, picnic or patio areas, under house eaves, attic spaces or rafters, warehouses, walkway covers, industrial equipment and more.

ADVANTAGES & BENEFITS

Bird•B•Gone Bird Hazer™ is an affordable and advanced hazing system that releases a fine fog of bird repellent into the air to deter pest birds from large open spaces.

- ▶ Effective for most pest birds including sparrows.
- ▶ Advanced nozzle design distributes fog particle size less than 1 micron.
- ▶ Saves money - uses significantly less liquid repellent than other hazing units.
- ▶ Each Main Control Unit can control up to 6 satellite units to help ensure full perimeter coverage.
- ▶ Designed for indoor and outdoor use.



ITEM	Hazer Main Control Unit
DIMENSIONS	14" x 16" x 6"
WEIGHT (EMPTY)	32 lbs
MATERIAL	Weatherproof NEMA Polycarbonate
SATELLITE DIMENSIONS	14" x 6" x 6" each
SATELLITE WEIGHT (EMPTY)	4 lbs each
TANK SIZE	1 liter each
MATERIAL	Powder-coated metal



ITEM	ITEM #	HAZER TYPE
3 KIT: INCLUDES MAIN CONTROL UNIT AND 3 SATELLITE UNITS	HAZR-3KIT-SPRAY	SPRAY
6 KIT: INCLUDES MAIN CONTROL UNIT AND 6 SATELLITE UNITS	HAZR-6KIT-SPRAY	
HAZER SATELLITE UNIT - SPRAY	HAZR-SU4-SPRAY	
3 KIT: INCLUDES MAIN CONTROL UNIT AND 3 SATELLITE UNITS	HAZR-3KIT	VAPOR
6 KIT: INCLUDES MAIN CONTROL UNIT AND 6 SATELLITE UNITS	HAZR-6KIT	
HAZER SATELLITE UNIT - VAPOR	HAZR-SAT-VAPOR	

ADVANTAGES & BENEFITS

Avian Control® uses cutting edge technology to efficiently repel undesirable birds without harming the birds, humans or other animals. The repellent is effective against flocking birds (starlings, blackbirds and others), robins, crows and pigeons.

- ▶ Non-lethal and mild enough to use around people and animals.
- ▶ Low cost, effective solution.
- ▶ Simple application via ground, aerial spraying, or fogging.
- ▶ EPA approved for use on numerous crops.
- ▶ For indoor fogging use: Undiluted at a rate not to exceed two (2) fl. oz. per 10,000 cubic ft.
- ▶ For outdoor fogging use: Undiluted at a rate of 12-16 fl. oz. per acre.
- ▶ Recommended spray application rate on turf is 12-42 fl. oz. per acre up to a maximum of 5 gallons per acre.
- ▶ Estimated coverage: 6 acres per gallon on turf; 9 acres per gallon when used with foggers.



ITEM

AVN-GAL - (GALLON)
AVN-HALF - (HALF GALLON)

WHERE TO USE

Crops, airports, dairy barns, other commercial and residential applications.

ACTIVE INGREDIENT

20% Methyl Anthranilate (MA), methyl 2-aminobenzoate

ECOBIRD 4.0®

ADVANTAGES & BENEFITS

EcoBird 4.0® was developed as a non-hazardous bird repellent, made from food-grade materials & is a naturally occurring Generally Regarded As Safe (GRAS) product. The active ingredient is a US EPA listed, & FDA Approved, compound used as a food flavoring and fragrance additive. It is a natural component of concord grapes and other plant materials.

- ▶ EPA approved: Safe for indoor and outdoor applications.
- ▶ Non-hazardous bird repellent made from food-grade materials.
- ▶ Does not harm birds, people, or pets.
- ▶ Ecological and economical.
- ▶ For use with mechanical spraying & fogging equipment.
- ▶ For indoor fogging use: Undiluted at a rate not to exceed one (1) fl. oz. per 10,000 cubic ft.
- ▶ For outdoor fogging use: Undiluted at a rate of 6-8 fl. oz. per acre.



EcoBird 4.0® is effective for all birds including: Pigeons, geese, grackle, starlings, dove, black birds, swallows, gulls, water fowl & many other birds that have become a nuisance and/or a health hazard in affected areas.

ITEM

ECOBIRD-40

WHERE TO USE

Grain storage and manufacturing facilities, airports and hangars, parking and car wash facilities, landfills, golf courses, and more.

ACTIVE INGREDIENT

40% Methyl Anthranilate

ADVANTAGES & BENEFITS

Avian Migrate™ is a non-toxic repellent that discourages geese and other birds from congregating on golf courses, parks, athletic fields, airports, vineyards and other areas where birds are grazing. Using a unique patent pending formula, Avian Migrate™ irritates the birds' mucous membranes causing them to avoid the area.

- ▶ Best applied with spray equipment such as garden sprayers or foggers.
- ▶ Contains a breakthrough technology that uses a special colorant, visible only to birds, that let them know that the area has been treated. This teaches unwanted birds to stay away in the future.
- ▶ Does not harm grass, shrubs and other vegetation and is not easily rinsed away by rain or sprinklers.
- ▶ The ingredients are GRAS by the US Food and Drug Administration.
- ▶ The repellent is effective against geese, mute swans, coots and small birds.



ITEM

GRGAVN-GAL (GALLON)
GRGAVN-HALF (HALF GALLON)

WHERE TO USE

Golf courses, parks, athletic fields, airports, vineyards and other areas where birds are grazing

ACTIVE INGREDIENT

14.5% Methyl Anthranilate (MA)

AVIAN FOG FORCE™ TR

ADVANTAGES & BENEFITS

Avian Fog Force™ TR Bird Repellent is a non-lethal automated time-release aerosol bird repellent. Avian Fog Force™ TR programmable spray mist dispenser cabinets dose the appropriate amounts.

Each dispenser cabinet releases an invisible intermittent aerosol bird repellent mist on a user selected programmable time-release basis. Spray mist dispenser cabinets can be placed strategically in areas where nuisance birds are a problem. Dispenser cabinets are powered by two "D" batteries that last up to six months.

- ▶ Avian Fog Force™ TR is not available for sale in the state of Alaska, California or Hawaii. Avian Fog Force TR is available for sale to licensed pesticide applicators in the state of New York.



ITEM

FOG-TR (CANISTER)
FOG-DISP (DISPENSER)
**FOG-TR-PK (TWO CANISTERS
AND ONE DISPENSER)**

WHERE TO USE

Dairy barns, stables, stadiums, marinas, garages and storage buildings, pools and patios, outdoor dining facilities

ACTIVE INGREDIENT

14.5% Methyl Anthranilate (MA)

MISCELLANEOUS



Bird•B•Gone® offers additional materials to make your pest and bird control jobs easier, safer and efficient. We can be your one-stop-shop to save time.

Adhesives: Many bird control products glue easily into place. Construction grade adhesives should be used to ensure proper installation of bird control products.

Cleaning Supplies: When pest birds gather and roost in, on or near human habitable areas, they can quickly pose a number of health and safety hazards. To help prevent the problems bird droppings can cause, Bird•B•Gone can recommend the right combination of sanitation products and PPE (Personal Protective Equipment) to get the job done right.

Marketing Materials & Resources: We have marketing and sales materials available to help you get the word out and grow your business. Need help? Call (800) 392-6915

CLEANING SUPPLIES



ITEM NAME	ITEM #	SIZE	DETAIL
3M® 6000 SERIES HALF-FACE RESPIRATOR	RESP-MED	Medium	Use proper precautions and protect yourself and your crew from unnecessary contamination and inhalation of dried bird feces.
	RESP-LRG	Large	
REFILL FILTER	RESP-REFILL-2	2 per pk	
AIRZYME™ WASTE DIGESTER	DISAZ-1GAL	Gallon	Use to clean, digest, and deodorize accumulations of bird droppings.

ADHESIVES & SEALANTS



ITEM NAME	ITEM #	PACK SIZE	DETAIL
SIKAFLEX® GRAY ADHESIVE GLUE	ADFLEX-GRY	1 per pk	Construction grade polyurethane adhesive designed for outdoor use that will not sag, drip or run. Use with Bird Spikes, Bird Jolt Flat Track®, Bird Spider 360®, Bird Slope™ and Bird Wire. 25' (7.62 m) install per tube.
	ADFLEX-GRY-CASE	Case of 24 tubes	
E-6100® ADHESIVE GLUE	ADE61	1 per pk	E6100® is a unique non-sag, non-flammable industrial adhesive formulated to meet high-performance requirements. Use with Bird Spikes, Bird Jolt Flat Track®, Bird Spider 360®, Bird Slope™, & Bird Wire. 25' (7.62 m) install per tube.
	ADE61-CASE-12	Case of 12 tubes	
ASI-57 PERFORMANCE HYBRID SEALANT/ADHESIVE	AD-57	1 per pk	Bonds to a variety of hard-to-bond substrates, non-sag, eco-friendly, and will not shrink. Use with Bird Spikes, Bird Jolt Flat Track®, Bird Spider 360®, Bird Slope™ and Bird Wire. 25' (7.62 m) install per tube.
	AD-57-CASE-24	Case of 24 tubes	
3M® SCOTCHWELD™	BWQAA-2	1 per pk	This is a fast curing (20 minutes) ScotchWeld™ epoxy adhesive used to secure the Glue-on Bases, and is ideal for use on surfaces where drilling is not an option.
3M® SCOTCHWELD™ APPLICATOR	BWQAAP	1 per pk	
3M® SCOTCHWELD™ NOZZLES	BWQAAN-12	12 per pk	
DRIPLESS CAULKING GUN	CAULK-ETS3000	1 per pk	Switch between dripless or standard mode. The grip is designed to keep the wrist in a natural position. Weighs approximately 60% less than comparable guns.

THE DEFENDER™ PREMIUM VENT COVER

Birds and squirrels can be persistent in making a home inside your house. The Defender™ keeps them out.

- ▶ Zinc coated steel delivers lasting protection
- ▶ Vertical bars keep creatures out while minimizing lint buildup and make cleaning easy
- ▶ Helps hide unsightly vents
- ▶ Works on all siding types
- ▶ Available in white finish and 2 sizes: 6.5" and 8"

ITEM #	DIMENSIONS
VENT-DFR6-SM	6.5" THE DEFENDER PREMIUM VENT COVER
VENT-DFR8-LG	8" THE DEFENDER PREMIUM VENT COVER



VINYL STRIP DOORS

- ▶ Stop birds from entering buildings, warehouses and loading docks
- ▶ Can be used in conjunction with Bird Net 2000™ and other Bird-B-Gone® products
- ▶ Custom sizes available
- ▶ Complete with hardware and ready to hang



CUSTOM SIZE STRIP DOORS FLAT STRIP

ITEM #	DOOR WIDTH X HEIGHT	% OF OVERLAP
VSD-08CS	8" x .080" (20.32 cm x .20 cm)	50%
VSD-12CS	12" x .120" (30.48 cm x .3048 cm)	66%
VSD-16CS	16" x .160" (40.64 cm x .406 cm)	50%

STANDARD SIZE STRIP DOORS WITH STANDARD FLAT STRIP

ITEM #	DOOR WIDTH X HEIGHT	% OF OVERLAP
VSD-3X7	3' w x 7' h (.914 m x 2.13 m)	50%
VSD-4X8	4' w x 8' h (1.21 m x 2.44 m)	50%
VSD-6X8	6' w x 8' h (1.83 m x 2.44 m)	50%
VSD-8X8	8' w x 8' h (2.44 m x 2.44 m)	50%
VSD-8X10	8' w x 10' h (2.44 m x 3.05 m)	66%
VSD-10X10	10' w x 10' h (3.05 m x 3.05 m)	66%
VSD-12X12	12' w x 12' h (3.66 m x 3.66 m)	66%

MISCELLANEOUS

VISUAL & PHYSICAL BIRD DETERRENTS

REPELLER 360®

ITEM #: RPL360
RPL360-FLAG (2 REPLACEMENT
REPELLER 360 FLAGS)



- Uses sustainable wind energy
- Ideal for docks & boats
- UV protected - designed for outdoor use
- Sweeps birds continually in a 6' diameter

SOLAR BIRD REPELLER

ITEM #: RPLR-SLR1
RPLR-ARMS (2 REPLACEMENT
TELESCOPING RODS)



- Solar powered with rechargeable batteries that store power for use in low or no light
- Sweeps birds continually in a 5' diameter

SWALLOW SHIELD™

ITEM #: MMSWALLOW



- Designed to prevent swallows from nesting
- Does not harm birds or wildlife
- Easy to install; just peel and stick
- No tools required
- Virtually invisible
- Also effective as a bat deterrent
- Position Swallow Shield about 1-2 inches from the wall in the prepared location and firmly press it onto the eave or gable

FLASH TAPE

ITEM #: MMAFT-SIL: 2" WIDE (1-150'
ROLL) MMFT050-3PACK: 1" WIDE
(3-50' ROLLS)



- Iridescent foil tape scares birds away with reflective surface
- Ideal for use in gardens, trees, pool areas, outdoor patios, gazebos, and more

REFLECTIVE SCARE BIRD DIVERTERS

ITEM #: SED-5



- Iridescent foil "predator" eye scares birds away
- Easy to install
- Will not damage trees or plants
- 5 diverters per pack

Bird-B-Gone® BALLOON

ITEM #: SEB-1



- Inflatable visual scare device
- Confuses birds with life-like reflective "predator" eyes
- Includes flash tape
- Ideal for use in fruit trees, patio covers, pool areas, gazebos, etc.

RED TAIL HAWK

ITEM #: RTH1



- Birds identify hawks as predators and will leave the area where the decoy is present
- Easy to install, extremely versatile
- Low-cost effective solution

COPPER MESH

ITEM #: CMS-20 20' (6.10 M)
CMS-100 100' (30.48 M)



- Ideal for roof tiles and open spaces around dryer vents
- Packs tightly into cracks and holes for exclusion of pests and birds

BEAKGUARD™ WOODPECKER DETERRENT

ITEM #: WPK-BG-BRN



WPK-BG-GRY
WPK-BG-STN
WPK-BG-WHT
WPK-BG-SOFT
WPK-BG-MOON
WPK-BG-LTGY
WPK-BG-AUTM
WPK-BG-CHMP
WPK-BG-SAGE

WPK-BG-TUPE
WPK-BG-KHK
WPK-BG-ALMD
WPK-BG-STWB
WPK-BG-MMVE
WPK-BG-SHINE
WPK-BG-SPRT
WPK-BG-DOCK
WPK-BG-STEEL
WPK-BG-CLAY



- ▶ Environmentally friendly deterrent coating; will not harm birds
- ▶ Easy to apply to almost any surface
- ▶ Durable and weather resistant
- ▶ Immediately effective after application
- ▶ Coverage 180 sq. ft. (16.72 sq. m)

BIRD CONTROL MARKETING

DISPLAY CASE



Our display case is the perfect visual tool to bring along when giving a sales presentation on bird control services.

CUSTOM SELL SHEETS



We offer free customized "sell sheets" you can give to existing or potential customers to let them know you provide bird control as a service.

OUR CLIENTS



UTILITY

- ▶ Pacific Gas And Electric
- ▶ South Carolina Electric and Gas
- ▶ SoCal Edison
- ▶ XCEL Energy
- ▶ BC Hydro
- ▶ LA Dept Water & Power
- ▶ Sierra Pacific Power
- ▶ Georgia Power
- ▶ Florida Power & Light
- ▶ TXU Generation Co
- ▶ Duke Energy
- ▶ American Electric Power
- ▶ Entergy
- ▶ Genon Energy
- ▶ Centerpoint Energy
- ▶ Bonneville Power Administration,
- ▶ Seattle
- ▶ Detroit Edison Power

TRANSPORTATION

- ▶ Union Pacific Railroad
- ▶ Delta Airlines
- ▶ New York State DOT
- ▶ Bay Area Rapid Transit
- ▶ Chicago Transit Authority
- ▶ Pennsylvania DOT
- ▶ Long Island Railroad
- ▶ Southwest Airlines
- ▶ Fort Worth Transportation Center
- ▶ American Airlines
- ▶ Continental Airlines
- ▶ MTA - New York
- ▶ Amtrak
- ▶ Minnesota DOT
- ▶ MTA Los Angeles
- ▶ Delaware DOT
- ▶ Oats Transit Missouri
- ▶ Dallas Area Rapid Transit
- ▶ Miami-Dade DOT
- ▶ Jacksonville, FL DOT

CONSTRUCTION

- ▶ Trammell Crow
- ▶ Lusardi Construction
- ▶ Whiting Turner Construction
- ▶ FineLine Construction
- ▶ ABM Engineering
- ▶ Walsh Construction
- ▶ Archer Daniels Midland
- ▶ Barton Malow Company
- ▶ Skanska
- ▶ Bouis Lend Lease
- ▶ Clark Construction
- ▶ FH Paschen
- ▶ CIANBRO Corporation
- ▶ S.J. Amoroso
- ▶ Swinerton Builders
- ▶ Kiewit
- ▶ McCarthy Constuction
- ▶ Flintco Construction
- ▶ Cadence McShane
- ▶ Hoffman Construction
- ▶ Turner Construction

RETAIL

- ▶ Ace Hardware
- ▶ Home Depot
- ▶ Walmart
- ▶ McDonald's
- ▶ Nordstrom
- ▶ Costco
- ▶ Sears
- ▶ Kmart
- ▶ Walgreens
- ▶ Hewlett-Packard
- ▶ PetSmart
- ▶ Lowe's
- ▶ CVS
- ▶ Ethan Allen
- ▶ Carmax
- ▶ Target
- ▶ Burger King
- ▶ Meijer
- ▶ Publix Super Markets
- ▶ Kraft Foods
- ▶ Safeway Stores

GOVERNMENT

- ▶ United States Postal Service
- ▶ Ellis Island Monument
- ▶ Yosemite National Park
- ▶ Jackson County Courthouse, MS
- ▶ NASA
- ▶ City of Austin, TX
- ▶ Orange County (FL) Convention Center
- ▶ USDA
- ▶ City of Phoenix
- ▶ US Bureau of Land Management
- ▶ City of Portland
- ▶ NYPD
- ▶ US Fish & Wildlife
- ▶ CA Department of Corrections
- ▶ City of Ithaca Consolidated Transit
- ▶ City of Minneapolis
- ▶ Port of Portland
- ▶ Port of Seattle
- ▶ San Francisco Housing Auth.
- ▶ SEPTA - Philadelphia
- ▶ Federal Aviation Administration

HOSPITALS

- ▶ Kaiser Permanente
- ▶ V.A. Medical Center - Long Beach, CA
- ▶ Cedars-Sinai Medical Center
- ▶ Mayo Clinic
- ▶ Cardinal Health
- ▶ St. John's Hospital - MI
- ▶ St. Mary's Hospital - MN
- ▶ LSU Medical Center
- ▶ Three Rivers Med Center
- ▶ NYS Psychiatric Institute
- ▶ Tyco Healthcare
- ▶ Mercy Medical
- ▶ Elmhurst Memorial Hospital
- ▶ Presbyterian Hospital Charlotte, NC
- ▶ Bergan Mercy Hospital Omaha, NE
- ▶ Texas Children's Hospital
- ▶ University of Utah Huntsman Cancer Institute
- ▶ Florida Hospital Ormond Memorial
- ▶ Terrebonne General Medical Center

AIRPORTS

- ▶ Delta Airlines
- ▶ Southwest Airlines
- ▶ American Airlines
- ▶ Continental Airlines
- ▶ Gerald Ford Airport
- ▶ Portland International Airport
- ▶ Seattle-Tacoma Airport
- ▶ Long Beach Airport, CA
- ▶ San Diego County Regional Airport
- ▶ Raleigh Durham International Airport
- ▶ Pitt Greenville Airport - NC
- ▶ Boston Regional Airport
- ▶ Manchester, NH
- ▶ Philadelphia International Airport
- ▶ Dallas-Fort Worth Int. Airport
- ▶ Rochester International Airport
- ▶ Denver International Airport
- ▶ Asheville Regional Airport - NC
- ▶ Tulsa Airport Authority, OK
- ▶ Kahului Airport, HI

EDUCATION

- ▶ LA Unified School District
- ▶ School District of Philadelphia
- ▶ University of Arizona
- ▶ University of Southern California
- ▶ Purdue University
- ▶ Tulane University
- ▶ Texas Tech University
- ▶ Louisiana State University
- ▶ UCLA
- ▶ University of Oklahoma
- ▶ University of Texas
- ▶ University of Georgia
- ▶ University of Missouri
- ▶ UC Santa Barbara
- ▶ Cal Poly San Luis Obispo
- ▶ UC San Francisco
- ▶ Cornell University
- ▶ University of Washington
- ▶ Portland State University
- ▶ California Institute of Technology
- ▶ Hewlett School

MUNICIPALITIES

- ▶ Minneapolis, MN
- ▶ Austin, TX
- ▶ Phoenix, AZ
- ▶ Portland, OR
- ▶ Dallas, TX
- ▶ Houston, TX
- ▶ Las Vegas, NV
- ▶ Los Angeles, CA
- ▶ Milwaukee, WI
- ▶ Sacramento, CA
- ▶ Tucson, AZ
- ▶ Salt Lake City, UT
- ▶ Tampa, FL
- ▶ Wichita, KS
- ▶ Chattanooga, TN
- ▶ Columbus, OH
- ▶ Cedar Rapids, IA
- ▶ Santa Monica, CA
- ▶ Baltimore, MD

STADIUMS

- ▶ Yankee Stadium
- ▶ Soldier Field
- ▶ Citi Field Ball Park
- ▶ Wrigley Field
- ▶ Oklahoma State University
- ▶ Camden Yards
- ▶ Lincoln Financial Field
- ▶ Citizens Bank Park
- ▶ Texas A&M Olsen Field
- ▶ Texas A&M Kyle Field
- ▶ Sacramento City College
- ▶ Hughes Stadium
- ▶ Chesapeake Energy Arena
- ▶ Kentucky Horse Park
- ▶ Petco Field - San Diego, CA
- ▶ Swayze Field - Mississippi
- ▶ Flagler Dog Track

MILITARY

- ▶ Camp Pendleton
- ▶ Scott Air Force Base
- ▶ Andrews Air Force Base
- ▶ Camp Lejeune
- ▶ United States Coast Guard
- ▶ Fort Stewart
- ▶ Fort Bragg
- ▶ Nellis Air Force Base
- ▶ Travis Air Force Base
- ▶ Vandenberg Air Force Base
- ▶ Hurlburt Field
- ▶ MCAS Miramar
- ▶ March Air Force Base
- ▶ US Army Corps of Engineers
- ▶ Offutt Air Force Base
- ▶ Navy Public Works
- ▶ Altus Air Force Base
- ▶ McGuire Air Force Base
- ▶ Buckley Air Force Base

MISCELLANEOUS

- ▶ Seaworld
- ▶ Gallo Winery
- ▶ Hertz Rent A Car
- ▶ Ritz-Carlton
- ▶ Marriott Hotels
- ▶ Florida Aquarium
- ▶ Six Flags
- ▶ Caesar's Palace
- ▶ Lincoln Center for the Performing Arts
- ▶ Disney
- ▶ Tropicana Products
- ▶ Leprino Foods
- ▶ Life Foods
- ▶ Kennedy Space Center
- ▶ Valero
- ▶ Lory Park
- ▶ Tampa Zoo
- ▶ Alcatraz
- ▶ 9/11 Memorial - NJ
- ▶ Exxon BP, and more!



Bird-B-Gone® revolutionized the bird control industry in 1992 by inventing and patenting the first plastic bird spike.



Get what you need when you need it with hassle-free same day & expedited shipping



With 60+ issued patents worldwide, Bird-B-Gone is known as a manufacturer of quality bird control products.



Superior Product Manufacturing



Dependable Support + Service



FREE
Extra Foot Custom
Cut Nets



birdbgone.com/bird-b-gone-university/



birdbgone.com



DESIGNED, ASSEMBLED & SHIPPED
FROM SANTA ANA, CA. USA



Bird-B-Gone is a registered trademark of Bird-B-Gone LLC. Agrilaser is a registered trademark of Steinar Holding B.V. Besloten Vennootschap (b.v.), Netherlands. Sikaflex is a registered trademark of Sika AG, VORM. Kaspar Winkler & Co., Switzerland. Avian Control is a registered trademark of Avian Enterprises, LLC, Florida. EcoBird 4.0 is a registered trademark of Roth Chemical Company, Ltd., Kansas. 3M is a registered trademark of the 3M Company, Delaware. E-6100 is a registered trademark of Eclectic Products LLC, Oregon. ©2022 Bird-B-Gone. All rights reserved. V_JAN2022