



BIRD•B•GONE[®] Inc.

2016 PRODUCT CATALOG

Superior Training



Superior Products



Superior Service



800.392.6915 | www.birdbgone.com |  made in the USA



Who is Bird•B•Gone®?

THE INDUSTRY LEADER SINCE 1992

Bird•B•Gone®, Inc. is the world's largest manufacturer of professional grade bird deterrents.

Since 1992, our products have helped solve pest bird problems in commercial, industrial, recreational, government and residential settings across the globe.

Our superior products, excellent customer support and cutting-edge innovation have secured our position as the number one manufacturer and supplier of bird control products.

We look forward to serving you!

At Bird•B•Gone®, it's more than just bird control products, **IT'S FAITH, FAMILY & FRIENDS!**

Why Bird•B•Gone®?

OUR PEOPLE, PRODUCTS, EXPERTISE AND TRAINING MAKE THE DIFFERENCE!


- Bird•B•Gone® products are humane, effective and carry industry leading guarantees.
- The #1 most specified products by architects, engineers and government agencies.
- We manufacture the majority of our own products at our facility in the United States. This allows us to provide the highest quality products at the lowest prices.
- Our products have been used to successfully deter pest birds at high profile locations such as airports, schools, hospitals, military bases, historical buildings and more.
- Our bird control engineers have a combined 90+ years of hands-on experience.
- We offer free training and support for all aspects of bird control, including on-site training and technical support.
- We regularly host a free training course, Bird•B•Gone® University, that teaches everything from quoting a job to product installation.
- We offer same day and express shipping, even on custom cut net.
- Our products are available worldwide through a network of quality distributors.



Our customer support team is just a phone call away to assist you in finding the best solution for your budget.

Call 1-800-392-6915





WHY BIRD•B•GONE®?

Why Bird•B•Gone®?	2
Bird•B•Gone® University	4
Partner with Bird•B•Gone®	5
Our Story	6
Bird Control Engineers	7
Why Bird Control?	8
Choose the Right Product	9
Products by Area	10
Bird•B•Gone® Gives Back	50
Clients	51

SPIKE SYSTEMS

Stainless Steel Bird Spikes	12
Mega Spike	14
Gutter Spike	14
Girder Spike	14
Polycarbonate Bird Spikes	15

BIRD NETTING

Bird Net 2000™ Heavy Duty Netting	18
No-Knot Netting	20
Straining Wire & Fasteners	21
Corner Attachments	21
Intermediate Attachments	22
Bird Netting Tools	23
Installer Kit	23
Bird Netting Accessories	24
Bat Netting	25
Solar Panel Bird Deterrent Kit	25
Ultra Net	26
Pond Netting	26

ELECTRIC TRACK SYSTEMS

Bird Jolt Flat Track™	27
Bird Jolt Flat Track™ Kit	28
Installation Accessories	28
Installation Components	29
Electric Track Chargers	29

BIRD DETERRENTS

Bird Slope™	30
Bird Slope™ Installation Accessories	31
Bird Spider 360™	32
Bird Wire	33

BIRD REPELLENTS

Transparent Bird Gel	35
Bird-OFF® Gel	35
BeakGuard®	36
Avian Control™	36
Bird•B•Gone® Hazer	38
Bird House Sparrow Trap	38
EcoBird® 4.0	39
Dyna-fog™ Falcon 4000	39

BIRD TRAPPING & CAPTURE

Bird•B•Gone® Sparrow Charmer	40
AgriLaser® Lasers	40
Mist Netting	41
Net Launcher	42
Sparrow Sky Trap	42
Professional Bird Traps	43-44

SOUND DETERRENTS

Bird Chase Super Sonic™	45
Solar Bird Chase Super Sonic™	45
ZON Mark IV Bird Scare Cannon™	46
ZON Electra Bird Scare Cannon™	46

MISCELLANEOUS

Adhesives & Sealants	47
Cleaning Supplies	47
Vinyl Strip Doors & Bird Net Curtain	48
Gutter Brush	48
Visual & Physical Bird Deterrents	49
Marketing Materials	49





Call us at
1-800-392-6915
for details!



BIRD•B•GONE® UNIVERSITY
Free all day training course
in Santa Ana, CA.



ON-SITE TRAINING
Bring Bird•B•Gone®
University to your facility

Sign up for one of our upcoming Santa Ana, CA trainings
and become a Bird•B•Gone® Authorized Installer.
For more information visit: www.birdbgone.com/bbg

Become an Authorized Installer

As an Authorized Bird•B•Gone® Installer, you will work with the highest quality bird control products and receive the best customer service. Whether you are looking to develop a primary bird control business or wish to add an additional service to your existing business, bird control can be a lucrative way to add extra dollars to your bottom line. We pride ourselves on the personal relationships we build with our customers and are here to assist you in building and growing your bird control business!

BIRD•B•GONE® UNIVERSITY

Earn your Authorized Installer Certificate at Bird•B•Gone® University—a free training course designed to teach the basics of bird control. Classes are taught by our bird control specialists and are held at the Bird•B•Gone® training facility in Santa Ana, California. Those who attend receive a Certificate of Completion which can also be applied as credit hours toward a Pest Control Applicator's License in many states.

TOPICS INCLUDE:

- How to market and make a profit in bird control
- Site evaluation
- Choosing the right product
- How to install products (hands-on training)
- Quoting bird jobs
- How to install netting (hands-on)
- How to avoid problems and troubleshooting
- Marketing bird control



WORLDWIDE ON-SITE TRAINING

Need to train a group of employees? Have a complex bird job? Bird•B•Gone® will provide the expertise necessary to bring success to your job. To schedule on-site training, contact our installation experts at 800.392.6915.

We actively promote our line of professional bird control products and put a heavy emphasis on marketing your services. Bird•B•Gone® offers free marketing materials to help build your bird control business.

CUSTOMER SERVICE/TECHNICAL SUPPORT

Bird•B•Gone® creates predictable success for our Authorized Installer by advising and supporting them on their jobs. Our goal is not to "sell" you products, but rather to position you to make the best quality decisions when it comes to designing, specifying, and installing the right products to fit your job. Our bird control engineers have 90+ years of combined experience and will help you in all aspects of bird control.

Partner with Bird•B•Gone®

NEED AN AUTHORIZED INSTALLER?

If you don't have the time, resources or expertise to solve your bird problem, we can connect you with a Bird•B•Gone® Certified Authorized Installer.

Bird•B•Gone® has trained an extensive network of Authorized Installers who can install our line of professional bird control products around the world. Whether it's a commercial, residential or industrial setting, our installers have the training and experience needed to solve your pest bird problem.

We work closely with our installers to make sure they are qualified to help you get rid of your pest birds while providing excellent customer service.

QUALITY GUARANTEED

Bird•B•Gone® manufactures products in the United States ensuring they meet the highest standard of quality in the industry. All products go through an extensive quality control process before they leave our warehouse. All of our products are hand inspected and signed as they are packaged. This allows us to offer the industry's longest guarantees.

- Stainless Steel Bird Spikes - 10 Years
- Polycarbonate Bird Spikes - 5 Years
- Bird Net 2000™ Heavy Duty (Black) - 10 Years
- No-Knot Netting - 10 Years
- Bird Wire - 5 Years
- Bat Netting - 10 Years

Made in the USA




SHIPPING

Bird•B•Gone® provides the fastest and most efficient shipping in the industry. We manufacture our own products, which provides us with the greatest flexibility in offering customers convenient and expedited shipping options. We offer same-day shipping, even on custom cut nets! We use a variety of traceable shipping methods to guarantee your products arrive on time. Wherever you are in the world, Bird•B•Gone® will ship to you!

SPECIFICATIONS & CAD DETAILS

Bird•B•Gone® is the #1 specified bird control company by architects, engineers and government agencies. Since 1992, we have worked closely with the AEC industry both in the design and implementation of effective, humane and cost efficient bird control solutions.

Specifications, CAD and BIM details can be found on the Bird•B•Gone® website. If you need help specifying bird control on a project, contact our bird control specialists who can help you choose the right product and even put you in contact with an Authorized Installer.





THE ORIGINAL PLASTIC SPIKE



Innovation

At Bird•B•Gone®, we make it our business to stay on top of the latest advancements in the bird control industry.

We are constantly improving current technologies and developing new products to meet the needs of our customers. We strive to provide the most effective, efficient and reliable bird control methods on the market.

Bird•B•Gone® has 42 issued patents worldwide and 35 pending patent applications—the most in the industry!

SOME OF THESE OUTSTANDING PATENTED PRODUCTS:

- Bird•B•Gone® invented and patented the original Plastic Bird Spike—a revolutionary tool in bird control that remains one of our best sellers.
- The Bird Jolt Flat Track™ received another patent on its innovative anti-arc and trough design.
- Bird•B•Gone® Stainless Steel Bird Spikes™ patented “bend and crush” design ensures that the spikes stay firmly secure in their base.

Because Bird•B•Gone® is only involved in bird control, we make it our business to stay on top of the latest advancements in the industry. We continue to provide our customers with the products and services that give them a leading edge in bird control.

We measure our success by the success we create for our customers!

The Bird•B•Gone® family considers our customers friends. We partner with our friends by assisting, guiding and training you in all aspects of bird control. Rather than just “sell you product”, we help you find the optimal bird control solution available within your budget.

Our story

Julie and I started Bird•B•Gone® in 1992. Since we couldn’t afford anything... our first office was in our bedroom. The old oak desk pictured here was our first piece of “office furniture”. The desk held our telephone and fax machine. With your kindness and business we have steadily grown. Today we own and operate our own manufacturing facility which makes and ships our products all over the world. The old oak school desk still occupies the same space in our home as a daily reminder of where we started.



Julie & Bruce Donoho

- We thank you for your friendship.
- We thank you for helping us realize our dream.
- We thank you for your business and will continue to work hard to earn it!



Our engineers

More than 90 years of combined experience in the bird control industry!

A company or organization is only as good as its people and Bird•B•Gone® has the best! Our bird control engineers lead the industry with more than 90 years of hands-on experience. We've seen it all! Everyday we consult with large and small companies worldwide, helping them avoid costly mistakes and create "predictable success".



Ian Rowsby

"My years with Bird•B•Gone® have allowed me to meet great people in the industry. The range of products we cover challenges me to solve bird problems in a different and creative fashion each time."

Mike Dougherty

18 years experience



Mike Dougherty

"In my time with Bird•B•Gone® I have developed strong relationships in the industry. I have helped our customers grow their businesses across the globe and I take great pride in the success they have achieved. I look forward to continued success."

Ian Rowsby

21 years experience

"Bird•B•Gone® is my home and I consider my customers as my friends. I have worked on amazing projects with some of the smartest people in the industry, giving me the chance to experience things I wouldn't trade for anything."

Scott Swanson

18 years experience



Scott Swanson

"I deal with a variety of industries on a daily basis. Every day is unique. From architectural jobs to international skyscrapers, I get to help people across the globe create bird-free areas."

Jeff Watts

12 years experience

"I have already learned so much about this business. I am excited to get on the road and help our customers with their bird control issues. There is so much we can do at Bird•B•Gone® to help our customers grow - I can't wait to show them how."

Shaun Johnson

5 years experience



Shaun Johnson

"I have the pleasure of working with architects and engineers every day helping them plan for the future. Designing and developing plans to protect old and new structures from bird debris is something I take pride in."

Chris Fields

10 years experience

"It is always a pleasure helping a customer rid their property of pest birds. It doesn't matter if it's a home or a commercial building, Bird•B•Gone® will help you create a bird-free environment."

Alan Roniss

1 year experience



Alan Roniss



Bird control is an investment

- Eliminate safety and health hazards - decrease your liability
- Eliminate the spread of diseases to your employees, patrons and you
- Decrease expenses/costs on maintenance and repair
- Protect your property value
- Improve/protect your image

HEALTH RISK

Birds, droppings and nesting materials can carry up to 60 different diseases that can be passed to humans and animals.

IMAGE

Birds on a ledge or sign, or droppings covering a sidewalk will send a message to visitors that the business is careless and should not be trusted.

INVENTORY DAMAGE

Droppings can damage products and contaminate production lines.

WORK STOPPAGES

Employees will not and should not work in areas that are unsafe due to an accumulation of droppings.

SLIP AND FALL RISK

Droppings can be slippery. If a customer or employee falls they could not only get seriously injured, but they could sue the building owner.

It's important to take a proactive approach when dealing with pest birds. Birds not only carry and spread disease, but bird feces can corrode building materials.

The build-up of droppings or nesting materials is unsightly and can host parasites like bird mites. In the long run, bird control can save you time and money.

HEALTH CODE VIOLATIONS

Pest bird droppings found in food processing plants, restaurants, storage facilities or other areas may violate health codes resulting in fines, legal action or closures.

CLOGGED DRAINS

Droppings and nesting materials regularly clog drains, causing damage during heavy rains.

PROPERTY/EQUIPMENT DAMAGE

Droppings are acidic and can corrode through paint, roofing materials and fabrics. These will need restoration or complete replacement.

COST OF CLEANUP

Businesses that clean up after birds on a daily or weekly basis incur high clean-up costs.

Why bird control?



Products by pest bird

There are many factors to consider when choosing the right bird control product. It is important to do a site evaluation to determine the species of bird, location and the bird's behavior.

Not all products work for every situation and some situations may require multiple products. Choosing the correct product can mean the difference between success and failure.

Every situation is different.
Call us for advice!
1-800-392-6915



PIGEONS

Bird Spikes.....	12
Bird Netting	17
Electric Track	27
Bird Slope™	30
Bird Spider®	32
Bird Wire	33
Bird Gels	35
Hazing	38
Trapping.....	43



CROWS

Bird Spikes.....	12
Bird Netting	17
Electric Track	27
Bird Gels	35
Super Sonics.....	45



GULLS

Bird Spikes.....	12
Electric Track	27
Bird Slope™	30
Bird Spider™	32
Gull Wire	34
Super Sonics.....	45



GEESE

Goose Repellents.....	36/39
Fogging	39
Super Sonics.....	45
Visual Deterrents.....	49



VULTURES & RAPTORS

Mega Spike.....	14
Plastic Bird Spikes	15
Bird Netting	17
Electric Track	27

SWALLOWS

Bird Netting	17
Bird Slope™	30



SPARROWS

Bird Netting	17
Electric Track	27
Bird Slope™	30
Hazing	38
Bird House Sparrow Trap.....	38
Sparrow Charmer™	40
Trapping.....	43
Super Sonics.....	45



STARLINGS

Bird Netting	17
Bird Spikes.....	12
Electric Track	27
Bird Slope™	30
Hazing	38
Fogging	39
Trapping.....	43
Super Sonics.....	45



WOODPECKERS

Bird Netting	17
UltraNet™	26
BeakGuard®	36
Super Sonics.....	45
Visual Deterrents.....	49



GRACKLES

Electric Track	27
Bird Gels	35
Hazing	38
Fogging	39



Products by area

See the guide below to find the right product by area.



Every situation is different. Call us for advice!
1-800-392-6915



EXCLUSION PRODUCTS

Bird netting can be used in heavy nesting areas where birds need to be excluded. Netting can be used in roofs, warehouses, docks, airplane hangars and other enclosures.

Bird Net 2000™ Heavy Duty Netting	18
No-Knot Netting	20
Bat Netting	25
Solar Panel Bird Deterrent Kit.....	25
Pond Netting.....	26
Ultra Net	26
Bird Slope™	30



LEDGE PRODUCTS

Exposed ledges include roof lines, parapet walls, window sills, ledges, beams, and other open areas where birds choose to land.

Stainless Steel Bird Spikes	12
Mega Spike	14
Gutter Spike.....	14
Girder Spike.....	14
Polycarbonate Bird Spikes.....	15
Bird Jolt Flat Track™	27
Bird Spider 360°™	32
Bird Wire.....	33
Transparent Bird Gel.....	35
Bird-OFF Gel®	35



REDUCTION PRODUCTS

When large numbers of birds take over a building or enclosed space, reduction products may be required before other methods of permanent bird control can be installed.

Bird•B•Gone® Sparrow Charmer	40
Mist Netting	41
Net Launcher	42
Sparrow Sky Trap.....	42
Professional Bird Traps.....	43-44

SENSORY PRODUCTS

Sensory products are used when pest birds become a problem in semi-enclosed and wide open spaces like parks, golf courses, airports, vineyards, agricultural areas and such.


BeakGuard®	36
Goose Repellents.....	36/39
Bird•B•Gone® Hazer	38
EcoBird® 4.0	39
Thermal Fogging Equipment	39
AgriLaser® Lasers.....	40
Sound Deterrents	45
ZON Mark IV Bird Scare Cannon™	46
ZON Electra Bird Scare Cannon™	46



*Widest variety of bird spikes
made in the USA!*




*Polycarbonate Bird Spike
Available in 3 widths and 7 colors*



*Stainless Steel Spike
Available in 4 widths*




Girder Bird Spike



*Mega Bird Spike
7" high*



Gutter Bird Spike



Patented
US 6775950
US 6250023



Stainless Steel Bird Spikes™

Bird Species	Pigeons, seagulls or larger birds
Where to Use	Ledges, I-beams, parapet walls, conduits, signs, flat or curved surfaces
Material	Stainless steel spikes manufactured into a UV protected polycarbonate base
Bird Pressure	Light to Medium
Warranty	10 years

ADVANTAGES & BENEFITS

- #1 specified bird spike by architects, contractors and government agencies.
- The lowest price and the longest guarantee.
- Virtually invisible.
- Humane, will not harm birds.
- Easy to install. Can be glued, screwed or tied down.
- Will not cut or injure the installer.
- Patented “bend and crush” design for permanent installations.
- 2' (61 cm) lengths. Up to 40 spikes per foot in linear array. Cuts labor time in half.
- No-nest design. No gap spacing to deter birds from roosting or landing.
- Manufactured by Bird-B-Gone® in the USA.




Scan this QR
code to watch
installation
instruction video

Bird-B-Gone® Stainless Steel Spikes™ create an uneven surface preventing birds from landing on flat or curved areas. Spikes come pre-assembled in 2' sections and are made of stainless steel pins in a polycarbonate base.

PATENTED “BEND AND CRUSH” DESIGN

1/4" screw holes for
easy attachment



Pins are
permanently
anchored in
the base of the
spike.



Can bend 360°!







BEFORE



AFTER

Width	8"	5"	3"	1"
Stainless Steel Part #	BBG2001/8	BBG2001/5	BBG2001/3	BBG2001/1
Area of Coverage	7" - 9" (17.78 cm - 22.86 cm)	4" - 6" (10.16 cm - 15.24 cm)	2" - 4" (5.08 cm - 10.16 cm)	1" - 2" (2.54 cm - 5.08 cm)
Pack Size	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box

Installation



*Attach using common hose clamps, nylon ties and wire lashings.

Installation preparation

The first step for installing bird spikes is to clean and dry the area where the spikes will be installed. Bird-B-Gone® offers cleaning supplies to get the job started off right.

Our selection of cleaning supplies are found on page 47.




To install

Surface should be clean and dry before installation. Select width of bird spike based on surface to be covered. Glue, screw or tie down to surface.

Our selection of installation adhesives are found on page 47.



Scan this QR code to watch installation instruction video




Patented
US 6775950



Green
Product

Mega Spike™


Bird Species	Pigeons, seagulls, cormorants, vultures, raptors or larger birds
Where to Use	Ledges, I-beams, parapet walls, conduits, pipes, flat or curved surfaces
Material	Stainless steel spikes manufactured into a UV protected polycarbonate base
Bird Pressure	Light to Medium
Warranty	10 years



- Ideal to prevent raptors, vultures, seagulls, cormorants and large birds from landing
- Tallest bird spike deterrent available
- Will not harm birds
- Stainless steel spikes are virtually invisible
- Easy to install. Can be glued, screwed, or tied down
- 2' (60.96 cm) lengths cuts labor in half
- Made in the USA by Bird•B•Gone®

Part #	Area of Coverage	Packing Size
BBG2001-MS7	3" - 7" (7.62 cm - 17.78 cm)	2' (61 cm) sections 50' (15.24 m) per box

Gutter Spike



Green
Product


Bird Species	Pigeons, seagulls or larger birds
Where to Use	For gutters up to 3/4"
Material	Stainless steel spikes manufactured into a UV protected polycarbonate base with aluminum clamps
Bird Pressure	Light to Medium
Warranty	10 years



- Prevents birds from landing on gutter ledges
- Prevents birds from nesting in gutters
- No need for separate clips or hardware
- Attached thumb screws make for easy installation
- Virtually invisible
- 2' (60.96 cm) lengths cuts labor time in half
- Made in the USA by Bird•B•Gone®

Part #	Area of Coverage	Packing Size
BGS	4" - 6" (10.16 cm - 15.24 cm)	2' (61 cm) sections 50' (15.24 m) per box

Girder Spike



Patented
US 6775950



Green
Product

Bird Species	Pigeons, seagulls or larger birds
Where to Use	Adapts to any size girder up to 1" thick
Material	Stainless steel spikes manufactured into a UV protected polycarbonate base with aluminum clamp
Bird Pressure	Light to Medium
Warranty	10 years










- Prevents birds from landing on steel girders and I-beams
- Fits any girder up to 1" (2.54 cm) thick
- No need for separate clips or hardware
- Ideal where clean up of debris or droppings is not possible
- Attached girder clamps make for easy installation
- Made in the USA by Bird•B•Gone®

Part #	Area of Coverage	Packing Size
BBGGDR-3	3" (7.62 cm)	2' (61 cm) sections
BBGGDR-5	5" (12.70 cm)	50' (15.24 m) per box
BBGGDR-8	8" (20.32 cm)	

Polycarbonate Bird Spikes™

Bird Species	Pigeons, seagulls or larger birds
Where to Use	Ledges, I-beams, parapet walls, conduits, signs, flat or curved surfaces
Material	UV protected polycarbonate plastic one-piece rigid construction
Bird Pressure	Light to Medium
Warranty	5 years




STANDARD COLORS

Crystal Clear	White	Black	Light Gray
			
Concrete Tan	Brown	Brick Red	Custom Colors Available
			






Patented
US 7596910
US 7941977
US 6250023
US 8250814
US 8245435
US 8191303



Width	7"	5"	3"
			
Part #	BBG2000-7	BBG2000-5	BBG2000-3
Area of Coverage	6" - 8" (15.24 cm - 20.32 cm)	4" - 6" (10.16 cm - 15.24 cm)	1" - 4" (2.54 cm - 10.16 cm)
Pack Size	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box	2' (61 cm) sections 50' (15.24 m) per box




Scan this QR
code to watch
installation
instruction video





Polycarbonate bird spikes installed on ledge.



Spikes installed along roof lines and ledges will prevent birds from landing.


AVAILABLE IN 7 COLORS!

See previous page for technical information and specifications.

ADVANTAGES & BENEFITS

- Lowest cost bird spike.
- Will not harm birds.
- Virtually invisible.
- Non-conductive. Will not interfere with electrical or communication transmissions.
- Rigid, super strong and unbreakable.
- UV protected and weatherproof. Won't be affected by extreme temperatures -200° F to 310° F (-129° C to 154° C).
- 2' (60.96 cm) lengths. Cuts labor time in half.
- Easy to install. No maintenance. Can be glued, screwed or tied down.
- Manufactured by Bird•B•Gone® in the USA.

Underside View




Bird Spikes easily glue in place. Construction grade adhesives available on page 47.



Bird•B•Gone® offers free training for all of our products. Bird•B•Gone® University teaches:

- Site evaluation
- Choosing the right product
- How to install products
- Quoting bird jobs
- How to hang netting
- How to avoid problems





Gerald Ford Airport using 150,000 sq. ft. (13,935 sq. meters) of Bird Net 2000 Heavy Duty Bird Netting.



The highest quality bird netting in the industry – guaranteed!

WE OFFER MORE THAN QUALITY BIRD NETTING, WE PROVIDE YOU WITH ALL THE TOOLS AND TRAINING YOU NEED TO GET THE JOB DONE.

- #1 specified bird netting by architects, contractors and government agencies
- Quality tested bird net - ISO 1806 and 9001 protocol
- All bird netting hardware & tools available – your “one stop bird netting shop”
- Experienced technical staff with over 90+ years of combined expertise
- Best quality bird netting in the industry – every net is strength tested
- Bird•B•Gone® Authorized Installers available across the country
- 10-year guarantee on black netting
- Superior pricing



EVERY NET IS TESTED

Bird•B•Gone® is the only bird control company that quality-tests netting before it ships. We test our netting's strength using ISO 1806 and 9001 protocol. Each net is tagged and signed for quality verification.

Custom cut nets and same day shipping available.



INSTALLATION HELP

Bird•B•Gone® will connect you with a network of Authorized Installers across the globe who professionally install Bird Net 2000™.

If you are looking to install netting yourself, our team of bird control engineers can help you with technical assistance and training.



Net Type	Mesh Size	Bird Species	Where to Use	Warranty*	Page #
Bird Net 2000™ Heavy Duty	3/4" (19mm)	All Birds	Roofs, warehouses, loading docks, airplane hangars and other enclosures	10 years black	18
	1 1/8" (28mm)	Starlings & Pigeons		3 years stone	
	2" (50mm)	Pigeons & Seagulls		3 years white	
No-Knot Netting	3/4" (19mm)	All Birds	Roofs, warehouses, loading docks, airplane hangars and other enclosures	10 years	20
Pond Netting	3/4" (19mm)	All Birds Waterfowl	Tailing ponds, retention ponds, water collection sites, oil pits	10 years	26
	1 3/4" (44mm)				
	2" (50mm)				
	4" (100mm)				



Bird Net 2000™ Heavy Duty Bird Netting is a polyethylene knotted net used to block birds from entering unwanted areas.

Bird Net 2000™ is the most efficient and effective method for excluding birds, and is the #1 bird net specified by architects and government agencies.



90,000 sq. ft. (8,360 sq. m) of Bird Net 2000™ Heavy Duty Netting installed on canopy at Portland International Airport.



Bird Net 2000™ Heavy Duty Netting

ADVANTAGES & BENEFITS

#1 specified bird netting by architects and government agencies

- The strongest netting at the lowest price.
- ISO 1806 and 9001 protocol tested.
- “Sub-zero” stable.
- 270° F (132° C) melting point.
- UV stabilized, rot proof and waterproof.
- Non-conductive.
- Virtually invisible.
- Available in 3 colors to blend in with area of installation.
- Custom sizes available for same day shipping! You'll never be short cut, we add a FREE extra 1' around the net perimeter.
- We offer all the necessary hardware to install bird netting (see pages 21-23).

Bird Species	All species
Where to Use	Roofs, warehouses, loading docks, airplane hangars and other enclosures
Material	UV protected polyethylene knotted netting. ISO 1806 and 9001 protocol tested
Bird Pressure	Light to Heavy
Warranty	10 years black net 3 years stone net 3 years white net

BIRD NET 2000™ COLORS



BLACK



STONE



WHITE

TECHNICAL DATA

Material	UV stabilized knotted polyethylene net. Flame resistant, rot-proof, non-conductive and stable in sub zero temperatures.
Design	Six strands of Polyethylene UV treated twine. Each strand is 12/100" thick. The filaments are twisted and knotted for ultimate strength and longevity. Pressure stretched and tightened.
Burst Strength	ISO 1806 and 9001 Protocol test in excess of 40 lbs. burst/break strength per twisted strand.
Thermal Properties	High Temp: Melting point in excess of 270° F Low Temp: Stable to minus 250° F
Electrical Properties	Non-conductive

Bird Net 2000™ Heavy Duty Netting

3/4" NETTING - ALL BIRDS

Part #	Area	Color
034BCUSTOM	Custom: Includes FREE extra foot	Black
034SCUSTOM	Custom: Includes FREE extra foot	Stone
034WCUSTOM	Custom: Includes FREE extra foot	White
034B25X25	25' x 25' (7.62 m x 7.62 m)	Black
034S25X25	25' x 25' (7.62 m x 7.62 m)	Stone
034W25X25	25' x 25' (7.62 m x 7.62 m)	White
034B25X50	25' x 50' (7.62 m x 15.24 m)	Black
034S25X50	25' x 50' (7.62 m x 15.24 m)	Stone
034W25X50	25' x 50' (7.62 m x 15.24 m)	White
034B50X50	50' x 50' (15.24 m x 15.24 m)	Black
034S50X50	50' x 50' (15.24 m x 15.24 m)	Stone
034W50X50	50' x 50' (15.24 m x 15.24 m)	White
034B50X75	50' x 75' (15.24 m x 22.86 m)	Black
034S50X75	50' x 75' (15.24 m x 22.86 m)	Stone
034W50X75	50' x 75' (15.24 m x 22.86 m)	White
034B50X100	50' x 100' (15.24 m x 30.48 m)	Black
034S50X100	50' x 100' (15.24 m x 30.48 m)	Stone
034W50X100	50' x 100' (15.24 m x 30.48 m)	White
034B100X100	100' x 100' (30.48 m x 30.48 m)	Black
034S100X100	100' x 100' (30.48 m x 30.48 m)	Stone
034W100X100	100' x 100' (30.48 m x 30.48 m)	White
034B100X200	100' x 200' (30.48 m x 60.96 m)	Black



1 - 1/8" NETTING - STARLINGS / PIGEONS

Part #	Area	Color
118BCUSTOM	Custom: Includes FREE extra foot	Black
118B25X25	25' x 25' (7.62 m x 7.62 m)	Black
118B25X50	25' x 50' (7.62 m x 15.24 m)	Black
118B50X50	50' x 50' (15.24 m x 15.24 m)	Black
118B50X100	50' x 100' (15.24 m x 30.48 m)	Black

2" NETTING - PIGEONS / SEAGULLS

Part #	Area	Color
200BCUSTOM	Custom: Includes FREE extra foot	Black
200SCUSTOM	Custom: Includes FREE extra foot	Stone
200B25X25	25' x 25' (7.62 m x 7.62 m)	Black
200S25X25	25' x 25' (7.62 m x 7.62 m)	Stone
200B25X50	25' x 50' (7.62 m x 15.24 m)	Black
200S25X50	25' x 50' (7.62 m x 15.24 m)	Stone
200B50X50	50' x 50' (15.24 m x 15.24 m)	Black
200S50X50	50' x 50' (15.24 m x 15.24 m)	Stone
200B50X100	50' x 100' (15.24 m x 30.48 m)	Black
200S50X100	50' x 100' (15.24 m x 30.48 m)	Stone
200B100X100	100' x 100' (30.48 m x 30.48 m)	Black
200S100X100	100' x 100' (30.48 m x 30.48 m)	Stone
200B100X200	100' x 200' (30.48 m x 60.96 m)	Black
200B200X200	200' x 200' (60.96 m x 60.96 m)	Black

Installation Guide: Typical Bird Net



Bird Net 2000™ Heavy Duty Netting is most effective when installed properly. Improper installation can cause sagging or drooping, leading to gaps that birds can get in through. We recommend that a cable be set up around the perimeter of the area being netted off and the net attached to this cable. Bird•B•Gone® offers a complete line of hardware (see pgs. 21-23) to accommodate any netting job. If you have questions about a net installation call us at **800.392.6915**.



SOFT ON YOUR HANDS

No-Knot Netting is a heavy duty, flame resistant polypropylene knotless bird net used to block birds from entering unwanted areas. No-Knot Netting is made from a UV stabilized mesh and excludes all bird species. No-Knot Netting is installed in the same manner as the **Bird Net 2000™**.



No-Knot Net on an interior I-beam

INSTALLATION TOOLS

Bird-B-Gone® offers superior net installation tools to get the job done right. See page 23 for our complete installation tool list.



No Knot Netting

ADVANTAGES & BENEFITS

Easy to handle, soft on your hands

- 3/4" mesh excludes all birds.
- ISO 1806 and 9001 protocol tested.
- 50 lb. burst strength.
- High resistance to acids and alkalies.
- Multi-stranded polypropylene fiber.
- Non-conductive and virtually invisible.
- Super strong, light and easy to install.
- Uses the same Bird-B-Gone® installation hardware as heavy duty knotted net.


Bird Species	All species
Where to Use	Roofs, warehouses, loading docks, airplane hangars and other exposed enclosures
Material	UV protected polypropylene knotted netting. ISO 1806 and 9001 protocol tested
Bird Pressure	Light to Heavy
Warranty	10 years




TECHNICAL DATA




Material	Flame resistant, multi-strand polypropylene fiber with UV inhibitors.
Burst Strength	50 lbs.
Thermal Properties	High Temp: 320° F to 338° F Low Temp: - 250° F
Chemical Properties	Polypropylene is chemically inert and highly resistant to a wide range of chemicals at ordinary temperatures. Fibers have a high resistance to acids and alkalies. Does not rot or absorb water and will not mildew.
Electrical Properties	Non conductive

3/4" (19MM) NO-KNOT NET

Part #	Area	Color
034BKK25X25	25' x 25' (7.62 m x 7.62 m)	Black
034BKK25X50	25' x 50' (7.62 m x 15.24 m)	Black
034BKK50X50	50' x 50' (15.24 m x 15.24 m)	Black
034BKK50X75	50' x 75' (15.24 m x 22.86 m)	Black
034BKK50X100	50' x 100' (15.24 m x 30.48 m)	Black
034BKKCUSTOM	Custom: Includes FREE extra foot	Black












Straining Wire	Size	Description	Details	Item Number	Pack Size
	3/32" (2.38 mm)	A perimeter cable to support your netting installation. Use galvanized cable for normal areas of installation.	3/32" Diameter, 7 x 7 Stranded Construction Cable	BNSW500G332	500' (152.40 m) Galvanized
				BNSW250G332	250' (76.20 m) Galvanized
				BNSW500S332	500' (152.40 m) Stainless Steel (316)
				BNSW250S332	250' (76.20 m) Stainless Steel (316)
	1/16" (1.59 mm)	Use 316 grade stainless steel cable for areas near salt water, chemicals, etc.	1/16" Diameter, 7 x 7 Stranded Construction Cable	BNSW500G116	500' (152.40 m) Galvanized
				BNSW250G116	250' (76.20 m) Galvanized
				BNSW500S116	500' (152.40 m) Stainless Steel (316)
				BNSW250S116	250' (76.20 m) Stainless Steel (316)

Fasteners	Item	Description	Details	Item Number	Pack Size
	Cable Clamps An alternative method of securing cable (instead of ferrules).	Use galvanized cable clamps for normal installation.	Runs up to 100' (30.48 m):	BNCC-G	Cable Clamps Galvanized (10/pk)
		Use stainless steel cable clamps for areas near salt water or chemicals, etc.	Runs over 100' (30.48 m): Use three (3) clamps	BNCC-S*	Cable Clamps Stainless (10/pk)
	Ferrules Used to clamp down and secure your straining wire at the ends.	Use aluminum ferrules with galvanized cable.	Use 3/32" ferrules with 3/32" cable	BNF332A*	3/32" (2.38 mm) Aluminum (100/pk)
		Use copper ferrules with stainless steel cable.	Use 1/16" ferrules with 1/16" cable	BNF116A*	1/16" (1.58 mm) Aluminum (100/pk)
		For use with Bird Net Ratchet Crimp Tool (pg. 23).		BNF332C*	3/32" (2.38 mm) Copper (100/pk)
				BNF116C*	1/16" (1.58 mm) Copper (100/pk)
	M6 M8 Turnbuckles Used to tighten straining wire to prevent sagging or drooping.	Use galvanized turnbuckles with galvanized wire and aluminum ferrules.	Cable runs under 25' (7.62 m): M5 turnbuckles	BNGTS (10/pk)	M5 Small Galvanized Turnbuckle
		Use stainless steel turnbuckles and wire with copper ferrules for installations near salt water, chemicals, etc.	Cable runs of 25' - 75' (7.62 m - 22.86 m), use M6 turnbuckles Cable runs over 75', use M8 turnbuckles	BNGTM (10/pk) BNGTL (10/pk) BNSSTS (10/pk)* BNSSTM (10/pk)* BNSSTL (10/pk)*	M6 Medium Galvanized Turnbuckle M8 Large Galvanized Turnbuckle M5 Small Stainless Steel Turnbuckle M6 Medium Stainless Steel Turnbuckle M8 Large Stainless Steel Turnbuckle

Corner Attachments	Item	Description	Details	Item Number	Pack Size
	Net Bolts High load bearing expansion bolts used as corner attachments for masonry, concrete or stone.	Use galvanized Net Bolts with galvanized wire	Use M6/Medium Net Bolts for cable runs under 100' (30.48 m)	BNM6EB (10/pk)	M6 Medium Net Bolt Galvanized
		Use stainless steel Net Bolts with stainless steel wire	Use M8/Large Net Bolts for cable runs over 100' (30.48 m)	BNM6SSEB (10/pk) BNM8EB (10/pk)	M6 Medium Net Bolt Stainless Steel M8 Large Net Bolt Galvanized
	Girder Clamp Used to attach netting to girders.	Can also be used as an intermediate attachment	For steel up to 3" (7.62 cm) thickness	BNGCL-3	Girder Clamp - up to 3" (7.62 cm) (10/pack)
		Attach bolt onto flat steel or I-beam	Can be used as corner attachments if drilling is not an option.		
	Mini-Net Bolt Corner attachment used for cable runs of less than 20' (6.09 m).	Use galvanized Net Bolts with galvanized wire	Use M6/Medium Net Bolts for cable runs under 100' (30.48 m)	BNMNB-G	Mini-Net Bolt Galvanized (10/pack)
		Use stainless steel Net Bolts with stainless steel wire	Use M8/Large Net Bolts for cable runs over 100'	BNMNB-S	Mini-Net Bolt Stainless Steel (10/pack)
	Eye Bolt w/ Nut Corner attachment for steel I-beams or other thick metals.	Drill Bits (p.24): 8 mm drill bit	Use galvanized Eye Bolts w/ galvanized wire	BNGEB-NUT	Galvanized Eye Bolt w/Nut (20/pk)
			Use stainless steel Eye Bolts w/ stainless steel wire	BNSEB-NUT*	Stainless Steel Eye Bolt w/Nut (10/pk)
	Screw Eyes Used as a corner attachment into wood.	Use Large Screw Eyes for runs over 20' (6.1 m)	Use galvanized with galvanized wire	BNLSE-G (100/pk)	Large Wood Screw Eye Galvanized
		Use Small Screw Eyes for runs under 20' (6.1 m)	Use stainless steel with stainless steel wire	BNLSE-S (20/pk)* BNSSE-G (100/pk) BNSSE-S (20/pk)*	Large Wood Screw Eye Stainless Steel Small Wood Screw Eye Galvanized Small Wood Screw Eye Stainless Steel

*Available in 316 steel upon request

BIRD NETTING

Intermediate Attachments	Item	Description	Details	Item Number	Pack Size
	Multi-Purpose Cable Bracket with Hilti Pin	Used to secure cable around the perimeter of the net installation. Can be installed for permanent installation or easy release	For attaching to concrete or steel. (Hilti Gun required) Use with BNHS-27 (p.22)	BNMPCB-125HP-C BNMPCB-12 5HP-S	1.25" (3.18 cm) Bracket w/Hilti pins for concrete (100/pk) 1.25" (3.18 cm) Bracket w/Hilti pins for steel (100/pk)
	Multi-Purpose Cable Bracket	Used to secure cable around the perimeter of the net installation	Can be installed for permanent installation by running your cable through bracket hole Can be installed for easy release by running cable in hook of bracket	BNMPCB125-100	1.25" (3.18 cm) Bracket (100/pk)
	Net Spikes	Used to secure netting into concrete Drill Bits (p.24) Large Net Spike: 6.5 mm Small Net Spike: 5.0 mm	Small net spikes have a bend in the body Large net spikes will "flange" out when hammered	BNNS-SM BNNS-LG*	Bird Net 3/16" (4.76 mm) Diameter Small Spike (100/pk) Bird Net 1/4" (6.35 mm) Diameter Large Spike (100/pk)
	Lag Screws	Used to secure cable around the perimeter of a net installation	Lag Screws are ideal for concrete, stucco, and wood Use Anchor for extra support when using small Lag Screws	BNLS-SSM* BNLS-LGG* BNLS-ASM	Small Steel Lag Screw (100/pk) Large Galvanized Lag Screw (100/pk) Small Lag Screw Anchor (100/pk)
	Girder Clips	Designed to attach cable to I-beams or steel surfaces 100 per pack	Clips hammer directly onto the I-beam to secure the cable Zinc coated spring steel attachments come in 4 widths	BN116GC BN018GC BN014GC BN012GC	Girder Clip: 1/16" - 1/8" (1.59mm - 3.1mm) Girder Clip: 1/8" - 1/4" (3.17mm - 6.35mm) Girder Clip: 1/4" - 1/2" (6.35mm - 12.7mm) Girder Clip: 1/2" - 3/4" (12.7mm - 19.05 mm)
	S-Clips	S-Clips are secured to the perimeter surface on one end and straining wire is strung through the other	Made of durable 316 stainless steel to hold up in the toughest environments Hilti pin available for concrete or steel	BNMSCLP BNMSCLP-PIN-C BNMSCLP-PIN-S	S-Clip (100/pack) S-Clip w/Hilti Pin for concrete (100/pk) S-Clip w/Hilti Pin for steel (100/pk)
	Thin Wire Net Clip	Ideal for small net installations that require the net to be removed from time to time	Stainless steel intermediate attachment	BNTWNC-1	Thin Wire Net Clip (100/pack)
	Stainless Steel Net Loop	Ideal for wood and sheet metal	To secure, use self tapping sheet metal screws or wood screws	BNNL	Bird Net Loop (100 per pack)
	Split Pins and Anchor Rivets	Used on stone or brick surfaces 100 per pack	Low profile intermediate attachment Available in two sizes Use 6.5 mm drill bit (p.22)	BN10R BN10SP BN15R BN15SP	1" (2.54 cm) Rivet (100/pk) 1" (2.54 cm) Stainless Steel Split Pin (100/pk) 1.5" (3.81 cm) Rivet (100/pk) 1.5" (3.81 cm) Stainless Steel Split Pin (100/pk)
	2" Heavy Duty Steel Clamp	Designed for large installations and creates a strong hold on steel and I-beams	Holds straining wire to steel 2" opening Jaw strength supports up to 630 lbs. 4 per pack	BNBCLP-2	2" (5.08 cm) Heavy Duty Steel Clamp (4/pk)
	6" Roof Tile Bracket	Used to install netting on roofs that have tiles	Slides underneath the tile to create a bracket for netting cables	BNRTB-600	6" (15.24 cm) Roof Tile Bracket (10/pack)

Tools	Item	Details	Item Number	Pack Size
	Hog Ring Tool & Hog Rings	Use galvanized rings for normal areas of installation Use stainless steel rings near salt water or chemicals Hog Ring Tool holds one cartridge of 50 hog rings.	BNHRT BNHRG BNHRS	Bird Net Hog Ring Tool (1) Galvanized Hog Rings (2,500/bx) Stainless Steel Hog Rings (2,500/bx)
	B14 Hog Ring Tool & Hog Rings	Our most ergonomic manual hog ring tool Use galvanized rings for normal areas of installation Use stainless steel rings near salt water or chemicals Good for tight spaces	BNHRT-B14 BNHRT-B14-RING-G BNHRT-B14-RING-SS	Bird Net Hog Ring Tool B14 (1) B14 Galvanized Hog Rings (2,500/bx) B14 Stainless Steel Hog Rings(2,500/bx)
	Bird-B-Gone® Pneumatic Hog Ring Tool & Hog Rings	Lowest Cost Pneumatic Hog Ring Tool Fast operating / saves time and money Uses compressed air for quick & efficient installations. Ideal for large jobs Use stainless steel Hog Rings for areas near salt water, chemicals, etc.	BNHRTPN-AC01CH BNHRPG-AC31CH BNHRPS-AC31CH	Pneumatic Hog Ring Tool (1) Galvanized Hog Rings (10,000/bx) Stainless Steel Hog Rings (10,000/bx)
	Stanley Bostitch Pneumatic Hog Ring Tool & Hog Rings	Fast operating / saves time and money This tool uses compressed air for quick & efficient installations. Ideal for large jobs Use stainless steel Hog Rings for areas near salt water, chemicals, etc.	BNHRTPN (Stanley Item: SC761) BNHRPG* BNHRPS*	Pneumatic Hog Ring Tool (1) Galvanized Hog Rings (10,000/bx) Stainless Steel Hog Rings (10,000/bx) *Hog Rings also fit Stanley tools number SC461 and SC661
	Hilti DX460 Automatic Powder-Actuated Fastening Tool	Use to fasten bird netting hardware into concrete or steel structures, like buildings, bridges, steel beams and more. Fully automatic, excellent power-to-weight ratio Low noise level	HILTI-DX460	1 each
	Hilti DX2 Powder-Actuated Fastening Tool	Use to fasten bird netting hardware into concrete or steel structures, like buildings, bridges, steel beams and more. Slim design for accessing tight spaces Designed for speed and easy operation.	HILTI-DX2	1 each
	Bird Net Ratchet Crimp Tool	Used for crimping ferrules around straining wire. Works with ferrules sized 1/16" (1.58 mm) to 3/32" (2.38 mm)	BNRCT-SBHS	1 each
	Bird Net Cable Cutter	A long lasting professional grade tool used to cut heavy duty cable. Cuts both 1/16" and 3/32" straining wire. Durable, high quality tool Easy to use	BNCCT	1 each
	Installer Kit Heavy duty bird control starter kit. Item Number: INST-KIT	Bird Net Items Included (1) Screw Eyes: Galvanized; Lg (25pk) (1) Screw Eyes: Galvanized; Sm (25pk) (1) Multi-Purpose Cable Bracket: 100pk (1) 3/16" Diameter Sm Spike; 100pk (1) Thin Wire Net Clip ;100pk (1) Hog Rings: Galvanized; 2,500pk (1) Net Bolts: Galvanized; Med (10pk) (1) Mini Net Bolts: Galvanized; 10pk (1) Ferrules: Aluminum; 100pk (1) Turnbuckles: Galvanized; Med (10pk) Bird Wire Items Included (1) Stainless 3.5" Steel Posts: 10pk (1) Stainless 5" Steel Posts: 10pk (1) Stainless Steel Springs: 25pk (1) Straining Wire Galvanized 1/16": 250ft (1) Glue-On Bases: 50pk (1) Nickel-Plated Copper Crimps: 100pk (1) Nylon Coated Bird Wire: 328ft Miscellaneous Copper Mesh: 20ft Tools Included (1) Heavy Duty Portable Rolling Tool Box (1) Sikaflex® Gray Adhesive Glue Tube (1) Screw Eye Driver (1) Drill Bit: 12mm x 100mm (1) Drill Bit: 5mm x 100m (1) Hog Ring Tool (1) Lag Screw Driver (1) Bird Net Cable Cutter		

Access Zippers



Zipper are installed at areas that will need to be opened, such as under lighting fixtures or A.C. units.

Install Zippers to the netting using hog rings.

Available in 7 sizes and 3 colors.

Open-ended and custom sizes available.

Part #	Length & Color	Part #	Length & Color
BNZ-12B	1' (.30 m) Black	BNZ-12S	1' (.30 m) Stone
BNZ-18B	1.5' (.46 m) Black	BNZ-36S	3' (.91 m) Stone
BNZ-24B	2' (.61 m) Black	BNZ-72S	6' (1.8 m) Stone
BNZ-36B	3' (.91 m) Black	BNZ-12W	1' (.30 m) White
BNZ-48B	4' (1.22 m) Black	BNZ-36W	3' (.91 m) White
BNZ-72B	6' (1.82 m) Black	BNZ-72W	6' (1.8 m) White
BNZ-96B	8' (2.44 m) Black	BNZ-120B	10' (3.05 m) Black

Bird Scape™



Bird Scape™ is a netting accessory that lets trapped birds leave netted off areas. Features a funnel that birds can fly out of, but not back into.

Installs directly into bird netting with hog rings.

Part #	Pack Size
BNBS-05	1 Bird Scape per pack

Net Clips



Net Clips are installed at areas that will need to be opened such as under lighting fixtures or A.C. units.

Part #	Pack Size
BNNC-034	3/4" (1.91 cm) Net Clip (100 per pack)
BNNC-200	2" (5.08 cm) Net Clip (100 per pack)

Self-Adhere Bird Net Anchors



The Self Adhere Bird Net Anchors are used on small net jobs to hold the net in place where drilling is not an option. Clean the surface before attaching anchors.

Velcro makes for fast and easy access.

Available in black or stone

Part #	Pack Size
BNVNA-B	Bird Net Velcro Net Anchors Black (100 per pack)
BNVNA-S	Bird Net Velcro Net Anchors Stone (100 per pack)

Hilti .27 Cartridges



Hilti Cartridges are powder activated boosters used in a Hilti gun to secure attachments to steel and concrete.

For use with BNMPCB-125HP-C, BNMPCB-125HP-S, and S-Clips (p. 22).



Part #	Pack Size
BNHS-27	Bird Net Hilti .27 Booster Loads Red (100 per pack)

SDS Masonry Drill Bits



Masonry Drill Bits are used for drilling into concrete, brick, block, stone or other masonry.

Penetrates up to 50% faster than standard masonry bits.

Part #	Details
BNDB0500	Bird Net Drill Bit (5.0mm x 100mm)
BNDB0600	Bird Net Drill Bit (6.0mm x 100mm)
BNDB0650	Bird Net Drill Bit (6.5mm x 100mm)
BNDB0800	Bird Net Drill Bit (8.0mm x 100mm)
BNDB0100	Bird Net Drill Bit (10mm x 100mm)
BNDB0120	Bird Net Drill Bit (12mm x 100mm)
BNDB0140	Bird Net Drill Bit (14mm x 100mm)

Lag Screw Driver



The Lag Screw Driver is a drill attachment used for installing lag screws into wood surfaces.

For use with BNLS-SSM and BNLS-LGG (p. 22).

Part #	Description
BNLSD	Lag Screw Driver

Screw Eye Driver



The Screw Eye Driver is a small drill attachment used for installing Screw Eyes into wood surfaces.

For use with all styles of screw eyes.

Part #	Description
BNSED	Screw Eye Driver Tool


Solar Panel Bird Deterrent Kit

Bird Species	All species
Where to Use	Under solar panels
Material	UV resistant materials
Bird Pressure	Light to Heavy

ADVANTAGES & BENEFITS

- Keep birds from nesting beneath solar panels.
- Each kit covers a standard 3kW system: 2 rows of 6 panels.
- No drilling required.
- Mesh is virtually invisible once installed.
- Clips will not scratch or effect integrity of solar panels.

Item Name	Part #	Pack Size
Solar Panel Bird Deterrent Kit	SLRKIT-50	(35) Solar Clips (10) 5' x 8" Hardware Cloth Panels
Solar Panel Bird Deterrent Clips	SLRCLPS-35	35 Solar Clips
	SLRCLPS-50	50 Solar Clips
	SLRCLPS-100	100 Solar Clips



Weather resistant mesh panels



Durable clips easily install without drilling



Bat Netting

Where to Use	Eaves, canopies, attics, bell towers, etc.
Material	3/8" (9.52 mm) polyethylene knotted black mesh
Warranty	10 Years

Part #	Mesh Size	Piece Size
BAT-10X10	3/8" (9.53 mm) black	10' x 10' (3.05 m x 3.04 m)
BAT-25X25	3/8" (9.53 mm) black	25' x 25' (7.62 m x 7.62 m)
BAT-50X50	3/8" (9.53 mm) black	50' x 50' (15.24 m x 15.24 m)
BAT-50X100	3/8" (9.53 mm) black	50' x 100' (15.24 m x 30.48 m)
BAT-CUSTOM	3/8" (9.53 mm) black	Custom

ADVANTAGES & BENEFITS

- Block bats from entering unwanted areas.
- Long lasting UV protected polyethylene mesh.



ADVANTAGES & BENEFITS

- Inexpensive one season netting.
- Available in bulk rolls or small sizes.
- Lightweight and virtually invisible.
- 3 sizes of mesh to exclude all birds.
- Easy to handle and install.

POLY-CLIP

For fast and easy installation of Ultra Net.

Part #	Description	
UNCLIPS-CASE	Case Clips (250 per box)	
UNCLIPS-1/2CASE	Half Case Clips (125 per box)	

Ultra Net™

PROTECT PLANTS AND CROPS

Bird Species	All birds	
Where to Use	Gardens, vineyards, fruit trees, bushes, eaves, orchards, etc.	
Material	UV protected polypropylene	
Part #	Mesh Size	Piece Size
UN-141	1/4" (6.3 mm)	14' x 100' (4.27 m x 30.48 m)
UN-142	1/4" (6.3 mm)	14' x 200' (4.27 m x 60.96 m)
UN-143	1/4" (6.3 mm)	14' x 500' (4.27 m x 152.4 m)
UN-121	1/2" (12.7 mm)	14' x 100' (4.27 m x 30.48 m)
UN-122	1/2" (12.7 mm)	14' x 200' (4.27 m x 60.96 m)
UN-123	1/2" (12.7 mm)	14' x 3,000' (4.27 m x 914.40 m)
UN-341	3/4" (19 mm)	14' x 100' (4.27 m x 30.48 m)
UN-342	3/4" (19 mm)	14' x 200' (4.27 m x 60.96 m)
UN-343	3/4" (19 mm)	14' x 5,000' (4.27 m x 1524 m)



Pond Netting

Where to Use	Tailing ponds, retention ponds, water collection sites, oil pits
Material	High density UV protected polyethylene knotted netting

ADVANTAGES & BENEFITS

- Available in several mesh sizes from 3/4" to 4".
- Break strengths from 116 lbs to 740 lbs.
- Durable construction for harsh environments.
- Protect water fowl from oil and contaminated water.
- Prevent costly lawsuits from bird deaths.
- Most efficient & effective method for excluding birds.



PROTECT WATER FOWL FROM CONTAMINATED WATER.



Patented
 US9232781 US 7596910
 US9101127 US 7941977
 AU2013205241 US 6250023
 US 8250814
 US 8245435
 US 8191303
 US9032663



Scan this QR code to watch
 installation instruction video

Bird Jolt Flat Track™

Bird Species	All Species
Where to Use	Ledges, signs, rooftops, I-beams, parapet walls, conduit, flat or curved surfaces
Material	Lightweight flexible UV stabilized PVC with copper knitted wire mesh "tube-in-tube" design
Bird Pressure	Light to Heavy

ADVANTAGES & BENEFITS

- #1 specified electric track by architects and government agencies.
- Does not harm birds.
- Patented "anti-arcing" design means the ultimate in safety.
- Effective for both small and large pest birds.
- Crush proof! Will continue to work even if stepped on by window washers or building maintenance crews.
- Glue troughs insulate conductors and allow for easy installation with construction grade adhesive.
- Completely flexible; can bend 360°.
- Low profile and virtually invisible. Only 1/4" (6.35 mm) tall.
- Lightweight: 100' (30.48 m) of track weighs only 16 lbs (7.26 kg).
- "Snug-fit" connectors make it the easiest shock system to install.
- Comes in easy to dispense box.
- Can be cut with scissors.
- Manufactured by Bird•B•Gone® in the USA.



To install: Bird Jolt Flat Track™ easily glues in place with construction grade adhesives available on page 47. Installation requires general knowledge of electrical systems. If you have questions or need an Authorized Installer call us at **1-800-392-6915**.

STANDARD COLORS




Bird Jolt Flat Track™ is a low profile electrical track system which produces a mild electrical "jolt" when birds land on it. It uses copper knitted wire mesh, in a continuous "tube-in-tube" stocking design. This allows for greater conductivity, strength and reliability. The copper mesh is resistant to corrosion, alkaloids and acidic environments.

Suggested Electric Track Spacing

Every situation is different. Call us for installation guidance **1-800-392-6915**


Light Infestation (large birds)

Single row of track at the outer edge(s):



Heavy Infestation (large or small birds)

Multiple rows of track:




See Chargers
 on Pg. 29



Bird Jolt Flat Track™

Bird Jolt Flat Track™ Kit

PATENTED ANTI-ARCING DESIGN



Part #	Length	Color
BJFT-GRY	100' (30.48 m)	Gray
BJFT-STN	100' (30.48 m)	Stone
BJFT-TER	100' (30.48 m)	Terracotta
BJFT-BLK	100' (30.48 m)	Black
BJFT-RED	100' (30.48 m)	Red
BJFT-CLR	100' (30.48 m)	Clear

For chargers and additional components see (page 27)

Bird Jolt Flat Track Kits come in a lightweight, easy to dispense box with carrying handle. Each kit contains:

- Bird Jolt Flat Track (Choose Color) (100' (30.48 m))
- Lead-in Connector Loops (2 ea.)
- "Snug-Fit" Track Connectors (3 ea.)
- Bilingual Warning Labels (10 ea.)
- "Snug-Fit" Corner Connectors (3 ea.)
- Blue Wire Connectors (10 ea.)



Scan this QR code to watch installation instruction video

Part #	Length	Color
BJFTKIT/GRY	100' (30.48 m)	Gray
BJFTKIT/STN	100' (30.48 m)	Stone
BJFTKIT/TER	100' (30.48 m)	Terracotta
BJFTKIT/BLK	100' (30.48 m)	Black
BJFTKIT/RED	100' (30.48 m)	Red
BJFTKIT/CLR	100' (30.48 m)	Clear



Scan this QR code to watch installation instruction video

INSTALLATION ACCESSORIES





T-CONNECTORS

Connect track to a charger, to branch off in a new direction, or to connect intersecting track.

ADVANTAGES & BENEFITS

- Saves material & labor cost
- Offers a more secured connection
- Lower profile look

Part #	Size	Color
BJFT-TC10	10/pack	Gray




Item	Description	Part #	Size	Color
	Snug-Fit™ Connectors Used to connect track to a charger, to branch off in a new direction, or to connect two pieces of track.	BJFT-SFC10	10/pack	Gray
		BJFT-SFC10/BLK	10/pack	Black
	Snug-Fit™ Corner Connectors Used to turn a 90° corner with the Bird Jolt Flat Track®.	BJFT-SFCC	10/pack	Gray
		BJFT-SFCC/BLK	10/pack	Black
	Blue Wire Connectors Used to connect electric track together or to a charger from the Snug-Fit Connectors.	BJFT-BCN100	100/pack	Blue
	Anti-Damming Risers Used to lift track to prevent water from damming or to install on a surface that is hard to glue onto.	BJFT-ADR	10/pack	Gray

Electric Track Chargers



Item Name	Solar Charger	Direct Charger
Part #	CHG-SLR740	CHG-AC750
Description	Uses sunlight to supply power to up to 300' of electric track. Completely weatherproof.	Plugs into a regular 110v outlet and supplies power up to 500' of electric track. If outdoors, use Weatherproof Box (see below).
Area of Coverage	300' (91.44 m) of track	500' (152.4 m) of track
Input Voltage	4 VDC	110 - 120VAC
Output Voltage	7.0 KV (+/-) 20% Open Circuit Voltage, Intermittent DC Output	750 V (+/-) 20% Open Circuit Voltage, Intermittent AC Output
Dimensions	9.75" x 6.5" x 6.5" (24.77 cm x 16.51 cm x 16.51 cm)	5.4" x 3.6" x 7" (13.72 cm x 9.14 cm x 17.78 cm)
Weight	3.5 lbs. (1.59 kg)	2.2 lbs (1 kg)

INSTALLATION COMPONENTS

Item	Description	Item Number	Pack Size
	Connector Loops Used to attach the copper Lead-In Wire to your charger.	STPWC-10	10
	Bilingual Warning Labels Placed every 10' to warn people of possible shock. (English/Spanish)	BJFTWRNBI-10	10
	Voltage Tester Used with the Electric Track systems to test the systems' output voltage.	BJFT-VLT	1
	Solar Battery Replacement Battery for the Solar Charger (CHG-SLR740) should be replaced about once a year.	CHG-SLR740BAT	1
	Waterproof Box Protects Direct Chargers from weather when installed outdoors. (Dimensions: 8"x8"x4")	CHG-ACBOX	1

14 Gauge Marine Grade Copper Lead-in Wire

Used to connect your charger to the electric track systems and also connect sections of track.

Available in three colors and three roll sizes.



Part #	Length	Color
BJFT-LIW20BLK	20' (6.10 m)	Black
BJFT-LIW50BLK	50' (15.24 m)	Black
BJFT-LIW100BLK	100' (30.48 m)	Black
BJFT-LIW20GRY	20' (6.10 m)	Gray
BJFT-LIW50GRY	50' (15.24 m)	Gray
BJFT-LIW100GRY	100' (30.48 m)	Gray
BJFT-LIW20STN	20' (6.10 m)	Stone
BJFT-LIW50STN	50' (15.24 m)	Stone
BJFT-LIW100STN	100' (30.48 m)	Stone




LEARN TO INSTALL ELECTRIC TRACK

Bird•B•Gone® offers free training for all of our products. Bird•B•Gone® University teaches:

- Site evaluation
- Product selection
- How to install products
- Quoting bird jobs
- How to hang netting
- How to avoid problems
- Troubleshooting

Call us at
1-800-392-6915
for details!

Bird Slope™



Part #	Area of Coverage	Pack Size
SLP-GRY4 (Gray)	5.5" (13.97 cm)	4' (1.22 m) sections 48' (14.63 m) per box
SLP-STN4 (Stone)	5.5" (13.97 cm)	4' (1.22 m) sections 48' (14.63 m) per box



Bird Slope™ installed on window sills.



Bird Slope™ installed under eaves.

Bird Species	All species
Where to Use	Ledges, parking garages, I-beams with widths up to 10.5" (26.67 cm)
Material	UV protected outdoor grade PVC
Bird Pressure	Light to Heavy
Warranty	2 years

Bird Slope™'s unique design makes it impossible for birds to land or roost on 90° areas like eaves and ledges.

ADVANTAGES & BENEFITS

- Prevents birds from landing and nesting on ledges up to 5.5" (13.97 cm) wide.
- Unique "Slope Extender" increases coverage for areas up to 10.5" (26.67 cm) wide.
- Effective for both large and small birds.
- Ideal for parking garages, I-beams and 90° ledges.
- Glue trough on underside for easy adhesive application.
- Easy to install End Caps prevent birds from getting behind Slope.
- Made of a UV protected outdoor grade PVC plastic.
- Longest guarantee and lowest cost.
- 4' (1.22 m) sections for fast installation.
- Manufactured by Bird•B•Gone® in the USA.



Scan this QR code to watch installation instruction video

To install: Surface should be clean and dry before installation. Bird Slope covers a 5.5" ledge; for larger ledges Extenders are available. Glue onto surface using glue troughs. End Caps should be installed to prevent birds from getting behind Slope.

CAD Details and specifications available at www.birdbgone.com

Easily glues in place. Construction grade adhesives available on page 47.




Installed in parking garages.



Bird Slope™

Bird Slope™ Installation Accessories

Item	Description	Details	Item Number	Pack Size
 Bird Slope™ Extenders	Bird Slope™ Extenders can be attached to cover ledges between 5.5" to 10.5" wide.	Easily adapts Bird Slope™ to wider ledges (up to 10.5") Extender "snaps on" the top of Bird Slope™	SLPEXT-GRY4 (Gray)	4' (1.22 m) sections 48' (14.63 m)/box
			SLPEXT-STN4 (Stone)	4' (1.22 m) sections 48' (14.63 m)/box
 Bird Slope™ Connectors	Slope Connectors eliminate gaps between two pieces of Slope.	Connectors available for Bird Slope™ and Slope Extenders Ideal for sloped surfaces Snap into place	SLPCONGRY-10 SLPCONSTN-10 SLPCONEXTGRY-10 SLPCONEXTSTN-10	Slope Connector: Gray (10 pk) Slope Connector: Stone (10 pk) Extender Connector: Gray (10 pk) Extender Connector: Stone (10 pk)
 Mounting Clips	Use Mounting Clips to install Bird Slope™ on vertical surfaces.	One clip every 1' (30.48 cm) 20 per pack	SLP-MC20	20 per pack: Clear
 End Caps	Block birds from entering the open area behind slope.	Simply glue the end cap to each end Available in 2 colors	SLPECAP-GRY SLPECAP-STN	10 per pack: Gray 10 per pack: Stone
 Extender End Caps	Block birds from entering the area behind extended-width slopes.	For use with Bird Slope Extenders Glues into place	SLPEXTCAP-GRY SLPEXTCAP-STN	10 per pack: Gray 10 per pack: Stone



Scan this QR code to watch installation instruction video



BIRD•B•GONE[®] **UNIVERSITY**


LEARN TO INSTALL BIRD SLOPE™

Bird•B•Gone® offers free training for all of our products. Bird•B•Gone® University teaches:

- Site evaluation
- Product selection
- How to install products
- Quoting bird jobs
- How to hang netting
- How to avoid problems
- Troubleshooting

Call us at
1-800-392-6915
for details!

Bird Spider 360°™



Bird Species	Pigeons, seagulls and larger birds
Where to Use	AC units, street lights, signs, boats, rooftops
Material	316 marine grade stainless steel “arms” on a UV protected polycarbonate base. Separate PVC base and #10 316 grade screws included
Bird Pressure	Light to Medium

Part #	Diameter	Area of Coverage
BS200SPN	2’ (0.61 m)	1’-2’ (0.30 m - 0.61 m)
BS400SPN	4’ (1.22 m)	3’-4’ (0.91 m - 1.22 m)
BS600SPN	6’ (1.83 m)	4’-6’ (1.22 m - 1.83 m)
BS800SPN	8’ (2.44 m)	6’-8’ (1.83 m - 2.44 m)


Bird Spider 360°™ is a humane stand-alone physical bird deterrent that is used to prevent birds from landing. Pre-assembled and easy to install, Bird Spider 360°™ can be used in a variety of settings including: Boats, docks, Biminis, light posts, air conditioner units, skylights, dock pilings, and more! No-tangle “arms” bounce and sway in the wind, creating a visual distraction zone so birds will not want to come near the area. Made in USA.



The Bird Spider 360°™ features long lasting UV protected polycarbonate tips that help the arms bounce and sway in the wind. The new tips also prevent scuffing on surfaces.

ADVANTAGES & BENEFITS




- Bird Spider 360°™ is a visual bird deterrent used to scare large birds away from concentrated areas. This bird deterrent is humane, safe, and will not harm birds.
- No-tangle arms bounce and sway in the wind, creating a visual distraction zone so birds will not want to come near the area.
- Pre-assembled, easy to install; available in 2 ft., 4 ft., 6 ft., and 8 ft. diameters for optimal coverage.
- Patented design has been high wind tested – will not break or fall off in high wind areas.
- Made in USA by Bird•B•Gone®, Inc.



Bird Spider 360°™ easily glues in place using the included base. Construction grade adhesives are available on page 47.



INSTALLATION ACCESSORIES

Item	Description	Details	Item Number	Pack Size
	Boat Base Used to install the Bird Spider around masts or spreaders.	Attaches directly to Bird Spider 360°™ Secures with bungee cords or other tie-down systems	BSBB2	1 per pack
	Sand Bag Base Provides a portable weighted option for boat canvases and Biminis.	Attaches directly to Bird Spider 360°™ and Repeller 360°™ Hardware included Weighs 7 lbs.	BSBB-SB	1 per pack
	Railing Mount Easily secures Repeller 360°™ and Bird Spider 360°™ to railing sizes ranging from 1/2” to 1.86” thick	Includes disk and screws for mounting/attachment Can easily be removed and stowed while sailing or cruising	RLMNT	1 per pack

Bird Wire

Bird Species	Pigeons and seagulls
Where to Use	Ledges, signs, rooftops, curved or flat surfaces
Material	316 Stainless steel wire coated with UV stabilized clear nylon
Bird Pressure	Light to Medium
Warranty	5 years

Bird Wire is a post and wire system that provides an unstable landing area for pigeons or seagulls. Ideal for areas where aesthetics are a concern, the low-profile Bird Wire involves a series of stainless steel posts supporting nylon coated 316 stainless steel wire that is tensioned between the posts using springs.


ADVANTAGES & BENEFITS

- #1 Bird Wire system specified by architects
- CAD details and specifications available at www.birdbgone.com
- Low profile and low visibility
- Low maintenance
- Ideal for hand rails
- Affordable pricing
- Industry leading 5 year guarantee
- Approved for use on federal and state government structures
- Ideal for large birds such as pigeons, gulls and crows




Scan this QR
code to watch
installation
instruction video




Bird Wire installed on window ledges



To install: Surface should be clean and dry before installation. Measure surface area to determine how many rows are required. Posts are placed every 5' with a new spring every 10'. Alternate post heights when installing multiple rows.



Bird Wire Hardware

	Item	Description	Details	Item Number	Pack Size
	Nylon Coated Bird Wire	Strung between Stainless Steel Posts.	316 Stainless steel wire coated with UV stabilized clear nylon .045 mm 1 x 7 wire	BWNCW1 BWNCW2	820' (250 m) Roll 328' (100 m) Roll
	Glue-On Bases	Can be screwed or glued onto surfaces where drilling is not an option.	UV protected glass filled nylon Support Bird Wire posts	BWB100 BWB050	Gray Bases (100 per pack) Gray Bases (50 per pack)
	Stainless Steel Posts	Used to suspend Bird Wire.	4 mm diameter, 316 marine grade stainless steel posts Ends are beveled to aid installation into either the anchor rivet or glue-on base	BWSSP60-100 BWSSP60-25 BWSSP50-100 BWSSP50-25 BWSSP45-100 BWSSP45-25 BWSSP35-100 BWSSP35-25	6" (15.24 cm) Post (100 per pack) 6" (15.24 cm) Post (25 per pack) 5" (12.70 cm) Post (100 per pack) 5" (12.70 cm) Post (25 per pack) 4.5" (11.43 cm) Post (100 per pack) 4.5" (11.43 cm) Post (25 per pack) 3.5" (8.89 cm) Post (100 per pack) 3.5" (8.89 cm) Post (25 per pack)
	Nickel-Plated Copper Crimps	Used to secure bird wire to the posts.	Nickel-plated for durability	BWCC-100	Copper Crimps (100 per pack)
	Railing Clamps	Used to attach Bird Wire system to railings or pipes.	Adjustable clamps with 3.5" (8.89 cm) Bird Wire posts	BWRC-1 BWRC-2 BWRC-3 BWRC-4 BWRC-4/2 BWRC2P-6	<div><i>Clamp Size</i> 1" (2.54 cm) 1 Post (10/pk) 2" (5.08 cm) 1 Post (10/pk) 3" (7.62 cm) 1 Post (10/pk) 4" (10.16 cm) 1 Post (10/pk) 4" (10.16 cm) 2 Posts (10/pk) 6" (15.24 cm) 2 Posts (10/pk)</div> <div><i>Railing Size</i> 3/4" - 1-1/4" (1.91 cm - 3.18 cm) 1-5/16" - 2-1/2" (3.33 cm - 6.35 cm) 2-9/16" - 3-1/2" (6.51 cm - 8.89 cm) 3-9/16" - 4-1/2" (9.05 cm -11.43 cm) 3-9/16" - 4-1/2" (9.05 cm -11.43 cm) 5-1/8" - 6" (13.02 cm - 15.24 cm)</div>
	Stainless Steel Springs	Causes the Bird Wire to be unstable when birds land on it.	316 Grade Stainless Steel Springs Two sizes available: Standard & Micro	BWSSS-100 BWSSS-50 BWMS1 BWMS1-5	Standard Springs (100 per pack) Standard Springs (50 per pack) Micro Springs (100 per pack) Micro Springs (50 per pack)
	Gutter & Girder Clamps	Used to attach the Bird Wire system to gutters or girders.	Fits I-beams up to 3/4" (1.91 cm) thick.	BWBC00 BWGC00	Bird Wire Beam Clamp (10 per pack) Bird Wire Gutter Clamp (10 per pack)
	Anchor Rivets	Support Bird Wire posts when drilled into surface.	Use 6.5 mm drill bit	BN10R BN15R	1" (25.4 mm) Anchor Rivet (100/pk) 1.5" (38.1 mm) Anchor Rivet (100/pk)
	3-Post Ridge Bracket	Designed for roof peaks & special installation areas.	Stainless steel brackets perfect for angled surfaces and corners	BW3PRB	3-Post Ridge Bracket (each) (3) 3.5" (8.89 cm) posts
	Gull Wire	Gull Wire Polyethylene and Steel Wire	Prevents gulls & other large birds from landing on flat surfaces Installed 6' - 8' above ground Virtually invisible from below	GW-WIRE	820 feet per spool

Bird-OFF™ Gel
BOG-CASEBird-OFF™ Gel
BOG-AAP/GUNBird-OFF™ Gel
BOG-5GAL

ADVANTAGES & BENEFITS

- Smell and sticky feeling on the feet of birds drives them away
- Will not entrap non-targeted species
- Made in the USA
- Lasts up to 1 year per application
- Easy to clean up using soap and water
- Virtually invisible

Green
Product

Bird-OFF™ Gel

Bird Species	All Species
Where to Use	Horizontal surfaces including: Ledges, I-beams, parapet walls, conduit, pipes, flat or curved surfaces
Material	Geraniol white pepper, Mineral Oil, Silica
Bird Pressure	Light to Medium

Bird-OFF™ Gel is used to keep pest birds off of horizontal surfaces. The unique combination of smells and the sticky sensation on their feet causes birds to stop landing on the surface and leave the area. Bird-OFF™ Gel causes no burning sensation and is safe for installers.

Description	Coverage	Part #
Bird-OFF™ Gel (10 tubes/case)	100' (36.58 m) x 3" (7.6 cm)	BOG-CASE
Bird-OFF™ Gel (5 Gallons)	640' (36.58 m) x 3" (7.6 cm)	BOG-5GAL
Caulking Gun (24 oz.)	NA	BOG-AAP/GUN
Follow Plate (for 24 oz Gun)	NA	BOG-AAP/PLATE

To install: 4 inches wide top to bottom – (2, 3, 4 inch distance between waves, depending on bird pressure) **Do not install on a vertical surface.**



Bird Species	Pigeons and Starlings
Where to Use	Horizontal surfaces including: Ledges, I-beams, parapet walls, conduit, pipes, flat or curved surfaces
Material	Polybutene 93%; Inert 7%
Bird Pressure	Light to Medium

ADVANTAGES & BENEFITS

- Creates a sticky surface that birds cannot stand.
- Not harmful to birds and people.
- Designed for pigeons and starlings, not for use for non-targeted species of birds.
- Lasts up to 6 months outdoors.
- Effective from 15° F (-9° C) to 200° F (93° C).
- Virtually invisible.

To install: Gel is applied in a zig-zag pattern about 3" (7.62 cm) high leaving periodic spaces for water drainage. **Do not install on a vertical surface.**

Transparent Bird Gel



Coverage	Part #	Pack Size
120' (36.58 m) x 3" (7.6 cm)	TBG-Case	12/Case

Transparent Bird Gel is a sticky gel used to keep pest birds off of horizontal surfaces. Birds can't stand the sticky sensation on their feet and will move on.

DRIPLESS CAULKING GUN: PAGE 47

This ergonomic gun makes installing gels easy. See page 46 for the Dripless Caulking Gun details and job site cleaning supplies.





BeakGuard®

Bird Species	Woodpeckers
Where to Use	Exterior surfaces including wood, fiber-cement, stucco, aluminum, or vinyl
Material	Elastomeric acrylic paint
Bird Pressure	Light to Heavy

ADVANTAGES & BENEFITS

BeakGuard is a decorative “Deterrent” coating reducing the potential of Woodpecker damage for both new and existing buildings. It incorporates a blend of ingredients that offer safe and effective deterrent protection from woodpeckers. These compounds immediately communicate a warning signal to the birds, prompting them to find a more desirable location.

- Environmentally friendly; will not harm woodpeckers
- Easy to apply to almost any surface
- Durable and weather-resistant
- Effective quickly after application
- Custom colors available



White Stone Gray Brown

Part #	Color	Coverage
WPK-BG-BRN	Brown	180 sq. ft. (16.72 sq. m)
WPK-BG-GRY	Gray	180 sq. ft. (16.72 sq. m)
WPK-BG-STN	Stone	180 sq. ft. (16.72 sq. m)
WPK-BG-WHT	White	180 sq. ft. (16.72 sq. m)
WPK-BG-CUSTOM	Custom	180 sq. ft. (16.72 sq. m)



Avian Control® uses cutting edge technology to efficiently repel undesirable birds without harming the birds, humans or other animals (including household pets).

Avian Control™

ADVANTAGES & BENEFITS

- Non-lethal and mild enough to use around people and animals.
- Low cost, effective solution.
- Simple application via ground, aerial spraying, or fogging.
- Utilizes 20% active ingredient, Methyl Anthranilate.
- EPA approved for use on numerous crops.
- For indoor fogging use: Undiluted at a rate not to exceed two (2) fl. oz. per 10,000 cubic ft.
- For outdoor fogging use: Undiluted at a rate of 12-16 fl. oz. per acre Recommended spray.
- Recommended spray application rate on turf is 12-42 fl. oz. per acre up to a maximum of 5 gal. per acre.
- Estimated coverage: 6 acres per gallon on turf; 9 acres per gallon when used with foggers

SKU	ANV-GAL
Where to use	Crops, airports, dairy barns, other commercial and residential applications.
Active ingredient	20% Methyl Anthranilate (MA), methyl 2-aminobenzoate

The repellent is effective against many types of nuisance birds including geese, pigeons, starlings and grackles.



Birds in Buildings

How to Remove and Deter Birds from Inside Buildings

For many stores, pest birds, droppings, and nesting materials pose serious health and safety issues which may result in lost revenue and fines. Bird•B•Gone® offers a variety of solutions to help you rid pest birds from stores and other large contained areas.

As with all bird control jobs, evaluate the extent and the root of the problem. Identify the bird species and how birds are entering the building (gaps, broken windows, old pipe chases, etc.). All areas should be repaired; bird nests and bird droppings properly removed. Be sure to remove all food, water, and clean-up any spills that would attract birds. As birds often enter through overhead doors, we suggest the installation of Bird•B•Gone® Vinyl Strip Doors or Bird•B•Gone® Bird Net Curtain to help keep birds out.

Once birds occupy the interior of the building, the most effective method for deterring and removing birds will involve a combination of one or more methods depending upon the situation:

Sparrows and other small birds: We highly recommend Bird•B•Gone® Mist Net that can be hung parallel to the point of entry (e.g. loading docks) allowing for the humane capture of multiple birds for proper release. Combine Mist Net with the Bird•B•Gone® Sparrow Charmer™, a field tested audio calling device that lures sparrows into netting and traps through the broadcast of Bird•B•Gone®'s proprietary sparrow call.

Highly visible and high-traffic locations: Use the Bird•B•Gone® Sparrow Sky Trap, a bird trap that can be hung from the ceiling and includes a tray that securely captures droppings or other debris. Combine with Bird•B•Gone® Sparrow Charmer™ for maximum results.

Large, "open" indoor/outdoor areas: We recommend the use of Agrilaser® Lite (pg. 40) and Bird Hazing. Agrilaser® Lite repels birds with patented optical technology. Birds perceive the laser beam as an approaching physical danger and fly away in search for safer grounds. After systematic use, the birds will consider the area in which the Agrilaser® Lite is used as unsafe and will not return. Bird Hazing—dispersing a light haze/fog of Methyl Anthranilate (non-toxic, food-grade ingredient) through the air which irritates the birds' mucous membranes causing them to subsequently avoid the area. However, we do not recommend Bird Hazing for buildings that are heavily occupied by people and have large amounts of foot traffic.

Larger birds including pigeons: A combination of Agrilaser® Lite, humane trapping, and bird hazing is strongly recommended. To ensure you have the correct traps based upon flock size and location, call our Bird Control Experts at 800-392-6915.

While the removal of pest birds may appear to be a challenge, you can safely remove birds from the premises and prevent them from returning with cooperative personnel and the right combination of products. Should you require assistance, please contact our Bird Control Experts at 800.392.6915. We will be more than happy to provide you with the assistance needed to ensure you have the right products specified to resolve the bird problem properly and efficiently.

Prior to removing birds from inside a building, birds must first be removed from nesting, roosting, and landing sites on the exterior of the building as well as shoring up any entry points.

KEY PRODUCTS

Sparrow Trap
Pg. 38



Sparrow Charmer™
Pg. 40



Mist Netting
Pg. 41



Sparrow Sky Trap
Pg. 42



Net Launcher
Pg. 42



Bird Net Curtain
Pg. 48



Vinyl Strip Doors
Pg. 48



Bird Hazing



BIRD HAZING

Bird Hazing has proven to be effective in dispersing pest birds where other methods of bird control may be ineffective or impractical. Bird Hazing units efficiently deploy a light fog or haze of bird repellent made with Methyl Anthranilate (a non-toxic, food-grade ingredient). The active ingredient irritates a bird's mucous membranes. Birds find the sensation unpleasant and will subsequently avoid the area. The effect is temporary and will not harm the birds.

WHERE IS BIRD HAZING RECOMMENDED?

Bird Hazing is particularly effective in removing birds from large indoor/outdoor areas, warehouses, aircraft hangars, and plant nurseries. It has been proven effective for driving out pigeons, seagulls, geese, starlings, and many other pest birds. We do not, however, recommend Bird Hazing for buildings that are heavily occupied and have large amounts of foot traffic.

HAZING VS. FOGGING

Bird Hazing is used when birds are a problem in enclosed to semi-enclosed areas, semi-enclosed docks, and overhangs. A light haze of bird repellent is created through a Bird Haze unit which, depending upon the features of the unit, can often be programmed or set to run in intervals.

Bird Fogging is used in wide open areas where birds are a nuisance. Bird control fogs are used against flocks of birds that spend time in parks, golf courses, memorial parks and other large open spaces. The fog is created through the use of either a stationary or hand-held fogging unit. The units generate an aerosol of the Methyl Anthranilate. Foggers produce a "wet fog" that will not penetrate shrubs, so fogging is best used in the open areas that birds fly through or graze in. Fogging should be repeated as often as necessary to keep birds away.

Hazing	Fogging
Used in enclosed and semi-enclosed areas	Used in wide open spaces
Moves birds out of areas where they are roosting and nesting	Moves flocks of birds from open spaces
Creates a small particle mist	Creates a "wet fog"
Depending upon the unit, may be programmed or set to run in intervals	Usually applied with hand-held unit on a scheduled basis

Bird•B•Gone® Bird Hazer

Bird•B•Gone® Bird Hazer™ is an affordable and advanced hazing system that releases a fine fog of bird repellent into the air to deter pest birds from large open spaces.



- Effective for most pest birds including sparrows.
- Advanced nozzle design distributes fog particle size less than 1 micron.
- Saves money - uses significantly less liquid repellent than other hazing units.
- Each Main Control Unit can control up to 6 satellite units to help ensure full perimeter coverage.
- Designed for indoor and outdoor use.

Item	Hazer Main Control Unit
Dimensions	14" x 16" x 6"
Weight (Empty)	32 lbs
Material	Weatherproof NEMA Polycarbonate
Haze Particle Size	Less than 1 micron

SKU- 3 Piece Kit	HAZR-3KIT (Includes main control unit and 3 satellite units)
SKU- 6 Piece Kit	HAZR-6KIT (Includes main control unit and 6 satellite units)
Satellite Dimensions	14" x 6" x 6" each
Satellite Weight (Empty)	4 lbs each
Tank Size	1 liter each
Material	Powder-coated metal

Bird House Sparrow Trap



- The perfect tool for control of pesky sparrows.
- Looks like any birdhouse but conceals a trap.
- Spring-loaded door snaps when a sparrow enters and lands on a perch beneath the opening.
- Includes mounting bracket and detailed instructions.

Part #	Size
BMP-BHSPT	9"H x 5"W x 5.5"D



EcoBird® is effective for all birds including: Pigeons, geese, grackle, starlings, dove, black birds, swallows, gulls, water fowl & many other birds that have become a nuisance and/or a health hazard in affected areas.

EcoBird® 4.0

ADVANTAGES & BENEFITS

EcoBird® 4.0 was developed as a non-hazardous bird repellent, made from food-grade materials & is a naturally occurring GRAS (generally recognized as safe) product. The active ingredient is a US EPA listed, & FDA Approved, compound used as a food flavoring and fragrance additive. It is a natural component of concord grapes and other plant materials.

- EPA approved: safe for indoor and outdoor applications.
- Non-hazardous bird repellent made from food-grade materials.
- Utilizes 40% active ingredient, Methyl Anthranilate.
- Does not harm birds, people, or pets
- Ecological and economical.
- For use with mechanical spraying & fogging equipment.
- For indoor fogging use: undiluted at a rate not to exceed one (1) fl. oz. per 10,000 cubic ft.
- For outdoor fogging use: undiluted at a rate of 6-8 fl. oz. per acre.

SKU	ECOBRD-40
Where to use	Grain Storage & Manufacturing facilities, Airports & Hangars, Parking & car wash facilities, Landfills, Golf courses, and more.
Active ingredient	40% Methyl Anthranilate



Easily, effectively and economically dispenses oil based insecticides, fungicides, germicides, disinfectants, odor control, and other chemical products.

Dyna-Fog™ Falcon 4000

SKU	BF-FOGAPP
Type	Thermal Aerosol Fog, Resonant Pulse Principle
Dimensions	52" x 12.5" x 12.3"
Weight (Empty)	14.8 lbs (6.71 kg)
Formulation Tank	1.64 gal
Power Supply	(1) 1.5 Volt "AAA" size Alkaline Battery
Fog Particle Size	0.5-50 microns

ADVANTAGES & BENEFITS

Easily, effectively and economically dispenses oil based insecticides, fungicides, germicides, disinfectants, odor control, and other chemical products.

- Ergonomic tank design conforms to the operator's body.
- Greatest performance-to-weight ratio of any machine available.
- Large easy-to-remove tank caps – easily accessible.
- Standard with 1.5 VDC "Buzzer" patented microprocessor ignition system with integrated switch.
- Patented Dyna-Fog™ stainless steel engine and starting system for easy reliable and consistent starting.
- Non-Pressurized Fuel Tank system provides quick starting and superior performance



The Bird•B•Gone® Sparrow Charmer™ lures sparrows into netting and traps through the broadcast of our Bird•B•Gone®'s proprietary sparrow call. Field tested and scientifically proven to attract sparrows, Sparrow Charmer™ is the perfect add-on to any mist net kit or trap. For suggested use in big box and retail stores, warehouses, or any large indoor or outdoor space in which you need to capture sparrows.

TIPS & TRICKS

Use Sparrow Charmer™ to lure sparrows into traps.



Sparrow Charmer™

Bird Species	Sparrows
Where to Use	Warehouses, big box stores, airplane hangers, grocery stores
Dimensions	5" x 2" x 1" (12.7 cm x 5.08 cm x 2.54 cm)
Temperature	Light to Heavy
Part Number	BIRDCALL-SP

ADVANTAGES & BENEFITS

- Programmed with Bird•B•Gone®'s proprietary sparrow call; field tested and proven to attract sparrows.
- Separate remote control functions up to 150 meters away.
- Volume control between 85 and 170 db.
- Attracts sparrows up to 2 acres away.
- Programmable adjustable timer.
- Built-in speaker with push button controls.
- Easy to use.
- Plays up to 10 continuous hours.
- Rechargeable lithium battery.

PACKAGE INCLUDES

- Sparrow Charmer™
- Mounting clip
- Remote control
- USB cord
- USB power adapter
- Power cord

Agrilaser® Lite



Part Number AGRL-LT

The Agrilaser Lite repels birds during lighting conditions of 20,000 Lux or less, which you can compare with cloudy weather.

- Easy to use.
- Range up to 1,000 meter.
- Fast and long-lasting results.
- Suitable for repelling most bird species.
- Animal and environmentally friendly.

KIT INCLUDES

- Agrilaser® Lite
- Firm storage box
- 2x Rechargeable batteries
- Battery charger

Agrilaser® Handheld



Part Number AGRL-HAND

To make operation over long distances more accurate and safe, the Agrilaser Handheld is equipped with a red dot sight. The sight makes it possible for a bird controller to accurately aim the Agrilaser Handheld at the desired target before activating the laser.

- Easy to use.
- Range up to 2,500 meter.
- Fast and long-lasting results.
- Suitable for repelling most bird species.
- Animal and environmentally friendly.

KIT INCLUDES

- 1x Agrilaser Handheld
- 1x Lens cap
- 2x LR14 battery
- 1x Aiming sight
- 1x Protection cap for aiming sight
- 1x Hex screw
- 1x Screw driver
- 1x Cleaning cloth
- 1x Storage case



Mist Net

Bird Species	All Birds
Where to Use	Warehouses, big box stores, airplane hangars, grocery stores
Material	UV protected nylon
Bird Pressure	Light - heavy

ADVANTAGES & BENEFITS

- Humanely captures birds for removal.
- Made from extremely fine fibers that birds cannot see.
- Will not harm birds.
- Designed to capture multiple birds with 1 net.
- Ideal for big box stores, warehouses, grocery stores or other indoor areas where birds are trapped.
- Available in 4 sizes.

TIPS & TRICKS

For maximum effect lure sparrows in with Sparrow Charmer™

See Pg. 40



Part #	Net Size
MIST7X10	7' x 10' (2.13 m x 3.05 m)
MIST10X20	10' x 20' (3.05 m x 6.10 m)
MIST10X30	10' x 30' (3.05 m x 9.14 m)
MIST10X40	10' x 40' (3.05 m x 12.19 m)

Mist Net is a simple, humane way to catch and release trapped birds.

To install: Mist Net is hung directly in birds' flight paths. When birds hit the net, they become immobile which makes it easy to remove and set them free outside of the structure.



Mist Net Kit







Our Mist Net Kit contains everything needed to capture and release trapped birds.

MIST NET KIT INCLUDES:

Mist Net	1 per kit (Choose one size)
Telescoping Poles	2 each
Hook Attachments	2 each
Magnet Attachments	2 each
Laser Pointer	1 each
Carrying Case	1 each
Magnet Covers	2 each
Sparrow Charmer	1 each with MISTCAP-KIT-CHRM and MISTCAP-KIT/20-CHRM

Part #	Description
MISTCAP-KIT	Net: 10' x 30' (3.05 m x 9.14 m)
MISTCAP-KIT/20	Net: 10' x 20' (3.05 m x 6.10 m)
MISTCAP-KIT-CHRM	Net: 10' x 30' (3.05 m x 9.14 m) & Sparrow Charmer
MISTCAP-KIT/20-CHRM	Net: 10' x 20' (3.05 m x 6.10 m) & Sparrow Charmer

MIST NET ACCESSORIES

Item	Details	Item Number
	Telescoping Pole Use to hang Mist Net: 18' (5.4m)	MISTP18 (One per pack)
	Hook Attachment Attaches to Telescoping Pole to hang Mist Nets from ceiling beams	MISTHOOK (One per pack)
	Magnet Attachment Attaches to Telescoping Pole to hang Mist Nets from metal ceiling beams	MISTMGNT (One per pack)
	Laser Pointer Use light beam to scare birds into Mist Net	MISTLZR (One per pack)
	Carrying Case Convenient for storing and transporting Mist Net components	MISTCS1 (One per pack)
	Magnet Cover For easy removal of magnet attachment	MISTRCLR (One per pack)



KIT INCLUDES:

- Firing Handle
- 2 Net Cones
- 10 Air Cartridges
- Carrying Strap
- 2 Replacement "O" Rings
- 1 Spare End Cover Cap
- A Lockable Aluminum
- Foam-lined Carrying Case

Net Launcher

Bird Species	All Birds
Where to Use	Wherever birds need to be relocated. Indoor or outdoor use.
Material	Durable plastic with nylon netting.
Bird Pressure	Light to Heavy

The Super Talon Ultra™ Net Launcher is a heavy duty hand held net launcher used to capture birds for later release. The Super Talon comes complete with accessories and a carrying case.

ADVANTAGES & BENEFITS

- Humane, will not harm birds.
- The Net Launcher is only 12.5 inches long and 2.3 lbs.
- Net launches up to 45 feet (depending on mesh size) .
- 2" mesh effective for all birds.
- Used worldwide by animal control agencies and research scientists.
- Ideal for warehouses, food production sites, storage facilities, big box stores and other areas.
- Kit comes complete with everything needed including air cartridges and multiple net launchers.
- Used exclusively by the USDA, US Fish & Wildlife and APHIS.
- Made in the USA.

Net Sizes	Description
NETGUN/KIT-2	SuperTalon Ultra™ Net Launcher Kit with 2" mesh (7' circle)
NETGUN/CARTRIDGE	Air Cartridges (35 grams) - 1/pk
NETGUN/CONE-2	Net Cone with 2" mesh (7' circle)
NETGUN/CONE-4	Net Cone with 4" mesh (7' circle)
NETGUN/CONE-4G	Net Cone with 4" mesh with grapples (7' circle)
NETGUN/CONE-6	Net Cone with 6" mesh (9'X9' Square)
NETGUN/NET-2	Net 2" mesh (7' circle)
NETGUN/NET-6	Net 6" mesh (9'X9' Square)

Sparrow Sky Trap

Net Sizes	Dimensions
BMP-SW-SKY	24"W x 12"L x 18"H (60.96 cm x 30.48 cm x 45.72 cm)

The Bird•B•Gone® Sparrow Sky Trap is a hanging trap designed for the capture of sparrows and smaller birds in high traffic areas.

ADVANTAGES & BENEFITS

- Hanging trap designed for high traffic areas.
- Proven V- top entry design enables Sky Trap to hang from the ceiling or sit on a flat surface.
- Pop-up feature makes this trap 24" x 12" x 18" high.
- Wider/longer pan (30" x 16") captures droppings or other debris that may fall from the inside the trap.
- V- top includes built-in feed pan that lures birds to the top of the trap.
- Perches placed inside of the trap calms birds after capture.
- Includes water/feed containers.
- Full wire floor.
- Simple assembly; assembles in minutes.
- Trap and slide-out pan can be easily cleaned.
- Slide-out pan constructed of heavy 26 gauge sheet metal.

TIPS & TRICKS

For maximum effect lure sparrows in with Sparrow Charmer™

See Pg. 40



Professional Bird Traps



Large Pigeon Trap with Shade, Food & Water

Part #: BMP-SW/LP-SFW

One 1-gallon water container and feeder pan
Six one-way entry doors with door guard
Divided trap with two access top doors
Hinged shade screen
Capacity: 30+ birds
16 lbs. (7.25 kg)
Dimensions: 45" x 24" x 10" (116.84 cm x 60.96 cm x 25.4 cm)



Pigeon Trap with Shade, Food & Water

Part #: BMP-SW/SP-SFW

Three one-way entry doors with door guard
Centered top access door for easy removal of birds
Hinged shade screen
Water container and feeder pan
Capacity: 12+ birds
Lightweight: 10 lbs. (4.53 kg)
Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)



Slanted Surface Pigeon Trap with Shade, Food & Water

Part #: BMP-SW/AD-LEGS

One 1-gallon water container and feeder pan
Adjustable legs ideal for slanted surfaces
Six one-way entry doors with door guard
Heavy slide out galvanized flat pan and fold down landing platforms
Hinged shade screens
Capacity: 20+ birds
23 lbs. (10.43 kg)
Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.4 cm)



Large Pigeon Hotel

Part #: BMP-SW/HTL

Four one-way entry doors
Two top-access doors
Two wooden perches
Full wire floor
Capacity 25+ birds
19 lbs.
Dimensions: 36" x 24" x 26" (91.4 cm x 60.96 cm x 66 cm)
Simple assembly



Grand Pigeon Hotel

Part #: BMP-SW-GRND-MTY

Six one-way entry doors and two top-access doors
Includes four wooden perches
Capacity 45+ birds
Dimensions: 80" x 24" x 26" (203.2 cm x 60.9 cm x 66 cm), 32 lbs.
Simple assembly
Shipped unassembled to save on shipping costs

Part #: BMP-SW-GRND-SFW

Same as BMP-SW-GRND-MTY plus: 1-gallon water container, feed station and a removable shade screen



Snap Trap

Part #: BMP-SW/SNAP-S: 17" x 17" x 2.5" (43.18 cm x 43.18 cm x 6.35 cm)

Part #: BMP-SW/SNAP-M: 24" x 24" x 2.5" (60.96 cm x 60.96 cm x 6.35 cm)

Simple to use with proven results.
When bait tray is triggered, a spring loaded nylon net closes over the birds to trap them quickly and safely.
Base of trap and net are green to blend in with its surroundings.
This trap can be mounted on buildings, walls, and trees.
The snap trap is powder coated for rust resistance.

Professional Bird Traps



Side view


Sparrow Trap

Part #: BMP-SP2C

Two chamber
Bi-level repeating trap
Dual level design eliminates captured feeling by birds
Large capacity (can hold a large number of sparrows)
Lightweight: 4 lbs. (1.81 kg)
Dimensions: 16" x 12" x 8" (40.64 cm x 30.48 cm x 20.32 cm)

For maximum effect
lure sparrows
in with Sparrow
Charmer™

See Pg. 40



Sparrow Trap with Food and Water

Part #: BMP-SW/SSP3-WF

Two top access removal doors
Bi-level eliminates captured feeling by birds
Repeating trap
Easy access to service feed and water station
Six entry funnel doors (three per compartment)
13 lbs. (5.89 kg)
Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.40 cm)

For maximum effect
lure sparrows
in with Sparrow
Charmer™

See Pg. 40



Collapsible Pigeon Trap

Part #: BMP-PSCP

Easily to assemble and collapses to 1" (2.54 cm) high
One door on each side
Capacity: 18+ pigeons
14 lbs. (6.35 kg)
Dimensions: 40" x 22" x 12" (101.60 cm x 55.88 cm x 30.48 cm)



Pigeon Motel

Part #: BMP-SW/SPM


Ideal for commercial or residential use
Two one-way entry doors
Each door has a door guard
Easy to store and re-use
Portable
Capacity: 6+ birds
Lightweight 5 lbs. (2.26 kg)
Dimensions: 24" x 12" x 8" (60.96 cm x 30.48 cm x 20.32 cm)



Collapsible Pigeon Trap with Shade

Part #: BMP-SW/CP-S

Four one way entry doors - one on each side
Easily assembles and collapses to 1" (2.54 cm) high
Hinged shade screen
Capacity: 12+ birds
Lightweight 8 lbs. (3.62 kg)
Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)



Transporters

Medium Part #: BMP-SW/TRN-M; Large Part #: BMP-SW/TRN-L

Constructed of heavy 14- and 16-gauge welded wire
Carrier collapses to 1" tall for storage
Full wire floor with slide out galvanized flat pan
Medium Capacity: 8+ birds
Large Capacity: 25+ birds
Medium Dimensions: 24" x 12" x 9" (60.96 cm x 30.48 cm x 22.86 cm)
Large Dimensions: 36" x 16" x 9" (91.44 cm x 40.64 cm x 22.86 cm)



Bird Chase Super Sonic™
IB50-PCOM



SIMPLE OUTDOOR SOLUTION

The Bird Chase Super Sonic is an outdoor sound device used to deter pest birds. Distress and predator calls from 24 types of birds are broadcast for two minutes at ten minute intervals to scare pest birds from large open spaces.

BIRD CHASE SUPER SONIC™ OPTIONS



Super Sonic
Speakers (2)
SONIC-SP2



Bird Chase Super
Sonic Pro Pack 2
IB50-PPII



Bird Chase Super
Sonic™ Pro Pack 4
IB50-PPIV

Bird Chase Super Sonic™

Bird Species	All species
Where to Use	Warehouses, rooftops, yards, open lots
Bird Pressure	Light to Medium

ADVANTAGES & BENEFITS

- Includes goose deterrent sounds.
- Deter birds from large open spaces with bird distress and predator calls.
- Low cost method of protecting your property.
- Features the distress and predator calls of 24 types of birds.
- Programmable, you can choose your target bird.
- UV protected and water resistant.
- Can be programmed to turn on/off automatically at night.
- Covers 1 acre. Add additional speakers for coverage up to 5 acres.
- 30-day unconditional money back guarantee.
- 100 ft of speaker wire for each speaker.

Part #	Description
IB50-PCOM	Bird Chase Super Sonic™
IB50-PPII	Bird Chase Super Sonic™ Pro Pack 2
IB50-PPIV	Bird Chase Super Sonic™ Pro Pack 4
SONIC-SP2	Super Sonic Speakers (2)



The Solar Bird Chase Super Sonic™ is ideal for use in large open spaces where there is no access to a power source. Solar panels charge and store energy to keep the system operating during inclement weather. **To install:** place unit in sun for 8 hours to charge. Optionally, you can plug unit in and charge for 4 hours. Once the unit is fully charged, place the unit on a flat surface where it receives sun for most of the day. This will keep it optimally charged. Select the proper bird setting from the menu, adjust volume, and watch the birds disappear.



Solar Bird Chase Super Sonic™

Bird Species	All species
Where to Use	Warehouses, rooftops, yards, open lots and more
Bird Pressure	Light to Medium

ADVANTAGES & BENEFITS

- Unit powered by sustainable solar energy.
- Deters birds from large open spaces with recorded bird distress and predator calls.
- Covers 1 acre.
- Water resistant – meant for outdoor use.
- Programmable.
- Light sensor automatically powers down the deterrent when the sun goes down.
- Unconditional 30-day money back guarantee.



Part #	Description
UR58	Solar Bird Chase Super Sonic™



COVERAGE
5
ACRES

ZON™ Mark IV Bird Scare Cannon™

Bird Species	All species
Where to Use	Vineyards, orchards, row crops, airports, or other large open spaces.

Designed to produce a regulated sonic blast to scare pest birds and wildlife, ZON™ Mark IV Birds Scare Cannon™ will protect 1 to 5 acres, depending upon topography. Ideal for use in agricultural fields, vineyards, orchards, airports, or any other large open area where pest birds are problematic.

ADVANTAGES & BENEFITS

- Detonation intervals adjustable from 40 seconds to 30 minutes.
- Economical – 20 lb. propane tank delivers about 17,000 explosions.
- Light for easy mobility – weighs only 8.4 kg (18.5 lbs.)
- Operates in strong wind conditions.
- Stable frame design prevents movement when detonating.
- Brass seated electrode with fixed-point setting delivers consistent spark.
- Optional ZON Tripod raises & rotates cannon for maximum effect and range.

Part #	Description
CANNON-MARK	ZON™ Mark IV Bird Scare Cannon™
CANNON-TRIPOD/M	ZON™ Rotating 4' Tripod for Mark IV Cannon



COVERAGE
5
ACRES

ZON™ Electra Bird Scare Cannon™

Bird Species	All species
Where to Use	Vineyards, orchards, row crops, airports, or other large open spaces.

ADVANTAGES & BENEFITS

- Built-in timer, multi-shot, automatic, random, on-demand modes, and hose failure protection regulator.
- Three random modes to eliminate animal tolerance by randomly varying the time after each shot series.
- Detonation intervals adjustable from 1 to 60 minutes.
- No moving parts to replace or adjust.
- Reliable printed circuit board controls gas flow and ignition.
- Can be mounted on vehicles or vessels for aggressive scare tactics.
- Stable frame design prevents movement when detonating.
- Optional ZON Tripod raises & rotates cannon for maximum effect and range.

Part #	Description
CANNON-ELECTRA	ZON™ Electra Bird Scare Cannon™
CANNON-TRIPOD/E	ZON™ Rotating 4' Tripod for Electra Bird Scare Cannon™

Adhesives & Sealants



Sikaflex® Gray Adhesive Glue

Construction grade polyurethane adhesive designed for outdoor use that will not sag, drip or run. Use with Bird Spikes, Bird Jolt Flat Track™, Bird Spider 360™, Bird Slope™ and Bird Wire.

Item #	Coverage
AD-FLEX-GRY	25' (7.62 m)



E6100® Adhesive Glue

E6100 is a unique non-sag, non-flammable industrial adhesive formulated to meet high-performance requirements. It permanently adheres to more surfaces than virtually any other adhesive, providing exceptional adhesion to wood, metal, glass, fiberglass, ceramics, masonry, concrete, asphalt, vinyl and many plastics. Use with Bird Spikes, Bird Jolt Flat Track™, Bird Spider 360™, Bird Slope™, & Bird Wire.

Item #	Coverage
ADE61	25' (7.62 m)



Ecobond® Clear Adhesive Glue

Complies with CA Prop 65.

Ecobond Clear Sealant is designed for outdoor use, and will not sag, drip or run. It can be used in applications that require either a vertical or horizontal hold. Use with Bird Spikes, Bird Jolt Flat Track™, Bird Spider 360™, Bird Slope™, and Bird Wire.

Item #	Coverage
ADBOND-CLR	25' (7.62 m)



3M Quick Adhere

The Quick Adhere is a fast curing (20 minutes) Scotch-Weld™ epoxy adhesive used to secure the Glue-on Bases, and is ideal for use on surfaces where drilling is not an option.

Item #	Item
BWQAA-2	Quick Adhere (1/pk)
BWQAAP	Quick Adhere Applicator (1/pk)
BWQAAN-12	Quick Adhere Nozzles (12/pk)



Dripless Caulking Gun

Switch between dripless or standard mode. The grip is designed to keep the wrist in a natural position, while the squeeze handle comfortably accommodates the fingers. Weighs approximately 60% less than comparable guns.

Item #	Item
CAULK-ETS3000	Dripless Caulking Gun

Cleaning Supplies



3M® 6000 Series Half-Face Respirator

Protect yourself while cleaning up your job site! Bird feces and nesting materials can carry a host of disease and bacteria that are easily transmitted to humans. Take the proper precautions and protect yourself and your crew from unnecessary contamination and inhalation of dried bird feces.

Item	Size	Item #
Respirator	Medium	RESP-MED
Respirator	Large	RESP-LRG
Refill Filter	(2 Pack)	RESP-REFILL/2



Refill Filter



Microcide SQ™ Disinfectant Cleaner

Concentrate w/ Quart Spray Bottle. 8 ounces makes 16 quarts (4 gallons).

Item	Item #
Disinfectant	DIS-SQ8



Airzyme™ Waste Digester

Airzyme™ is specially formulated to clean, digest and deodorize the accumulation of bird droppings.

Item	Size	Item #
Waste Digester	Gallon	DISAZ-1GAL



Vinyl Strip Doors

- Stop birds from entering buildings, warehouses and loading docks.
- Can be used in conjunction with Bird Net 2000™, and other Bird•B•Gone® products.
- Custom sizes available.
- Complete with hardware and ready to hang.


CUSTOM SIZE STRIP DOORS FLAT STRIP - FULL OVERLAP

Part #	Door Width x Height	% of Overlap
VSD-08CS	8" x .080" (20.32 cm x .20 cm)	Full
VSD-12CS	12" x .120" (30.48 cm x .3048 cm)	Full
VSD-16CS	16" x .160" (40.64 cm x .406 cm)	Full

STANDARD SIZE STRIP DOORS MADE WITH STANDARD FLAT STRIP

Part #	Door Width x Height	% of Overlap
VSD-3X7	3' w x 7' h (.914 m x 2.13 m)	50%
VSD-4X8	4' w x 8' h (1.21 m x 2.44 m)	50%
VSD-6X8	6' w x 8' h (1.83 m x 2.44 m)	50%
VSD-8X8	8' w x 8' h (2.44 m x 2.44 m)	50%
VSD-8X10	8' w x 10' h (2.44 m x 3.05 m)	66%
VSD-10X10	10' w x 10' h (3.05 m x 3.05 m)	66%
VSD-12X12	12' w x 12' h (3.66 m x 3.66 m)	66%

Bird Net Curtain



Part #
CRTN-CUSTOM

Bird Net Curtain
sliding hooks

Bird•B•Gone® Bird Net Curtains enable roll up doors to remain open for ventilation during working hours and significantly reduces the opportunity for birds to enter the building. Each Bird Net Curtain is custom cut based upon your specifications and door frame size. Choose from three sizes of bird net - 3/4", 1-1/8" & 2" mesh depending upon the type of bird you wish to keep out. Bird•B•Gone® Bird Net Curtains easily open and close to allow for in and out traffic.

- Keeps birds from entering warehouses, loading docks, and manufacturing plants
- Uses Heavy Duty Bird Net 2000™ hung as a curtain to keep birds out
- Easily installed using the included bird net hardware and industrial curtain track

Gutter Brush



Prevent clogs and protect rain gutters all year long with Bird•B•Gone® Gutter Brush. Bird•B•Gone® Gutter Brush prevents leaves, branches, and other debris (including nesting birds) from entering rain gutters while allowing water to flow unobstructed. Made from durable PVC and a galvanized steel core, Bird•B•Gone® Gutter Brush is easy to install as no tools are required. 8 lengths; 26 ft. per box.



Part #	Dimensions
BG-BRUSH	39.38" x 4" in diameter (1 m x 100 mm)

Visual & Physical Bird Deterrents

Repeller 360°™

Part #: RPL360



- Uses sustainable wind energy
- Ideal for docks and boats
- Patent pending clip locks unit into place - will not blow off in high winds
- UV protected - designed for outdoor use
- Sweeps birds continually in a 6' diameter
- Humane: Won't harm birds

Solar Bird Repeller

Part #: RPL-SLR1


Part#: RPLR-ARMS (2 Replacement Telescoping Rods (2.5' (.076m))



- Solar powered with rechargeable batteries
- Rechargeable batteries store power for use in low or no light
- Lightweight propeller rotates at 30 RPM
- Durable 316 stainless steel telescoping arms cover a 5' (1.52 m) diameter
- Sweeps birds continually in a 5' diameter

Flash Tape - NEW SIZE!

Part #: MMFT-050: 1" Wide (3-50' rolls)
MMAFT-SIL: 2" Wide (1-150' roll)



- Iridescent foil tape scares birds away with reflective surface
- Ideal for use in gardens, trees, pool areas, outdoor patios, gazebos, and more.

Reflective Scare Bird Diverters

Part #: SED-5



- Iridescent foil "predator" eye scares birds away
- Easy to install
- Will not damage trees or plants
- 5 diverters per pack

Bird•B•Gone® Balloon

Part #: SEB-1



- Inflatable visual scare device
- Confuses birds with life-like reflective "predator" eyes
- Includes flash tape
- Ideal for use in fruit trees, patio covers, pool areas, gazebos, etc.

Critter Shield™

Part #: MM-CS



- Motion activated infrared sensor detects birds when present then "fires" water
- Shoots over 1,000 times on only one 9 volt battery (not included)

Red Tail Hawk

Part #: MMRTTH1



- Birds identify hawks as predators and will leave the area where the decoy is present
- Easy to install, extremely versatile
- Low cost effective solution

Copper Mesh

Part #: CMS-20 20' (6.10 m)
CMS-100 100' (30.48 m)



- Ideal for roof tiles and open spaces around dryer vents
- Packs tightly into cracks and holes for exclusion of pests and birds

Display Case



Our display case is the perfect visual tool to bring along when giving a sales presentation on bird control services.

Interactive Display Case

FREE



USB flash drive that contains a digital interactive display case showcasing our products, case studies and specs.

Custom Sell Sheets

FREE



We offer free customized "sell sheets" you can give to existing or potential customers to let them know you provide bird control as a service.

Authorized Installer Logo Sticker

FREE



When displayed on your vehicle, this waterproof vinyl sticker is perfect for letting customers know you can help them with their bird control needs.



Children gather with Bruce in Sierra Leone, Africa!

Bird•B•Gone® Gives Back

Our motto is "it's more than just bird control products, it's faith, family and friends" and we don't just say it, we live it! Not only do we treat our team members and customers like family we have extended this motto to include those less fortunate around the world. Bird•B•Gone® has teamed with Children of the Nations, (a non-profit organization that provides holistic care to orphaned and destitute children across the globe) to help fund the building of orphanages in Liberia and Sierra Leone! We couldn't do it without you! Your continued support of Bird•B•Gone® allows us to make a life-saving and positive impact on impoverished and orphaned childrens' lives!



Through your continued support of Bird•B•Gone® products, we have been able to provide COTN in Sierra Leone with a brick making machine. This machine creates bricks out of local materials to create homes, classrooms and hospitals.

BIRD•B•GONE® DORMITORY





GOVERNMENT

United States Postal Service
Ellis Island Monument
Yosemite National Park
Jackson County Courthouse, MS
NASA
City of Austin, Texas
Orange County (FL) Convention Center
USDA
City of Phoenix
US Bureau of Land Management
City of Portland
NYPD
US Fish & Wildlife
CA Department of Corrections
City of Ithaca Consolidated Transit
City of Minneapolis
Port of Portland
Port of Seattle
San Francisco Housing Auth.
SEPTA - Philadelphia
Federal Aviation Administration

TRANSPORTATION

Union Pacific Railroad
Delta Airlines
New York State DOT
Bay Area Rapid Transit
Chicago Transit Authority
Pennsylvania DOT
Long Island Railroad
Southwest Airlines
Fort Worth Transportation Center
American Airlines
Continental Airlines
MTA - New York
Amtrak
Minnesota DOT
MTA Los Angeles
Delaware DOT
Oats Transit Missouri
Dallas Area Rapid Transit
Miami-Dade DOT
Jacksonville, FL DOT

CONSTRUCTION

Trammell Crow
Lusardi Construction
Whiting Turner Construction
FineLine Construction
ABM Engineering
Walsh Construction
Archer Daniels Midland
Barton Malow Company
Skanska
Bouis Lend Lease
Clark Construction
FH Paschen
CIANBRO Corporation
S.J. Amoroso
Swinerton Builders
Kiewit
McCarthy Construction
Flintco Construction
Cadence McShane
Hoffman Construction
Turner Construction

UTILITY

Pacific Gas And Electric
South Carolina Electric and Gas
Socal Edison
XCEL Energy
BC Hydro
LA Dept Water & Power
Sierra Pacific Power
Georgia Power
Florida Power & Light
TXU Generation Co
Duke Energy
American Electric Power
Entergy
Genon Energy
Centerpoint Energy
Bonneville Power Administration - Seattle
Detroit Edison Power

MILITARY

Camp Pendleton
Scott Air Force Base
Andrews Air Force Base
Camp Lejeune
United States Coast Guard
Fort Stewart
Fort Bragg
Nellis Air Force Base
Travis Air Force Base
Vandenberg Air Force Base
Hurlburt Field
MCAS Miramar
March Air Force Base
US Army Corps of Engineers
Offutt Air Force Base
Navy Public Works
Altus Air Force Base
McGuire Air Force Base
Buckley Air Force Base

HOSPITALS

Kaiser Permanente
V.A. Medical Center - Long Beach, CA
Cedars-Sinai Medical Center
Mayo Clinic
Cardinal Health
St. John's Hospital - MI
St. Mary's Hospital - MN
LSU Medical Center
Three Rivers Med Center
NYS Psychiatric Institute
Tyco Healthcare
Mercy Medical
Elmhurst Memorial Hospital
Presbyterian Hospital Charlotte, NC
Bergan Mercy Hospital Omaha, NE
Texas Children's Hospital
University of Utah Huntsman Cancer Institute
Florida Hospital Ormond Memorial
Terrebonne General Medical Center

AIRPORTS

Delta Airlines
Southwest Airlines
American Airlines
Continental Airlines
Gerald Ford Airport
Portland International Airport
Seattle-Tacoma Airport
Long Beach Airport, CA
San Diego County Regional Airport
Raleigh Durham International Airport
Pitt Greenville Airport - NC
Boston Regional Airport - Manchester, NH
Philadelphia International Airport
Dallas-Fort Worth International Airport
Rochester International Airport
Denver International Airport
Asheville Regional Airport - NC
Tulsa Airport Authority, OK
Kahului Airport, HI

MUNICIPALITIES

Minneapolis, MN
Austin, TX
Phoenix, AZ
Portland, OR
Dallas, TX
Houston, TX
Las Vegas, NV
Los Angeles, CA
Milwaukee, WI
Sacramento, CA
Tucson, AZ
Salt Lake City, UT
Tampa, FL
Wichita, KS
Chattanooga, TN
Columbus, OH
Cedar Rapids, IA
Santa Monica, CA
Baltimore, MD

RETAIL

Ace Hardware
Home Depot
Walmart
McDonald's
Nordstrom
Costco
Sears
Kmart
Walgreens
Hewlett-Packard
PetSmart
Lowe's
CVS
Ethan Allen
Carmax
Target
Burger King
Meijer
Publix Super Markets
Kraft Foods
Safeway Stores

STADIUMS

Yankee Stadium
Soldier Field
Citi Field Ball Park
Wrigley Field
Oklahoma State University
Camden Yards
Lincoln Financial Field
Citizens Bank Park
Texas A&M Olsen Field
Texas A&M Kyle Field
Sacramento City College
Hughes Stadium
Chesapeake Energy Arena
Kentucky Horse Park
Petco Field - San Diego, CA
Swayze Field - Mississippi
Flagler Dog Track

EDUCATION

LA Unified School District
School District of Philadelphia
University of Arizona
University of Southern California
Purdue University
Tulane University
Texas Tech University
Louisiana State University
UCLA
University of Oklahoma
University of Texas
University of Georgia
University of Missouri
UC Santa Barbara
Cal Poly San Luis Obispo
UC San Francisco
Cornell University
University of Washington
Portland State University
California Institute of Technology
Hewlett School

MISCELLANEOUS

Seaworld
Gallo Winery
Hertz Rent A Car
Ritz-Carlton
Marriott Hotels
Florida Aquarium
Six Flags
Caesar's Palace
Lincoln Center for the Performing Arts
Disney
Tropicana Products
Leprino Foods
Life Foods
Kennedy Space Center
Valero
Loury Park
Tampa Zoo
Alcatraz
9/11 Memorial - NJ
Exxon
BP



BIRD•B•GONE[®] Inc.

1

Partner with the best

- Lead generation
- Quoting assistance
- On-the-job training for big jobs



3

Train to win

- Free training
- Become an authorized installer
- Learn to market bird control



2

Grow profits

- Increase pest control business
- Expand customer base
- Grow revenue
- Build recurring business



**MAKE
YOUR
BUSINESS
SOAR**



800.392.6915 | www.birdbgone.com |  made in the USA