



**SUPERIOR TRAINING** 



**SUPERIOR SERVICE** 

**SUPERIOR PRODUCTS** 





## Who is Bird.B.Gone®?

### THE INDUSTRY **LEADER SINCE 1992**

Bird • B • Gone®, Inc. is the world's largest manufacturer of professional grade bird deterrents.

Since 1992, our products have helped solve pest bird problems in commercial, industrial, recreational, government and residential settings across the globe.

Our superior products, excellent customer support and cutting-edge innovation have secured our position as the number one manufacturer and supplier of bird control products.

### We look forward to serving you!

At Bird. B. Gone®, it's more than just bird control products, IT'S FAITH, FAMILY & FRIENDS!

## Why Bird • B • Gone®?

### OUR PEOPLE, PRODUCTS, EXPERTISE, AND TRAINING MAKE THE DIFFERENCE!

- Bird.B.Gone® products are humane, effective, and carry industry leading guarantees.
- The #1 most specified products by architects, engineers, and government agencies.
- We manufacture the majority of our own products at our facility in the United States. This allows us to provide the highest quality products at the lowest prices.
- Our products have been used to successfully deter pest birds from high profile locations such as airports, schools, hospitals, military bases, historical buildings and more.
- Our bird control engineers have a combined 100+ years of hands-on experience.
- We offer free training and support for all aspects of bird control, including on-site training and technical support.
- We regularly host a free training course, Bird. B. Gone University, that teaches everything from quoting a job to product installation.
- We offer same day and express shipping, even on custom cut net.
- Our products are available worldwide through a network of quality distributors.






Our customer support team is just a phone call away to assist you in finding the best solution for your budget.

Call 1-800-392-6915





| Why Bird•B•Gone®?2  |
|---|
| Bird•B•Gone® University4                                      |
| Partner with Bird•B•Gone®5                                    |
| Our Story6  |
| Bird Control Engineers7                                       |
| Why Bird Control?8  |
| Choose the Right Product9                                     |
| Products by Area10  |
| wo Minute Tuesday42   |
| Bird•B•Gone® Gives Back50                                     |
| Clients 51  |
| ODIVE OVOTEMO   |
| SPIKE SYSTEMS   |
| Stainless Steel Bird Spikes12                                 |
| Mega Spike14  |
| Gutter Spike14  |
| Girder Spike14  |
| Polycarbonate Bird Spikes15                                   |
| DIDD HETTING  |
|   |
| BIRD NETTING  |
| סומט אבו וואנו<br>Bird Net 2000™ Heavy Duty Netting 18        |
|   |
| Bird Net 2000™ Heavy Duty Netting 18                          |
| Bird Net 2000™ Heavy Duty Netting 18<br>Flame Retardant Net19 |
| Bird Net 2000™ Heavy Duty Netting 18<br>Flame Retardant Net   |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |
| Bird Net 2000™ Heavy Duty Netting 18 Flame Retardant Net      |

Installation Components.....29

Electric Track Chargers.....29

WHY BIRD B GONE®?

| BIRD DETERRENTS                         |
|---|
| Bird Slope™30                           |
| Bird Slope™ Installation Accessories 31 |
| Reflect-A-Bird™31                       |
| Bird Spider 360°832                     |
| Bird Wire33                             |
| Bird Wire Hardware34                    |
| DIDD DEDELLENTO                         |
| BIRD REPELLENTS                         |
| Transparent Bird Gel35                  |
| Bird-OFF® Gel35                         |
| Avian Control®36                        |
| Avian Migrate™36                        |
| Avian Fog Force™ TR36                   |
| Bird•B•Gone® Hazer38                    |
| Sparrow Capture Trap38                  |
| EcoBird® 4.039                          |
| Patriot Thermal Fogger39                |
| BeakGuard®49                            |
|   |
| BIRD TRAPPING & CAPTURE                 |
| Bird•B•Gone® Sparrow Charmer40          |
| AgriLaser® Lasers40                     |
| Mist Netting 41                         |
| Sparrow Sky Trap42                      |
| Professional Bird Traps43               |
|   |

| Professional Bird Traps43  |   |
|--|---|
| SOUND DETERRENTS   |   |
| Bird Chase Super Sonic™45  |   |
| $Solar \ Bird \ Chase \ Super \ Sonic^{^{\intercal}}45$                    |   |
| ZON Mark IV Bird Scare Cannon $^{\!\scriptscriptstyle{\text{TM}}}$ 46      |   |
| $\textbf{ZON Electra Bird Scare Cannon}^{\scriptscriptstyle{\text{TM}}}46$ |   |
| MISCELLANEOUS  |   |
| Adhesives & Sealants47   |   |
| Cleaning Supplies47  |   |
| Industrial Spring Clamp48  | 1 |
| Vinyl Strip Doors48  |   |
| Bird Net Curtain48   |   |
| Vent Covers48  |   |









Visual & Physical Bird Deterrents .....49 Marketing Materials......49



## **Become an Authorized Installer**

As an Authorized Bird • B • Gone ® Installer, you will work with the highest quality bird control products and receive the best customer service. Whether you are looking to develop a primary bird control business or wish to add an additional service to your existing business, bird control can be a lucrative way to add extra dollars to your bottom line. We pride ourselves on the personal relationships we build with our customers and are here to assist you in building and growing your bird control business!

### BIRD • B • GONE® UNIVERSITY

Earn your Authorized Installer Certificate at Bird • B • Gone® University—a free training course designed to teach the basics of bird control. Classes are taught by our bird control specialists and are held at the Bird•B•Gone® training facility in Santa Ana, California. Those who attend receive a Certificate of Completion which can also be applied as credit hours toward a Pest Control Applicator's License in many states.

### **TOPICS INCLUDE:**

- How to market and make a profit in bird control
- · Site evaluation
- · Choosing the right product
- · How to install products (hands-on training)
- · Quoting bird jobs
- How to install netting (hands-on)
- · How to avoid problems and troubleshooting
- · Marketing bird control



### **WORLDWIDE ON-SITE TRAINING**

At Bird B Gone®, our goal is not to "sell" you products, but rather to position you to make the best quality decisions when it comes to designing, specifying, and installing the right products to fit your job. Our bird control engineers have 100+ years of combined experience and will help you in all aspects of bird control.

Need to train a group of employees? Have a complex bird job? Bird.B.Gone® will provide the expertise necessary to bring success to your job. To schedule on-site training, contact our installation experts at 800.392.6915.

## **Partner with** Bird • B • Gone®

### NEED AN AUTHORIZED INSTALLER?

If you don't have the time, resources or expertise to solve your bird problem, we can connect you with a Bird • B • Gone ® Certified Authorized Installer.

Bird • B • Gone ® has trained an extensive network of Authorized Installers who can install our line of professional bird control products around the world. Whether it's a commercial, residential or industrial setting, our installers have the training and experience needed to solve your pest bird problem.

We work closely with our installers to make sure they are qualified to help you get rid of your pest birds while providing excellent customer service.

### QUALITY GUARANTEED

Bird • B • Gone ® manufactures products in the United States ensuring they meet the highest standard of quality in the industry. All products go through an extensive quality control process before they leave our warehouse. All products are hand inspected and signed as they are packaged. This allows us to offer the industry's longest guarantees.

- · Stainless Steel Bird Spikes 10 Years
- · Polycarbonate Bird Spikes 5 Years
- Bird Net 2000™ Heavy Duty (Black) 10 Years
- · No-Knot Netting 10 Years
- · Bird Wire 5 Years
- · Bat Netting 10 Years



### **SHIPPING**

Bird • B • Gone® provides the fastest and most efficient shipping in the industry. We manufacture our own products, which provides us with the greatest flexibility in offering customers convenient and expedited shipping options. We offer same-day shipping, even on custom cut nets! We use a variety of traceable shipping methods to guarantee your products arrive on time. Wherever you are in the world, Bird.B.Gone® will ship to you!


### SPECIFICATIONS & CAD DETAILS

Bird • B • Gone ® is the #1 bird control company specified by architects, engineers and government agencies. Since 1992, we have worked closely with the AEC industry both in the design and implementation of effective, humane, and cost efficient bird control solutions.

Specifications, CAD, and BIM details can be found on the Bird.B.Gone® website. If you need help specifying bird control on a project, contact our bird control specialists who can help you choose the right product and even place you in contact with an Authorized Installer if needed.











## **Innovation**

At Bird.B.Gone®, we make it our business to stay on top of the latest advancements in the bird control industry.

We are constantly improving current technologies and developing new products to meet the needs of our customers. We strive to provide the most effective, efficient and reliable bird control methods on the market

Bird<sub>•</sub>B<sub>•</sub>Gone<sup>®</sup> has 42 issued patents worldwide and 35 pending patent applications—the most in the industry!

### SOME OF THESE OUTSTANDING PATENTED PRODUCTS:

- Bird•B•Gone® invented and patented the original Plastic Bird Spike—a revolutionary tool in bird control that remains one of our best sellers.
- Bird Jolt Flat Track® received another patent on its innovative anti-arcing and trough design.
- Bird•B•Gone® Stainless Steel Bird Spikes'™ patented "bend and crush" design ensures that the spikes stay firmly secure in their base.


Because Bird • B • Gone ® is only involved in bird control, we make it our business to stay on top of the latest advancements in the industry. We continue to provide our customers with the products and services that give them a leading edge in bird control.

### We measure our success by the success we create for our customers!

The Bird•B•Gone® family considers our customers friends. We partner with our friends by assisting, guiding, and training you in all aspects of bird control. Rather than just "sell you product", we help you find the optimal bird control solution available.

## **Our story**

Julie and I started Bird • B • Gone® in 1992. Since we couldn't afford anything... our first office was in our bedroom. The old oak desk pictured here was our first piece of "office furniture". The desk held our telephone and fax machine. With your kindness and business we have steadily grown. Today we own and operate our own manufacturing facility which makes and ships our products all over the world. The old oak school desk still occupies the same space in our home as a daily reminder of where we started.




· We thank you for helping us realize our dream.

 We thank you for your business and will continue to work hard to earn it!



Julie & Bruce Donoho



## **Our engineers**

### More than 100 years of combined experience in the bird control industry!

A company or organization is only as good as its people and Bird. B. Gone has the best! Our bird control engineers lead the industry with more than 100 years of hands-on experience. We've seen it all! Everyday we consult with large and small companies worldwide, helping them avoid costly mistakes and create "predictable success".



"My years with Bird. B. Gone have allowed me to meet great people in the industry. The range of products we cover challenges me to solve bird problems in a different and creative fashion each time."

Mike Dougherty, 19 years experience.

"In my time with Bird. B. Gone I have developed strong relationships in the industry. I have helped our customers grow their businesses across the globe and I take great pride in the success they have achieved. I look forward to continued success."

lan Rowsby, 22 years experience.



"Bird•B•Gone® is my home and I consider my customers as my friends. I have worked on amazing projects with some of the smartest people in the industry, giving me the chance to experience things I wouldn't trade for anything."

Scott Swanson, 19 years experience.




**Jeff Watts,** 14 years experience.



"From business owner to home owner, I enjoy recommending the right product for each customer's situation. It's great to have quality products available through various points of distribution worldwide!"

Shaun Johnson, 6 years experience.




Chris Fields, 11 years experience.



"It is always a pleasure helping a customer rid their property of pest birds. It doesn't matter if it's a home or a commercial building, Bird•B•Gone® will help you create a bird-free environment."

Alan Roniss, 2 years experience.



Mark Gist, 30 years experience.











## Bird control is an investment

- · Eliminate safety and health hazards decrease your liability
- Eliminate the spread of diseases to your employees, and patrons
- Decrease expenses/costs on maintenance and repair
- Protect your property value
- · Improve/protect your image

### **HEALTH RISK**

Birds, droppings, and nesting materials can carry up to 60 different diseases that can be passed to humans and animals.

#### **IMAGE**

Birds on a ledge or sign, or droppings covering a sidewalk will send a message to visitors that the business is careless and should not be trusted.

### INVENTORY DAMAGE

Droppings can damage products and contaminate production lines.

### **WORK STOPPAGES**

Employees will not and should not work in areas that are unsafe due to an accumulation of droppings.

### SLIP AND FALL RISK

Droppings can be slippery. If a customer or employee falls they could get seriously injured, and sue the building owner.

#### **HEALTH CODE VIOLATIONS**

Pest bird droppings found in food processing plants, restaurants, storage facilities or other areas may violate health codes resulting in fines, legal action, or closures.

### **CLOGGED DRAINS**

Droppings and nesting materials regularly clog drains, causing damage during heavy rains.

### PROPERTY/EQUIPMENT DAMAGE

Droppings are acidic and can corrode through paint, roofing materials and fabrics. These will need restoration or complete replacement.

### COST OF CLEANUP

Businesses that clean up after birds on a daily or weekly basis incur high clean-up costs.

It's important to take a proactive approach when dealing with pest birds. Birds not only carry and spread disease, but bird feces can corrode building materials.

The build-up of droppings or nesting materials is unsightly and can host parasites like bird mites. In the long run, bird control can save you time and money.

## Why bird control?









## **Products by pest bird**

There are many factors to consider when choosing the right bird control product. It is important to do a site evaluation to determine the species of bird, location and the bird's behavior.

Not all products work for every situation and some situations may require multiple products. Choosing the correct product can mean the difference between success and failure.

**Every situation is different.** Call us for advice! 1-800-392-6915







| PI | G   | E | l      | S |
|----|-----|---|--------|---|
| n: | اء. | _ | <br>:1 |   |

| ird Spikes       | 12 |
|------------------|----|
| ird Netting      | 17 |
| lectric Track    | 27 |
| ird Slope™       | 30 |
| ird Spider 360°® | 32 |
| ird Wire         | 33 |
| ird Gels         | 35 |
| lazing           | 38 |
| rapping          | 43 |
|                  |    |
|                  |    |

### **CROWS**

| Bird Spikes    | 12 |
|----------------|----|
| Bird Netting   | 17 |
| Electric Track | 27 |
| Bird Gels      | 35 |
| Super Sonics   | 45 |

### GULLS

| Bird Spikes       | 12 |
|-------------------|----|
| Electric Track    | 27 |
| Bird Slope™       | 30 |
| Bird Spider 360°° | 32 |
| Gull Wire         | 34 |
| Super Sonics      | 45 |
|                   |    |

### GEESE

| Goose Repellents  | .36/39 |
|-------------------|--------|
| ogging            | 39     |
| Super Sonics      | 45     |
| /isual Deterrents | 49     |
|                   |        |

### **VULTURES & RAPTORS**

| /lega Spike               | .14 |
|---------------------------|-----|
| Polycarbonate Bird Spikes |     |
| Bird Netting              | 17  |
| electric Track            | 27  |

### **SWALLOWS**

| Bird | Netting | •••     | <br>••• | ••• | ••• | ••• |     | ••• |     |  | •••   | .1 | 7 |
|------|---------|---------|---------|-----|-----|-----|-----|-----|-----|--|-------|----|---|
| Bird | Slope™  | • • • • | <br>••• | ••• | ••• | ••  | ••• | ••• | ••• |  | • • • | 3  | 0 |

### **SPARROWS**

| Bird Netting         | 17 |
|----------------------|----|
| Electric Track       | 27 |
| Bird Slope™          | 30 |
| Hazing               | 38 |
| Sparrow Capture Trap | 38 |
| Sparrow Charmer™     | 40 |
| Trapping             | 43 |
| Super Sonics         | 45 |

### **STARLINGS**

| Bird Spikes    | 12 |
|----------------|----|
| Bird Netting   | 17 |
| Electric Track | 27 |
| Bird Slope™    | 30 |
| Hazing         | 38 |
| Fogging        | 39 |
| Trapping       | 43 |
| Super Sonics   | 45 |
|                |    |

### **WOODPECKERS**

| Bird Netting      | 17 |
|-------------------|----|
| UltraNet™         | 26 |
| BeakGuard®        | 36 |
| Super Sonics      | 45 |
| Visual Deterrents | 49 |

### **GRACKLES**

| Electric Track | 27 |
|----------------|----|
| Bird Gels      | 35 |
| Hazing         | 38 |
| Fogging        | 39 |











## **Products by area**

See the guide below to find the right product by area.



### **EXCLUSION PRODUCTS**

Bird netting can be used in heavy nesting areas where birds need to be excluded. Netting can be used in roofs, warehouses, docks, airplane hangars and other enclosures.

| Bird Net 2000™ Heavy Duty Netting | 18 |
|-----------------------------------|----|
| Flame Retardant Net               | 19 |
| No-Knot Netting                   | 20 |
| Bat Netting                       | 25 |
| Solar Panel Bird Deterrent        | 25 |
| Pond Netting                      | 26 |
| Ultra Net™                        | 26 |
| Bird Slope™                       | 30 |



### **REDUCTION PRODUCTS**

When large numbers of birds take over a building or enclosed space, reduction products may be required before other bird control methods can be installed.

| Bird•B•Gone® Sparrow Charmer | 40 |
|------------------------------|----|
| Mist Netting                 | 41 |
| Sparrow Sky Trap             | 42 |
| Professional Bird Traps      | 43 |

Every situation is different. Call us for advice! 1-800-392-6915



### LEDGE PRODUCTS

Exposed ledges include roof lines, parapet walls, window sills, ledges, beams, and other open areas where birds choose to land.


| Stainless Steel Bird Spikes | 12 |
|-----------------------------|----|
| Mega Spike                  | 14 |
| Gutter Spike                | 14 |
| Girder Spike                | 14 |
| Polycarbonate Bird Spikes   | 15 |
| Bird Jolt Flat Track®       | 27 |
| Bird Spider 360°°           | 32 |
| Bird Wire                   | 33 |
| Transparent Bird Gel        | 35 |
| Bird-OFF Gel®               | 35 |



### **SENSORY PRODUCTS**

Sensory products are used when pest birds become a problem in semi-enclosed and wide open spaces like parks, golf courses, airports, vineyards, and agricultural areas.

| Reflect-A-Bird™                | 31    |
|--------------------------------|-------|
| Goose Repellents               | 36/39 |
| Bird•B•Gone® Hazer             | 38    |
| Patriot Thermal Fogger         | 39    |
| AgriLaser® Lasers              | 40    |
| Sound Deterrents               |       |
| ZON Mark IV Bird Scare Cannon™ | 46    |
| ZON Electra Bird Scare Cannon™ | 46    |
| BeakGuard <sup>®</sup>         | 49    |



# Patented US 6775950 Green US 6250023 **Product**





## Stainless Steel Bird Spikes<sup>™</sup>


| Bird Species  | Pigeons, seagulls, or larger birds   |
|---------------|--|
| Where to Use  | Ledges, I-beams, parapet walls, conduits, signs, flat, or curved surfaces  |
| Material      | Stainless steel spikes manufactured into a UV protected polycarbonate base |
| Bird Pressure | Light to Medium  |
| Warranty      | 10 years   |

### **ADVANTAGES & BENEFITS**

- #1 specified bird spike by architects, contractors and government agencies.
- · The lowest price and the longest guarantee.
- · Virtually invisible.
- · Humane, will not harm birds.
- Easy to install. Can be glued, screwed, or tied down.
- · Will not cut or injure the installer.
- · Patented "bend and crush" design for permanent installations.
- 2' (61 cm) lengths. Up to 40 spikes per foot in linear array. Cuts labor
- No-nest design. No gap spacing to deter birds from roosting or landing.
- · Manufactured by Bird B Gone® in the USA.

Bird•B•Gone® Stainless Steel Spikes™ create an uneven surface preventing birds from landing on flat or curved areas. Spikes come pre-assembled in 2' sections and are made of stainless steel pins in a polycarbonate base.

### PATENTED "BEND AND CRUSH" DESIGN





Scan this QR code to watch

instruction video

installation







| Width                     | 8"  | 5"   | 3"   | 1"  |
|---------------------------|---|--|--|---|
|                           |   | MANANA MA |  |   |
| Stainless Steel<br>Part # | BBG2001/8   | BBG2001/5  | BBG2001/3                                    | BBG2001/1   |
| Area of<br>Coverage       | 7"- 9"<br>(17.78 cm -22.86 cm)                    | 4"- 6"<br>(10.16 cm -15.24 cm)   | 2"- 4"<br>(5.08 cm -10.16 cm)                | 1"- 2"<br>(2.54 cm - 5.08 cm)                                   |
| Pack Size                 | 2' (61 cm) sections<br>50' (15.24 m) per box      | 2' (61 cm) sections<br>50' (15.24 m) per box   | 2' (61 cm) sections<br>50' (15.24 m) per box | 2' (61 cm) sections<br>50' (15.24 m) per box                    |
| Installation              | 43/4" 8" 1"+1"+1"+1"+1"+1"+1"+1"+1"+1"+1"+1"+1"+1 | 43/4"  LEDGE   | 43/4"  43/4"  LEDGE                          | *Attach using common hose clamps, nylon ties and wire lashings. |

## **Installation preparation**

The first step prior to installing bird spikes is to clean and dry the area where the spikes will be installed. Bird.B.Gone® offers cleaning supplies to get the job started off right.

Our selection of cleaning supplies are found on page 47.



## To install


Surface should be clean and dry before installation. Select width of bird spike based on surface to be covered. Glue, screw, or tie down to surface.

Our selection of installation adhesives are found on page 47.






Scan this QR code to watch installation instruction video




| Part #      | Area of Coverage              | Packing Size                                 |
|-------------|-------------------------------|--|
| BBG2001-MS7 | 3"-7"<br>(7.62 cm - 17.78 cm) | 2' (61 cm) sections<br>50' (15.24 m) per box |

## Mega Spike<sup>™</sup>

| Bird Species  | Pigeons, seagulls, cormorants, vultures, raptors, or larger birds          |
|---------------|--|
| Where to Use  | Ledges, I-beams, parapet walls, conduits, pipes, flat, or curved surfaces  |
| Material      | Stainless steel spikes manufactured into a UV protected polycarbonate base |
| Bird Pressure | Light to Medium  |
| Warranty      | 10 years   |



- · Ideal to prevent raptors, vultures, seagulls, cormorants and large birds from landing
- Tallest bird spike deterrent available
- Will not harm birds
- · Stainless steel spikes are virtually invisible
- · Easy to install. Can be glued, screwed, or tied down
- · 2' (60.96 cm) lengths cuts labor in half
- · Made in the USA by Bird • B • Gone®




| Part # | Area of Coverage                | Packing Size                                 |
|--------|---------------------------------|--|
| BGS    | 4"- 6"<br>(10.16 cm - 15.24 cm) | 2' (61 cm) sections<br>50' (15.24 m) per box |

## **Gutter Spike**

| Bird Species  | Pigeons, seagulls, or larger birds  |
|---------------|---|
| Where to Use  | For gutters up to 3/4"  |
| Material      | Stainless steel spikes manufactured into a UV protected polycarbonate base with aluminum clamps |
| Bird Pressure | Light to Medium   |
| Warranty      | 10 years  |

- · Prevents birds from landing on gutter ledges
- · Prevents birds from nesting in gutters
- · No need for separate clips or hardware
- Attached thumb screws make for easy installation
- · Virtually invisible
- · 2' (60.96 cm) lengths cuts labor time in half
- · Made in the USA by Bird.B.Gone®



| Part #                           | Area of Coverage                               | Packing Size                                 |
|----------------------------------|--|--|
| BBGGDR-3<br>BBGGDR-5<br>BBGGDR-8 | 3" (7.62 cm)<br>5" (12.70 cm)<br>8" (20.32 cm) | 2' (61 cm) sections<br>50' (15.24 m) per box |

## **Girder Spike**

| Bird Species  | Pigeons, seagulls, or larger birds   |
|---------------|--|
| Where to Use  | Adapts to any size girder up to 1" thick   |
| Material      | Stainless steel spikes manufactured into a UV protected polycarbonate base with aluminum clamp |
| Bird Pressure | Light to Medium  |
| Warranty      | 10 years   |

- Prevents birds from landing on steel girders and I-beams
- Fits any girder up to 1" (2.54 cm) thick
- · No need for separate clips or hardware
- · Ideal where clean up of debris or droppings is not possible
- · Attached girder clamps make for easy installation
- · Made in the USA by Bird • B • Gone®





Polycarbonate bird spikes installed on ledge.

Spikes installed along roof lines and ledges will prevent birds from landing.

### **AVAILABLE IN 7 COLORS!**

See next page for technical information and specifications.

## Polycarbonate Bird Spikes<sup>™</sup>

### **ADVANTAGES & BENEFITS**

- · Lowest cost bird spike.
- Will not harm birds.
- · Virtually invisible.
- Non-conductive. Will not interfere with electrical or communication transmissions.
- Rigid, super strong, and unbreakable.
- UV protected and weatherproof. Won't be affected by extreme temperatures -200° F to 310° F (-129° C to 154° C).
- 2' (60.96 cm) lengths. Cuts labor time in half.
- · Easy to install. No maintenance. Can be glued, screwed, or tied down.
- Manufactured by Bird B Gone® in the USA.

## **Underside View** Glue trough makes gluing easy Offset prefor screws or adhesive Notches break away for smaller pieces



Bird Spikes easily glue into place. Construction grade adhesives available on page 47.

## BIRD\*B\*GONE... UNIVERSITY

Bird • B • Gone® offers free training for all of our products. Bird.B.Gone® University teaches:

- Site evaluation
- · Choosing the right product
- · How to install products
- · Quoting bird jobs
- How to hang netting
- How to avoid problems





😕 Bird•B•Gone 🗓

## **Polycarbonate Bird Spikes**™

**Bird Species** Pigeons, seagulls, or larger birds Ledges, I-beams, parapet walls, conduits, signs, flat, or curved Where to Use UV protected polycarbonate plastic one-piece rigid construction Material **Bird Pressure** Light to Medium 5 years Warranty

### STANDARD COLORS


| Crystal Clear | White | Black     | <b>Light Gray</b>   |
|---------------|-------|-----------|---------------------|
| 1             | W     | *         | 4                   |
| Concrete Tan  | Brown | Brick Red | Custom              |
| 3/6           | **    | 44        | Colors<br>Available |













Gerald Ford Airport using 150,000 sq. ft. (13,935 sq. meters) of Bird Net 2000 Heavy Duty Bird Netting.

### **EVERY NET** IS TESTED

Bird•B•Gone® is the only bird control company that qualitytests netting before it ships. We test our netting's strength using ISO 1806 and 9001 protocol. Each net is tagged and signed for quality verification.



### INSTALLATION HELP

Bird.B.Gone® will connect you with a network of Authorized Installers across the globe who professionally install Bird Net

If you are looking to install netting yourself, our team of bird control engineers can help you with technical assistance and training.

## The highest quality bird netting in the industry guaranteed!

WE OFFER MORE THAN QUALITY BIRD NETTING, WE PROVIDE YOU WITH ALL THE TOOLS AND TRAINING YOU NEED TO GET THE JOB DONE.

- #1 specified bird netting by architects, contractors and government agencies
- Quality tested bird net ISO 1806 and 9001 protocol
- All bird netting hardware & tools available your "one stop bird netting shop"
- Experienced technical staff with over 100+ years of combined expertise
- Best quality bird netting in the industry every net is strength tested
- Bird B Gone ® Authorized Installers available across the country
- 10-year guarantee on black netting
- Superior pricing

## Custom cut nets and same day shipping available.



| Net Type                     | Mesh Size  | Bird Species   | Where to Use   | Warranty*  | Page # |
|------------------------------|--|--|--|--|--------|
| Bird Net 2000™<br>Heavy Duty | 3/4" (19mm)<br>1 1/8" (28mm)<br>2" (50mm)              | All Birds<br>Starlings & Pigeons<br>Pigeons & Seagulls | Roofs, warehouses, loading docks, airplane hangars, and other enclosures | 10 years black<br>3 years stone<br>3 years white | 18     |
| No-Knot Netting              | 3/4" (19mm)  | All Birds  | Roofs, warehouses, loading docks, airplane hangars, and other enclosures | 10 years   | 20     |
| HDPE<br>Pond Netting         | 3/4" (19mm)<br>11/2" (38mm)<br>2" (50mm)<br>4" (100mm) | All Birds<br>Waterfowl                                 | Tailing ponds, retention ponds, water collection sites, oil pits         | 10 years   | 26     |



Bird Net 2000™ Heavy Duty Bird Netting is a polyethylene knotted net used to block birds from entering unwanted areas.

Bird Net 2000™ is the most efficient and effective method for excluding birds, and is the #1 bird net specified by architects and government agencies.



90,000 sq. ft. (8,360 sq. m) of Bird Net 2000™ Heavy DutyNetting installed on canopy at Portland International Airport.



## **Bird Net 2000™ Heavy Duty Netting**

### **ADVANTAGES & BENEFITS**

#1 specified bird netting by architects and government agencies

- The strongest netting at the lowest price.
- · ISO 1806 and 9001 protocol tested.
- · "Sub-zero" stable.
- 270° F (132° C) melting point.
- · UV stabilized, rot proof, and waterproof.
- · Non-conductive.
- · Virtually invisible.
- Available in 3 colors to blend in with area of installation.
- · Custom sizes available for same day shipping! You'll never be short cut, we add a FREE extra 1' around the net perimeter.
- · We offer all the necessary hardware to install bird netting (see pages 21-23).




| Bird Species  | All species  |
|---------------|--|
| Where to Use  | Roofs, warehouses, loading docks, airplane hangars, and other enclosures     |
| Material      | UV protected polyethylene knotted netting. ISO 1806 and 9001 protocol tested |
| Bird Pressure | Light to Heavy   |
| Warranty      | 10 years black net<br>3 years stone net<br>3 years white net                 |

### BIRD NET 2000™ COLORS







### TECHNICAL DATA

| Material                     | UV stabilized knotted polyethylene net. Flame resistant, rot-proof, non-conductive, and stable in sub zero temperatures.   |
|------------------------------|--|
| Design                       | Six strands of Polyethylene UV treated twine. Each strand is 12/100" thick. The filaments are twisted and knotted for ultimate strength and longevity. Pressure stretched and tightened. |
| Burst Strength               | ISO 1806 and 9001 Protocol test in excess of 40 lbs. burst/break strength per twisted strand.  |
| Thermal Properties           | High Temp: Melting point in excess of 270° F<br>Low Temp: Stable to minus 250° F   |
| <b>Electrical Properties</b> | Non-conductive   |

## **Bird Net 2000™ Heavy Duty Netting**

### 3/4" NETTING - ALL BIRDS

| Part #      | Area                             | Color |
|-------------|----------------------------------|-------|
| 034BCUSTOM  | Custom: Includes FREE extra foot | Black |
| 034SCUSTOM  | Custom: Includes FREE extra foot | Stone |
| 034WCUSTOM  | Custom: Includes FREE extra foot | White |
| 034B25X25   | 25' x 25' (7.62 m x 7.62 m)      | Black |
| 034S25X25   | 25' x 25' (7.62 m x 7.62 m)      | Stone |
| 034W25X25   | 25' x 25' (7.62 m x 7.62 m)      | White |
| 034B25X50   | 25' x 50' (7.62 m x 15.24 m)     | Black |
| 034S25X50   | 25' x 50' (7.62 m x 15.24 m)     | Stone |
| 034W25X50   | 25' x 50' (7.62 m x 15.24 m)     | White |
| 034B50X50   | 50' x 50' (15.24 m x 15.24 m)    | Black |
| 034S50X50   | 50' x 50' (15.24 m x 15.24 m)    | Stone |
| 034W50X50   | 50' x 50' (15.24 m x 15.24 m)    | White |
| 034B50X75   | 50' x 75' (15.24 m x 22.86 m)    | Black |
| 034S50X75   | 50' x 75' (15.24 m x 22.86 m)    | Stone |
| 034W50X75   | 50' x 75' (15.24 m x 22.86 m)    | White |
| 034B50X100  | 50' x 100' (15.24 m x 30.48 m)   | Black |
| 034S50X100  | 50' x 100' (15.24 m x 30.48 m)   | Stone |
| 034W50X100  | 50' x 100' (15.24 m x 30.48 m)   | White |
| 034B100X100 | 100' x 100' (30.48 m x 30.48 m)  | Black |
| 034S100X100 | 100' x 100' (30.48 m x 30.48 m)  | Stone |
| 034W100X100 | 100' x 100' (30.48 m x 30.48 m)  | White |
| 034B100X200 | 100' x 200' (30.48 m x 60.96 m)  | Black |
| 034S100X200 | 100' x 200' (30.48 m x 60.96 m)  | Stone |
| 034W100X200 | 100' x 200' (30.48 m x 60.96 m)  | White |
|             |                                  |       |

### 1 - 1/8" NETTING - STARLINGS / PIGEONS

| Part #      | Area                             | Color |
|-------------|----------------------------------|-------|
| 118BCUSTOM  | Custom: Includes FREE extra foot | Black |
| 118B25X25   | 25' x 25' (7.62 m x 7.62 m)      | Black |
| 118B25X50   | 25' x 50' (7.62 m x 15.24 m)     | Black |
| 118B50X50   | 50' x 50' (15.24 m x 15.24 m)    | Black |
| 118B50X100  | 50' x 100' (15.24 m x 30.48 m)   | Black |
| 118B200X200 | 200' x 200' (60.96 m x 60.96 m)  | Black |

### 2" NETTING - PIGEONS / SEAGULLS

| Part #      | Area                             | Color |
|-------------|----------------------------------|-------|
| 200BCUSTOM  | Custom: Includes FREE extra foot | Black |
| 200SCUSTOM  | Custom: Includes FREE extra foot | Stone |
| 200B25X25   | 25' x 25' (7.62 m x 7.62 m)      | Black |
| 200S25X25   | 25' x 25' (7.62 m x 7.62 m)      | Stone |
| 200B25X50   | 25' x 50' (7.62 m x 15.24 m)     | Black |
| 200S25X50   | 25' x 50' (7.62 m x 15.24 m)     | Stone |
| 200B50X50   | 50' x 50' (15.24 m x 15.24 m)    | Black |
| 200S50X50   | 50' x 50' (15.24 m x 15.24 m)    | Stone |
| 200B50X100  | 50' x 100' (15.24 m x 30.48 m)   | Black |
| 200S50X100  | 50' x 100' (15.24 m x 30.48 m)   | Stone |
| 200B100X100 | 100' x 100' (30.48 m x 30.48 m)  | Black |
| 200S100X100 | 100' x 100' (30.48 m x 30.48 m)  | Stone |
| 200B100X200 | 100' x 200' (30.48 m x 60.96 m)  | Black |
| 200B200X200 | 200' x 200' (60.96 m x 60.96 m)  | Black |
| 200S200X200 | 200' x 200' (60.96 m x 60.96 m)  | Stone |

## **Black Hardware** Black oxide coating now available for: Turnbuckles · Multi purpose cable brackets · Net bolts Hogrings · Straining wire Call us today for pricing and details!

## **Flame Retardant Net**

- Ideal for use in inside applications such as airplane hangars, large warehouses, and even residential installations.
- · Netting extinguishes itself using a revolutionary red strand of filament.
- Will stop itself from burning when exposed to open flame.
- · Break strength in excess of 33 pounds.
- · Easily installed with same hardware as Bird Net 2000™.
- · Tested in both ASTM and NFPA 701.



| 3/4" FLAME |     |
|------------|-----|
| RETARDANT  | NET |

|  | Part #      | Area                                |
|--|-------------|-------------------------------------|
|  | 034FR50X100 | 50' x 100'                          |
|  | 034FRCUSTOM | Custom: Includes<br>FREE extra foot |



### SOFT ON YOUR HANDS

No-Knot Netting is a heavy duty, flame resistant polypropylene knotless bird net used to block birds from entering unwanted areas. No-Knot Netting is made from a UV stabilized mesh and excludes all bird species. No-Knot Netting is installed in the same manner as the Bird Net 2000™.

No-Knot Net on an interior I-beam



## **No-Knot Netting**

### **ADVANTAGES & BENEFITS**

Easy to handle, soft on your hands

- 3/4" mesh excludes all birds.
- ISO 1806 and 9001 protocol tested.
- 50 lb. burst strength.
- · High resistance to acids and alkalies.
- · Multi-stranded polypropylene fiber.
- · Non-conductive and virtually invisible.
- · Super strong, light and easy to install.
- Uses the same Bird•B•Gone® installation hardware as heavy duty knotted net.

| Bird Species  | All species  |
|---------------|--|
| Where to Use  | Roofs, warehouses, loading docks, airplane hangars, and other exposed enclosures |
| Material      | UV protected polypropylene knotted netting.<br>ISO 1806 and 9001 protocol tested |
| Bird Pressure | Light to Heavy   |
| Warranty      | 10 years   |

### TECHNICAL DATA

| Material              | Flame resistant, multi-strand polypropylene fiber with UV inhibitors.  |
|-----------------------|--|
| Burst Strength        | 50 lbs.  |
| Thermal Properties    | High Temp: 320° F to 338 ° F<br>Low Temp: - 250° F   |
| Chemical Properties   | Polypropylene is chemically inert and highly resistant to a wide range of chemicals at ordinary temperatures. Fibers have a high resistance to acids and alkalies. Does not rot or absorb water and will not mildew. |
| Electrical Properties | Non-conductive   |

### 3/4" (19MM) NO-KNOT NET

| Part #       | Area                             | Color |
|--------------|----------------------------------|-------|
| 034BKK25X25  | 25' x 25' (7.62 m x 7.62 m)      | Black |
| 034BKK25X50  | 25' x 50' (7.62 m x 15.24 m)     | Black |
| 034BKK50X50  | 50' x 50' (15.24 m x 15.24 m)    | Black |
| 034BKK50X75  | 50' x 75' (15.24 m x 22.86 m)    | Black |
| 034BKK50X100 | 50' x 100' (15.24 m x 30.48 m)   | Black |
| 034BKKCUSTOM | Custom: Includes FREE extra foot | Black |

| Straining<br>Wire     | Size  | Description   | Details  | Item Number  | Pack Size   |
|-----------------------|---|---|--|--|---|
|                       | 3/32" (2.38 mm)<br>For jobs OVER 50' in<br>length                                   | A perimeter cable to support your netting installation. Use galvanized cable for normal   | 3/32" Diameter,<br>7 x 7 Stranded<br>Construction Cable  | BNSW500G332<br>BNSW250G332<br>BNSW500S332<br>BNSW250S332   | 500' (152.40 m) Galvanized<br>250' (76.20 m) Galvanized<br>500' (152.40 m) Stainless Steel (316)<br>250' (76.20 m) Stainless Steel (316)  |
|                       | 1/16" (1.59 mm)<br>For on jobs UNDER 50'<br>in length                               | areas of installation. Use 316 grade stainless steel cable for areas near salt water, chemicals, etc.   | 1/16" Diameter,<br>7 x 7 Stranded<br>Construction Cable  | BNSW500G116<br>BNSW250G116<br>BNSW500S116<br>BNSW250S116   | 500' (152.40 m) Galvanized<br>250' (76.20 m) Galvanized<br>500' (152.40 m) Stainless Steel (316)<br>250' (76.20 m) Stainless Steel (316)  |
|                       |   |   |  |  |   |
| Fasteners             | Item  | Description   | Details  | Item Number  | Pack Size   |
| A                     | Cable Clamps An alternative method of securing cable (instead of ferrules).         | Use galvanized cable clamps for normal installation. Use stainless steel cable clamps for areas near salt water or chemicals, etc.  | Runs up to 100' (30.48 m):<br>Use two (2) clamps<br>Runs over 100' (30.48 m):<br>Use three (3) clamps  | BNCC-G<br>BNCC-S*  | Cable Clamps Galvanized (10/pk)<br>Cable Clamps Stainless (10/pk)   |
|                       | Ferrules<br>Used to clamp down and<br>secure your straining<br>wire at the ends.    | Use aluminum ferrules with galvanized cable. Use copper ferrules with stainless steel cable. For use with Bird Net Ratchet Crimp Tool (pg. 23).   | Use 3/32" ferrules with 3/32" cable Use 1/16" ferrules with 1/16" cable  | BNF332A*<br>BNF116A*<br>BNF332C*<br>BNF116C*   | 3/32" (2.38 mm) Aluminum (100/pk)<br>1/16" (1.58 mm) Aluminum (100/pk)<br>3/32" (2.38 mm) Copper (100/pk)<br>1/16" (1.58 mm) Copper (100/pk)  |
| M6 M8                 | Turnbuckles<br>Used to tighten straining<br>wire to prevent sagging<br>or drooping. | Use galvanized turnbuckles with galvanized wire and aluminum ferrules. Use stainless steel turnbuckles and wire with copper ferrules for installations near salt water, chemicals, etc. | Cable runs under 25' (7.62 m): M5 turnbuckles Cable runs of 25' - 75' (7.62 m - 22.86 m), use M6 turnbuckles Cable runs over 75', use M8 turnbuckles | BNGTS (10/pk)<br>BNGTM (10/pk)<br>BNGTL (10/pk)<br>BNSSTS (10/pk)*<br>BNSSTM (10/pk)*<br>BNSSTL (10/pk)* | M5 Small Galvanized Turnbuckle<br>M6 Medium Galvanized Turnbuckle<br>M8 Large Galvanized Turnbuckle<br>M5 Small Stainless Steel Turnbuckle<br>M6 Medium Stainless Steel Turnbuckle<br>M8 Large Stainless Steel Turnbuckle |
| Corner<br>Attachments | Item De   | scription Detail  | s Ite  | m Number Pa  | nck Size  |
|                       | Net Bolts Use   | galvanized Net Rolts with   |  |  |   |

| Corner<br>Attachments | Item   | Description   | Details   | Item Number  | Pack Size  |
|-----------------------|--|---|---|--|--|
|                       | Net Bolts<br>High load bearing<br>expansion bolts<br>used as corner<br>attachments for<br>masonry, concrete<br>or stone. | Use galvanized Net Bolts with<br>galvanized wire<br>Use stainless steel Net Bolts<br>with stainless steel wire<br>Drill Bits (p.24)<br>M6: 10 mm drill bit<br>M8: 13 mm drill bit | Use M6/Medium Net Bolts<br>for cable runs under 100'<br>(30.48 m)<br>Use M8/Large Net Bolts for<br>cable runs over 100' (30.48 m) | BNM6EB (10/pk)<br>BNM6SSEB (10/pk)<br>BNM8EB (10/pk)                         | M6 Medium Net Bolt Galvanized<br>M6 Medium Net Bolt Stainless Steel<br>M8 Large Net Bolt Galvanized  |
| Î                     | Girder Clamp<br>Used to attach<br>netting to girders.  | Can also be used as an intermediate attachment Attach bolt onto flat steel or I-beam  | For steel up to 3" (7.62 cm) thickness Can be used as corner attachments if drilling is not an option.                            | BNGCL-3  | Girder Clamp - up to 3" (7.62 cm) (10/pack)  |
| Î                     | Mini-Net Bolt<br>Corner attachment<br>used for cable runs<br>of less than 20'<br>(6.09 m).                               | Use galvanized Net Bolts with<br>galvanized wire<br>Use stainless steel Net Bolts<br>with stainless steel wire<br>Drill Bits (p.24): 8 mm drill bit                               | Use M6/Medium Net Bolts<br>for cable runs under 100'<br>(30.48 m)<br>Use M8/Large Net Bolts for<br>cable runs over 100'           | BNMNB-G<br>BNMNB-S   | Mini-Net Bolt Galvanized (10/pack)<br>Mini-Net Bolt Stainless Steel (10/pack)  |
| 9                     | Eye Bolt w/ Nut<br>Corner attachment<br>for steel I-beams or<br>other thick metals.                                      | Drill Bits (p.24):<br>8 mm drill bit  | Use galvanized Eye Bolts w/<br>galvanized wire<br>Use stainless steel Eye Bolts<br>w/ stainless steel wire                        | BNGEB-NUT<br>BNSEB-NUT*  | Galvanized Eye Bolt w/Nut (20/pk)<br>Stainless Steel Eye Bolt w/Nut<br>(10/pk)   |
| 9                     | Screw Eyes<br>Used as a corner<br>attachment into<br>wood.   | Use Large Screw Eyes for<br>runs over 20' (6.1 m)<br>Use Small Screw Eyes for<br>runs under 20' (6.1 m)   | Use galvanized with galvanized wire Use stainless steel with stainless steel wire   | BNLSE-G (100/pk)<br>BNLSE-S (20/pk)*<br>BNSSE-G (100/pk)<br>BNSSE-S (20/pk)* | Large Wood Screw Eye Galvanized<br>Large Wood Screw Eye Stainless Steel<br>Small Wood Screw Eye Galvanized<br>Small Wood Screw Eye Stainless Steel |

\*Available in 316 steel upon request



| Intermediate |  |  |  |  |  |
|--------------|--|--|--|--|--|
| Attachments  | Item   | Description  | Details  | Item Number                              | Pack Size  |
|              | Net Magnet                                       | 40 lb. pull strength ceramic magnet in steel casing  | For easy and secure<br>attachment for various<br>types and sizes of<br>hardware when drilling is<br>not possible                       | BN200MGNT                                | 2" (3.18 cm) Net Magnet (10/pk)  |
| 4            | Multi-Purpose<br>Cable Bracket<br>with Hilti Pin | Used to secure cable<br>around the perimeter of<br>the net installation. Can<br>be installed for permanent<br>installation or easy release | For attaching to concrete or<br>steel. (Hilti Gun required)<br>Use with BNHS-27 (p.24)   | BNMPCB-125HP-C<br>BNMPCB-12 5HP-S        | 1.25" (3.18 cm) Bracket w/Hilti pins for<br>concrete (100/pk)<br>1.25" (3.18 cm) Bracket w/Hilti pins for steel<br>(100/pk)  |
| 0            | Multi-Purpose<br>Cable Bracket                   | Used to secure cable around the perimeter of the net installation  | Can be used for permanent<br>installation by running<br>cable through bracket hole<br>or easy release by running<br>cable through hook | BNMPCB125-100                            | 1.25" (3.18 cm) Bracket (100/pk)   |
| 9 9          | Net Spikes                                       | Used to secure netting into<br>concrete  Drill Bits (p.24) Large Net Spike: 6.5 mm<br>Small Net Spike: 5.0 mm                              | Small net spikes have a<br>bend in the body<br>Large net spikes will<br>"flange" out when<br>hammered                                  | BNNS-SM BNNS-LG*                         | Bird Net 3/16" (4.76 mm) Diameter<br>Small Spike (100/pk)<br>Bird Net 1/4" (6.35 mm) Diameter<br>Large Spike (100/pk)  |
|              | Lag Screws                                       | Used to secure cable around the perimeter of a net installation  | Lag Screws are ideal for<br>concrete, stucco, and wood<br>Use Anchor for extra<br>support when using small<br>Lag Screws               | BNLS-SSM*<br>BNLS-LGG*<br>BNLS-ASM       | Small Steel Lag Screw (100/pk)<br>Large Galvanized Lag Screw (100/pk)<br>Small Lag Screw Anchor (100/pk)   |
|              | Girder Clips                                     | Designed to attach cable to<br>I-beams or steel surfaces<br>100 per pack   | Clips hammer directly onto<br>the I-beam to secure the<br>cable<br>Zinc coated spring steel<br>attachments come in 4<br>widths         | BN116GC<br>BN018GC<br>BN014GC<br>BN012GC | Girder Clip: 1/16" - 1/8" (1.59mm - 3.1mm)<br>Girder Clip: 1/8" - 1/4" (3.17mm - 6.35mm)<br>Girder Clip: 1/4" - 1/2" (6.35mm - 12.7mm)<br>Girder Clip: 1/2" - 3/4" (12.7mm - 19.05 mm) |
|              | S-Clips  | S-Clips are secured to the<br>perimeter surface on one<br>end and straining wire is<br>strung through the other                            | Made of durable 316<br>stainless steel to hold up in<br>the toughest environments<br>Hilti pin available for<br>concrete or steel      | BNMSCLP-PIN-C<br>BNMSCLP-PIN-S           | S-Clip (100/pack)<br>S-Clip w/Hilti Pin for concrete (100/pk)<br>S-Clip w/Hilti Pin for steel (100/pk)   |
| 2            | Thin Wire<br>Net Clip                            | Ideal for small net<br>installations that require<br>the net to be removed from<br>time to time  | Stainless steel intermediate attachment  | BNTWNC-1                                 | Thin Wire Net Clip (100/pack)  |
| 6            | Stainless Steel<br>Net Loop                      | Ideal for wood and sheet<br>metal  | To secure, use self tapping sheet metal screws or wood screws  | BNNL                                     | Bird Net Loop (100 per pack)   |
|              | Split Pins and<br>Anchor Rivets                  | Used on stone or brick<br>surfaces<br>100 per pack   | Low profile intermediate<br>attachment<br>Available in two sizes<br>Use 6.5 mm drill bit (p.24)  | BN10R<br>BN10SP<br>BN15R<br>BN15SP       | 1" (2.54 cm) Rivet (100/pk)<br>1" (2.54 cm) Stainless Steel Split Pin (100/pk)<br>1.5" (3.81 cm) Rivet (100/pk)<br>1.5" (3.81 cm) Stainless Steel Split Pin (100/pk)                   |
|              | 2" Heavy Duty<br>Steel Clamp                     | Designed for large<br>installations and creates<br>a strong hold on steel and<br>I-beams   | Holds straining wire to<br>steel<br>2" opening<br>Jaw strength supports up<br>to 630 lbs.<br>4 per pack                                | BNBCLP-2                                 | 2" (5.08 cm) Heavy Duty Steel Clamp (4/pk)   |
| 9            | 6" Roof Tile<br>Bracket                          | Used to install netting on roofs that have tiles   | Slides underneath the tile<br>to create a bracket for<br>netting cables  | BNRTB-600                                | 6" (15.24 cm) Roof Tile Bracket (10/pack)  |

| Tools                         | Item  | Details   | Item Number  | Pack Size  |
|-------------------------------|---|---|--|--|
| Ergonomic desig               | gn!<br>Hog Ring Tool &<br>Hog Rings                           | Use galvanized rings for normal areas of installation Use stainless steel rings near salt water or chemicals Hog Ring Tool holds one cartridge of 50 hog ri   | BNHRT<br>BNHRG<br>BNHRS<br>ngs.  | Bird Net Hog Ring Tool (1)<br>Galvanized Hog Rings (2,500/bx)<br>Stainless Steel Hog Rings (2,500/bx)  |
| B14 Hog Ring Tool & Hog Rings |   | Our most ergonomic manual hog ring tool Use galvanized rings for normal areas of installatio Use stainless steel rings near salt water or chemica Good for tight spaces   | RNHRI-RIA-RING-G   | Bird Net Hog Ring Tool B14 (1)<br>B14 Galvanized Hog Rings (2,500/bx)<br>B14 Stainless Steel Hog Rings(2,500/bx)   |
|                               | Bird•B•Gone®<br>Pneumatic<br>Hog Ring Tool &<br>Hog Rings     | Lowest Cost Pneumatic Hog Ring Tool<br>Fast operating / saves time and money<br>Uses compressed air for quick & efficient<br>installations. Ideal for large jobs<br>Use stainless steel Hog Rings for areas near sa<br>water, chemicals, etc. | BNHRTPN-AC01CH   | r maintenance tips at:<br>bgone.com/protips  Pneumatic Hog Ring Tool (1) Galvanized Hog Rings (10,000/bx) Stainless Steel Hog Rings (10,000/bx)                |
|                               | Stanley Bostitch<br>Pneumatic<br>Hog Ring Tool<br>& Hog Rings | Fast operating / saves time and money This tool uses compressed air for quick & effici installations. Ideal for large jobs Use stainless steel Hog Rings for areas near sa water, chemicals, etc.   | BNHRPS*  | Pneumatic Hog Ring Tool (1)  Galvanized Hog Rings (10,000/bx)  Stainless Steel Hog Rings (10,000/bx)  *Hog Rings also fit Stanley tools number SC461 and SC661 |
|                               | Hilti DX460<br>Automatic<br>Powder-Actuated<br>Fastening Tool | Use to fasten bird netting hardware into concr<br>or steel structures, like buildings, bridges, stee<br>beams and more.<br>Fully automatic, excellent power-to-weight rat<br>Low noise level  | el<br>HILTI-DX460  | 1 each   |
|                               | Hilti DX2<br>Powder-Actuated<br>Fastening Tool                | Use to fasten bird netting hardware into concr<br>or steel structures, like buildings, bridges, stee<br>beams and more.<br>Slim design for accessing tight spaces<br>Designed for speed and easy operation.                                   |  | 1 each   |
|                               | Bird Net Ratchet<br>Crimp Tool                                | Used for crimping ferrules around straining wi<br>Works with ferrules sized 1/16" (1.58 mm) to 3/<br>(2.38 mm)  | 32" BNRCI-SBHS Watch out   | 1each<br>r maintenance tips at:<br>bgone.com/protips   |
|                               | Bird Net<br>Cable Cutter                                      | A long lasting professional grade tool used to<br>heavy duty cable.<br>Cuts both 1/16" and 3/32" straining wire.<br>Durable, high quality tool<br>Easy to use   | cut<br>BNCCT   | 1 each   |
|                               | Installer Kit<br>Heavy duty bird<br>control starter kit.      | (1) Screw Eyes: Galvanized; Lg (25pk)       (1)         (1) Screw Eyes: Galvanized; Sm (25pk)       (1)         (1) Multi-Purpose Cable Bracket: 100pk       (1)         (1) 3/16" Diameter Sm Spike; 100pk       (1)                         | d Wire Items Included Stainless 3.5" Steel Posts: 10pk Stainless 5" Steel Posts: 25pk Stainless Steel Springs: 25pk Straining Wire Galvanized 1/16 Glue-On Bases: 50pk | Rolling Tool Box<br>(1) Sikaflex® Gray Adhesive  |



Item Number:

**INST-KIT** 

(1) Thin Wire Net Clip; 100pk (1) Hog Rings: Galvanized; 2,500pk

(1) Net Bolts: Galvanized; Med (10pk)

(1) Mini Net Bolts: Galvanized; 10pk (1) Ferrules: Aluminum; 100pk

(1) Turnbuckles: Galvanized; Med (10pk)

(1) Glue-On Bases: 50pk

Miscellaneous

Copper Mesh: 20ft

(1) Nickel-Plated Copper Crimps: 100pk

(1) Nylon Coated Bird Wire: 328ft

(1) Screw Eye Driver

(1) Hog Ring Tool (1) Lag Screw Driver

(1) Drill Bit: 12mm x 100mm

(1) Drill Bit: 5mm x 100m

(1) Bird Net Cable Cutter

## **Access Zippers**



Zippers are installed at areas that will need to be opened, such as under lighting fixtures or A.C. units.

Hog rings are used to attach zippers to the net.

Available in 7 sizes and 3 colors.

Open-ended and custom sizes available.

| Part #  | Length & Color     | Part #   | Length & Color     |
|---------|--------------------|----------|--------------------|
| BNZ-12B | 1'(.30 m) Black    | BNZ-12S  | 1' (.30 m) Stone   |
| BNZ-18B | 1.5' (.46 m) Black | BNZ-36S  | 3' (.91 m) Stone   |
| BNZ-24B | 2' (.61 m) Black   | BNZ-72S  | 6' (1.8 m) Stone   |
| BNZ-36B | 3' (.91 m) Black   | BNZ-12W  | 1' (.30 m) White   |
| BNZ-48B | 4' (1.22 m) Black  | BNZ-36W  | 3' (.91 m) White   |
| BNZ-72B | 6' (1.82 m) Black  | BNZ-72W  | 6' (1.8 m) White   |
| BNZ-96B | 8' (2.44 m) Black  | BNZ-120B | 10' (3.05 m) Black |

## Bird Scape™



Bird Scape™ is a netting accessory that lets trapped birds leave netted off areas. Features a funnel that birds can fly out of, but not

Installs directly into bird netting with hog rings.

| Part #  | Pack Size             |
|---------|-----------------------|
| BNBS-05 | 1 Bird Scape per pack |

## **Net Clips**



Net Clips are installed in areas that will need to be opened such as under lighting fixtures or A.C. units.

| Part #   | Pack Size                              |
|----------|--|
| BNNC-034 | 3/4" (1.91 cm) Net Clip (100 per pack) |
| BNNC-200 | 2" (5.08 cm) Net Clip (100 per pack)   |

## **Self-Adhere Bird Net Anchors**



The Self Adhere Bird Net Anchors are used on small net jobs to hold the net in place where drilling is not an option. Clean the surface before attaching anchors.

Velcro makes for fast and easy access.

Available in black or stone

| Part #  | Pack Size  |
|---------|--|
| BNVNA-B | Bird Net Velcro Net Anchors Black (100 per pack) |
| BNVNA-S | Bird Net Velcro Net Anchors Stone (100 per pack) |

## Hilti .27 Cartridges



Hilti Cartridges are powder activated boosters used in a Hilti gun to secure attachments to steel and concrete.

For use with BNMPCB-125HP-C, BNMPCB-125HP-S, and S-Clips (p. 22)

Part # Pack Size

BNHS-27 Bird Net Hilti .27 Booster Loads Red (100 per pack)

## **SDS Masonry Drill Bits**



Masonry Drill Bits are used for drilling into concrete, brick, block, stone, or other masonry.

Penetrates up to 50% faster than standard masonry bits.

| Part #   | Details                            |
|----------|------------------------------------|
| BNDB0500 | Bird Net Drill Bit( 5.0mm x 100mm) |
| BNDB0600 | Bird Net Drill Bit (6.0mm x 100mm) |
| BNDB0650 | Bird Net Drill Bit (6.5mm x 100mm) |
| BNDB0800 | Bird Net Drill Bit (8.0mm x 100mm) |
| BNDB0100 | Bird Net Drill Bit (10mm x 100mm)  |
| BNDB0120 | Bird Net Drill Bit (12mm x 100mm)  |
| BNDB0140 | Bird Net Drill Bit (14mm x 100mm)  |

## **Lag Screw Driver**



The Lag Screw Driver is a drill attachment used for installing lag screws into wood surfaces.

For use with BNLS-SSM and BNLS-LGG (p. 22).

| Part # | Description      |
|--------|------------------|
| BNLSD  | Lag Screw Driver |

## **Screw Eye Driver**



The Screw Eye Driver is a small drill attachment used for installing Screw Eyes into wood surfaces.

For use with all styles of screw eyes.

| Part # | Description           |
|--------|-----------------------|
| BNSED  | Screw Eye Driver Tool |





Weather resistant mesh panels



|                          | Bird Species  | All species            |
|--------------------------|---------------|------------------------|
| Where to Use<br>Material |               | Under solar panels     |
|                          |               | UV resistant materials |
|                          | Bird Pressure | Light to Heavy         |
|                          |               |                        |



Scan this QR code to watch installation instruction video

### **ADVANTAGES & BENEFITS**

- Keep birds from nesting beneath solar panels.
- · No drilling required.
- Mesh is virtually invisible once installed.
- · Clips will not scratch or effect integrity of solar panels.

|  | - M |
|--|-----|

|  | Item Name                           | Part #      | Pack Size  |
|--|-------------------------------------|-------------|--|
|  | Solar Panel Bird<br>Deterrent Kit   | SLRKIT-50   | (35) Solar Clips<br>(10) 5' x 8" Hardware Cloth Panels |
|  | Solar Panel Bird<br>Deterrent Mesh  | SLRMESH     | 100 Ft. Roll:<br>8" x 100' 1/2" Mesh PVC Black         |
|  | Solar Panel Bird<br>Deterrent Clips | SLRCLPS-35  | 35 Solar Clips   |
|  |                                     | SLRCLPS-50  | 50 Solar Clips   |
|  |                                     | SLRCLPS-100 | 100 Solar Clips  |

### Now with black clips!




Durable clips easily install without drilling



100 ft. rolls available



## **Bat Netting**



| Part #     | Mesh Size            | Piece Size                        |
|------------|----------------------|-----------------------------------|
| BAT-10X10  | 3/8" (9.53 mm) black | 10' x 10'<br>(3.05 m x 3.04 m)    |
| BAT-25X25  | 3/8" (9.53 mm) black | 25' x 25'<br>(7.62 m x 7.62 m)    |
| BAT-50X50  | 3/8" (9.53 mm) black | 50' x 50'<br>(15.24 m x 15.24 m)  |
| BAT-50X100 | 3/8" (9.53 mm) black | 50' x 100'<br>(15.24 m x 30.48 m) |
| BAT-CUSTOM | 3/8" (9.53 mm) black | Custom                            |

### **ADVANTAGES & BENEFITS**

- · Block bats from entering unwanted areas.
- · Long lasting UV protected polyethylene mesh.





### **ADVANTAGES & BENEFITS**

- · Inexpensive one season netting.
- · Available in bulk rolls or small sizes.
- · Lightweight and virtually invisible.
- 3 sizes of mesh to exclude all birds.
- · Easy to handle and install.

### **POLY-CLIP**

For fast and easy installation of Ultra Net.

| Part #          | Description                   |
|-----------------|-------------------------------|
| UNCLIPS-CASE    | Case Clips (250 per box)      |
| UNCLIPS-1/2CASE | Half Case Clips (125 per box) |



## **Ultra Net**™

### PROTECT PLANTS AND CROPS

| Bird Species | All birds              |  |  |  |
|--------------|------------------------|--|--|--|
| Where to Use | Gardens, vineyards, fi | Gardens, vineyards, fruit trees, bushes, eaves, orchards, etc. |  |  |
| Material     | UV protected polypro   | UV protected polypropylene                                     |  |  |
| Part #       | Mesh Size              | Piece Size   |  |  |
| UN-141       | 1/4" (6.3 mm)          | 14' x 100' (4.27 m x 30.48 m)                                  |  |  |
| UN-142       | 1/4" (6.3 mm)          | 14' x 200' (4.27 m x 60.96 m)                                  |  |  |
| UN-143       | 1/4" (6.3 mm)          | 14' x 500' (4.27 m x 152.4 m)                                  |  |  |
| UN-121       | 1/2" (12.7 mm)         | 14' x 100' (4.27 m x 30.48 m)                                  |  |  |
| UN-122       | 1/2" (12.7 mm)         | 14' x 200' (4.27 m x 60.96 m)                                  |  |  |
| UN-123       | 1/2" (12.7 mm)         | 14' x 3,000' (4.27 m x 914.40 m)                               |  |  |
| UN-341       | 3/4" (19 mm)           | 14' x 100' (4.27 m x 30.48 m)                                  |  |  |
| UN-342       | 3/4" (19 mm)           | 14' x 200' (4.27 m x 60.96 m)                                  |  |  |
| UN-343       | 3/4" (19 mm)           | 14' x 5,000' (4.27 m x 1524 m)                                 |  |  |



## **Pond Netting**

Where to Use Tailing ponds, retention ponds, water collection sites, oil pits Material High density UV protected polyethylene knotted netting (HDPE)

### **ADVANTAGES & BENEFITS**

- Available in several mesh sizes from 3/4" to 4".
- Break strengths from 116 lbs to 740 lbs.
- · Durable construction for harsh environments.
- · Protect water fowl from oil and contaminated water.
- · Prevent costly lawsuits from bird deaths.
- · Most efficient & effective method for excluding birds.
- 10-year guarantee









### STANDARD COLORS




Bird Jolt Flat Track® is a low profile electrical track system which produces a mild electrical "jolt" when birds land on it. It uses copper knitted wire mesh, in a continuous "tube-in-tube" stocking design. This allows for greater conductivity, strength and reliability. The copper mesh is resistant to corrosion, alkaloids and acidic environments.

## **Suggested Electric Track Spacing:**

### **Light Infestation** (large birds)


Single row of track at the outer edge(s):



7" Wide Ledge 7" Wide Parapet

## Heavy Infestation (large or small birds)

Multiple rows of track:



Every situation is different. Call us for installation guidance 1-800-392-6915

on Pg. 29

## Bird Jolt Flat Track®

| Bird Species  | All Species  |
|---------------|--|
| Where to Use  | Ledges, signs, rooftops, I-beams, parapet walls, conduit, flat or curved surfaces          |
| Material      | Lightweight flexible UV stabilized PVC with copper knitted wire mesh "tube-in-tube" design |
| Bird Pressure | Light to Heavy   |

### **ADVANTAGES & BENEFITS**

- #1 specified electric track by architects and government agencies.
- Does not harm birds.
- Patented "anti-arcing" design means the ultimate in safety.
- Effective for both small and large pest birds.
- Crush proof! Will continue to work even if stepped on by window washers or building maintenance crews.
- Glue troughs insulate conductors and allow for easy installation with construction grade adhesive.
- · Completely flexible; can bend 360°.
- Low profile and virtually invisible. Only 1/4" (6.35 mm) tall.
- Lightweight: 100' (30.48 m) of track weighs only 16 lbs (7.26 kg).
- "Snug-fit" connectors make it the easiest shock system to install.
- · Comes in easy to dispense box.
- · Can be cut with scissors.
- · Manufactured by Bird B Gone® in the USA.

To install: Bird Jolt Flat Track® easily glues in place with construction grade adhesives available on page 47. Installation requires general knowledge of electrical systems. If you have questions or need an Authorized Installer call us at 1-800-392-6915.






## **Bird Jolt Flat Track**®

## Bird Jolt Flat Track® Kit

### PATENTED ANTI-ARCING DESIGN



| Part #   | Length         | Color      |
|----------|----------------|------------|
| BJFT-GRY | 100' (30.48 m) | Gray       |
| BJFT-STN | 100' (30.48 m) | Stone      |
| BJFT-TER | 100' (30.48 m) | Terracotta |
| BJFT-BLK | 100' (30.48 m) | Black      |
| BJFT-RED | 100' (30.48 m) | Red        |
| BJFT-CLR | 100' (30.48 m) | Clear      |

For chargers and additional components see (page 29)





Scan this QR code to watch installation instruction video





Bird Jolt Flat Track® Kits come in a lightweight, easy to dispense box with carrying handle. Each kit contains:

- Bird Jolt Flat Track® (Choose Color) (100' (30.48 m)
- · Lead-in Connector Loops (2 ea.)
- "Snug-Fit" Track Connectors (3 ea.)
- Bilingual Warning Labels (10 ea.)
- "Snug-Fit" Corner Connectors (3 ea.)
- Blue Wire Connectors (10 ea.)

Scan this QR code to watch installation instruction video

| Part #      | Length         | Color      |
|-------------|----------------|------------|
| BJFTKIT/GRY | 100' (30.48 m) | Gray       |
| BJFTKIT/STN | 100' (30.48 m) | Stone      |
| BJFTKIT/TER | 100' (30.48 m) | Terracotta |
| BJFTKIT/BLK | 100' (30.48 m) | Black      |
| BJFTKIT/RED | 100' (30.48 m) | Red        |
| BJFTKIT/CLR | 100' (30.48 m) | Clear      |



### T-CONNECTORS

Connect track to a charger, to branch off in a new direction, or to connect intersecting track.

### **ADVANTAGES & BENEFITS**

- · Saves material & labor cost
- · Offers a more secured connection
- · Lower profile look

| Part #    | Size    | Color |
|-----------|---------|-------|
| BJFT-TC10 | 10/pack | Gray  |

### **INSTALLATION ACCESSORIES**

|            | Item                                | Description  | Part #         | Size         | Color |
|------------|-------------------------------------|--|----------------|--------------|-------|
| -          | Snug-Fit <sup>™</sup><br>Connectors | Used to connect track to a charger, to branch off in a new direction, or to connect two pieces of track. | BJFT-SFC10     | 10/pack      | Gray  |
| <i>5</i> . |                                     |  | BJFT-SFC10/BLK | 10/pack      | Black |
|            | Snug-Fit™<br>Corner<br>Connectors   | Used to turn a 90° corner with the Bird Jolt Flat Track®.  | BJFT-SFCC      | 10/pack      | Gray  |
| /\land     |                                     |  | BJFT-SFCC/BLK  | 10/pack      | Black |
|            | Blue Wire<br>Connectors             | Used to connect electric track together or to a charger from the Snug-Fit Connectors.                    | BJFT-BCN100    | 100/<br>pack | Blue  |
| 1/1        | Anti-Damming<br>Risers              | Used to lift track to prevent water from damming or to install on a surface that is hard to glue onto.   | BJFT-ADR       | 10/pack      | Gray  |

## **Electric Track Chargers**





| Item Name        | Solar Charger   | Direct Charger  |  |
|------------------|---|---|--|
| Part #           | CHG-SLR740  | CHG-AC750   |  |
| Description      | Uses sunlight to supply power to up to 300' of electric track. Completely weatherproof. | Plugs into a regular 110v outlet<br>and supplies power up to 500'<br>of electric track. If outdoors, use<br>Weatherproof Box (see below). |  |
| Area of Coverage | 300' (91.44 m) of track   | 500' (152.4 m) of track   |  |
| Input Voltage    | 4 VDC   | 110 - 120VAC  |  |
| Output Voltage   | 7.0 KV (+/-) 20% Open Circuit<br>Voltage, Intermittent DC Output                        | 750 V (+/-) 20% Open Circuit<br>Voltage, Intermittent AC Output   |  |
| Dimensions       | 9.75" x 6.5" x 6.5"<br>(24.77 cm x 16.51 cm x 16.51 cm)                                 | 4.75" x 4.5" x 2.25"<br>(12 cm x 11.5 cm x 5.7 cm)  |  |
| Weight           | 3.5 lbs. (1.59 kg)  | 13.6 oz. (386 g)  |  |

### INSTALLATION COMPONENTS

|  | Item                           | Description  | Item Number       | Pack<br>Size |
|--|--------------------------------|--|-------------------|--------------|
|  | Connector<br>Loops             | Used to attach the copper<br>Lead-In Wire to your<br>charger.                                  | STPWC-10          | 10           |
| BARROO MARKET MARKET   | Bilingual<br>Warning<br>Labels | Placed every 10' to warn<br>people of possible shock.<br>(English/Spanish)                     | BJFTWRNBI-10      | 10           |
|  | Voltage<br>Tester              | Used with the Electric<br>Track systems to test the<br>systems' output voltage.                | BJFT-VLT          | 1            |
| A CONTRACTOR OF THE PARTY OF TH | Solar Battery<br>Replacement   | Battery for the Solar<br>Charger (CHG-SLR740 )<br>should be replaced about<br>once a year.     | CHG-<br>SLR740BAT | 1            |
|  | Waterproof<br>Box              | Protects Direct Chargers<br>from weather when<br>installed outdoors.<br>(Dimensions: 8"x8"x4") | CHG-ACBOX         | 1            |

## **14 Gauge Marine Grade Copper Lead-in Wire**

Used to connect your charger to the electric track systems and also connect sections of track.

Available in three colors and three roll sizes.







| Part #         | Length         | Color |
|----------------|----------------|-------|
| BJFT-LIW20BLK  | 20' (6.10 m)   | Black |
| BJFT-LIW50BLK  | 50' (15.24 m)  | Black |
| BJFT-LIW100BLK | 100' (30.48 m) | Black |
| BJFT-LIW20GRY  | 20' (6.10 m)   | Gray  |
| BJFT-LIW50GRY  | 50' (15.24 m)  | Gray  |
| BJFT-LIW100GRY | 100' (30.48 m) | Gray  |
| BJFT-LIW20STN  | 20' (6.10 m)   | Stone |
| BJFT-LIW50STN  | 50' (15.24 m)  | Stone |
| BJFT-LIW100STN | 100' (30.48 m) | Stone |

## BIRD\*B\*GONE... **UNIVERSITY**


### LEARN TO INSTALL **ELECTRIC TRACK**

Bird•B•Gone® offers free training for all of our products. Bird•B•Gone® University teaches:

- Site evaluation
- · Product selection
- · How to install products
- · Quoting bird jobs
- · How to hang netting
- How to avoid problems
- Troubleshooting

Call us at 1-800-392-6915 for details!

## Bird Slope™




| Part #              | Area of<br>Coverage | Pack Size                                     |
|---------------------|---------------------|---|
| SLP-GRY4<br>(Gray)  | 5.5" (13.97 cm)     | 4' (1.22 m) sections<br>48' (14.63 m) per box |
| SLP-STN4<br>(Stone) | 5.5" (13.97 cm)     | 4' (1.22 m) sections<br>48' (14.63 m) per box |



Bird Slope™ installed on window sills.

| 7 | 1 |
|---|---|
|   |   |

Bird Slope™ installed under eaves.



Bird Slope™'s unique design makes it impossible for birds to land or roost on 90° areas like eaves and ledges.

### **ADVANTAGES & BENEFITS**

- Prevents birds from landing and nesting on ledges up to 5.5" (13.97 cm) wide.
- Unique "Slope Extender" increases coverage for areas up to 10.5" (26.67 cm) wide.
- · Effective for both large and small birds.
- Ideal for parking garages, I-beams and 90° ledges.
- Glue trough on underside for easy adhesive application.
- · Easy to install End Caps prevent birds from getting behind Slope.
- · Made of a UV protected outdoor grade PVC plastic.
- Longest guarantee and lowest cost.
- 4' (1.22 m) sections for fast installation.
- Manufactured by Bird•B•Gone® in the USA.



Scan this QR code to watch installation instruction video

**To install:** Surface should be clean and dry before installation. Bird Slope covers a 5.5" ledge; for larger ledges Extenders are available. Glue onto surface using glue troughs. End Caps should be installed to prevent birds from getting behind Slope.

# CAD Details and specifications available at www.birdbgone.com

Easily glues in place. Construction grade adhesives available on page 47.





## **Bird Slope**<sup>™</sup>

### **Bird Slope™ Installation Accessories**

| <br>Item                              | Description  | Details   | Item Number  | Pack Size  |
|---------------------------------------|--|---|--|--|
| Bird Slope <sup>™</sup><br>Extenders  | Bird Slope™ Extenders<br>can be attached to<br>cover ledges between<br>5.5" to 10.5" wide. | Easily adapts Bird Slope™ to wider ledges (up to 10.5") Extender "snaps on" the top of Bird Slope™          | SLPEXT-GRY4<br>(Gray)<br>SLPEXT-STN4<br>(Stone)                    | 4' (1.22 m) sections<br>48' (14.63 m)/box<br>4' (1.22 m) sections<br>48' (14.63 m)/box   |
| Bird Slope <sup>™</sup><br>Connectors | Slope Connectors<br>eliminate gaps<br>between two pieces<br>of Slope.                      | Connectors available for Bird<br>Slope™ and Slope Extenders<br>Ideal for sloped surfaces<br>Snap into place | SLPCONGRY-10<br>SLPCONSTN-10<br>SLPCONEXTGRY-10<br>SLPCONEXTSTN-10 | Slope Connector: Gray (10 pk)<br>Slope Connector: Stone (10 pk)<br>Extender Connector: Gray (10 pk)<br>Extender Connector: Stone (10 pk) |
| Mounting<br>Clips                     | Use Mounting Clips to install Bird Slope™ on vertical surfaces.                            | One clip every 1' (30.48 cm)<br>20 per pack   | SLP-MC20   | 20 per pack: Clear   |
| End Caps                              | Block birds from<br>entering the open<br>area behind slope.                                | Simply glue the end cap to<br>each end<br>Available in 2 colors   | SLPECAP-GRY<br>SLPECAP-STN   | 10 per pack: Gray<br>10 per pack: Stone  |
| Extender End<br>Caps                  | Block birds from<br>entering the area<br>behind extended-<br>width slopes.                 | For use with Bird Slope<br>Extenders<br>Glues into place  | SLPEXTCAP-GRY<br>SLPEXTCAP-STN                                     | 10 per pack: Gray<br>10 per pack: Stone  |

### **VISUAL DETERRENTS**

## **Reflect-A-Bird™ Bird Deterrent**



Bird•B•Gone® Reflect-a-Bird™ is a silent wind-powered spinning visual bird deterrent that effectively scares birds away. The mirror-like design uses sunlight and wind to create a distraction zone that confuses pest birds causing them to flee the area. For best results, use Reflect-a-Bird™ in conjunction with other visual or physical bird deterrents.

- · Great for use on buildings, boats, and within agricultural settings
- · Easy to install, extremely effective
- Angled design (up to 90 degrees) allows Reflect-a-Bird<sup>™</sup> to be installed in various directions
- · Can be glued, screwed, or tied down to flat surfaces
- · Weatherproof aluminum and plastic construction

| Part # | Dimmensions                                  |
|--------|--|
| RFLT-1 | 12.18" (31 cm) h x 11.34" (28.8 cm) diameter |





| Part #   | Diameter    | Area of Coverage        |
|----------|-------------|-------------------------|
| BS200SPN | 2' (0.61 m) | 1'-2' (0.30 m - 0.61 m) |
| BS400SPN | 4' (1.22 m) | 3'-4' (0.91 m - 1.22 m) |
| BS600SPN | 6' (1.83 m) | 4'-6' (1.22 m - 1.83 m) |
| BS800SPN | 8' (2.44 m) | 6'-8' (1.83 m - 2.44 m) |

## Bird Spider 360°

| Bird Species  | Pigeons, seagulls and larger birds  |
|---------------|---|
| Where to Use  | AC units, street lights, signs, boats, rooftops   |
| Material      | 316 marine grade stainless steel "arms" on a UV protected polycarbonate base. Separate PVC base and #10 316 grade screws included |
| Bird Pressure | Light to Medium   |

Bird Spider 360° is a humane stand-alone physical bird deterrent that is used to prevent birds from landing. Pre-assembled and easy to install, Bird Spider 360° can be used in a variety of settings including: Boats, docks, Biminis, light posts, air conditioner units, skylights, dock pilings, and more! No-tangle "arms" bounce and sway in the wind, creating a visual distraction zone so birds will not want to come near the area. Made in USA.



The Bird Spider 360° features long lasting UV protected polycarbonate tips that help the arms bounce and sway in the wind. The new tips also prevent scuffing on surfaces.

### **ADVANTAGES & BENEFITS**

- Bird Spider 360° is a visual bird deterrent used to scare large birds away from concentrated areas. This bird deterrent is humane, safe, and will not harm birds.
- · No-tangle arms bounce and sway in the wind, creating a visual distraction zone so birds will not want to come near the area.
- · Pre-assembled, easy to install; available in 2 ft., 4 ft., 6 ft., and 8 ft. diameters for optimal
- Patented design has been high wind tested - will not break or fall off in high wind areas.
- Made in USA by Bird B Gone ®, Inc.

Bird Spider 360° easily glues in place using the included base. Construction grade adhesives are available on page 47.




| INSTAL | LATION | <b>ACCESS</b> | <b>ORIES</b> |
|--------|--------|---------------|--------------|


|          | Item             | Description  | Details   | Item Number | Pack Size  |
|----------|------------------|--|---|-------------|------------|
| <b>S</b> | Boat Base        | Used to install the Bird Spider around masts or spreaders.                             | Attaches directly to Bird Spider 360° Secures with bungee cords or other tie-down systems.                              | BSBB2       | 1 per pack |
|          | Sand Bag<br>Base | Provides a portable weighted option for boat canvases and Biminis.                     | Attaches directly to Bird Spider 360° and Repeller 360°.<br>Hardware included<br>Weighs 6.5 lbs.                        | BSBB-SB     | 1 per pack |
| G        | Railing Mount    | Easily secures Repeller 360° and Bird Spider 360° to railing sizes up to 1.875" thick. | Includes disk and screws for mounting/<br>attachment.<br>Can easily be removed and stowed while<br>sailing or cruising. | RLMNT       | 1 per pack |



Bird Wire installed on window ledges



To install: Surface should be clean and dry before installation. Measure surface area to determine how many rows are required. Posts are placed every 5' with a new spring every 10'. Alternate post heights when installing multiple rows.



## **Bird Wire**

| Bird Species  | Pigeons and seagulls   |
|---------------|--|
| Where to Use  | Ledges, signs, rooftops, curved or flat surfaces               |
| Material      | 316 Stainless steel wire coated with UV stabilized clear nylon |
| Bird Pressure | Light to Medium  |
| Warranty      | 5 years  |

area for pigeons or seagulls. Ideal for areas where aesthetics are a concern, the low-profile Bird Wire involves a series of stainless steel posts supporting nylon coated 316 stainless steel wire that is tensioned between the posts using springs.


### **ADVANTAGES & BENEFITS**

- #1 Bird Wire system specified by architects
- · CAD details and specifications available at www.birdbgone.com
- · Low profile and low visibility
- · Low maintenance
- Ideal for hand rails
- · Affordable pricing
- Industry leading 5 year guarantee
- Approved for use on federal and state government structures
- · Ideal for large birds such as pigeons, gulls and crows





Scan this QR code to watch installation instruction video



**GET PRO BIRD CONTROL TIPS EVERY TUESDAY** Sign up today!



www.birdbgone.com/protips

## **Bird Wire Hardware**

|     | Item                                  | Description  | Details  | Item Number  | Pack Size  |   |
|-----|---------------------------------------|--|--|--|--|---|
| 8   | Nylon<br>Coated<br>Bird Wire          | Strung between<br>Stainless Steel<br>Posts.  | 316 Stainless steel<br>wire coated with<br>UV stabilized clear<br>nylon<br>.045 mm 1 x 7 wire  | BWNCW1<br>BWNCW2   | 820' (250 m) Roll<br>328' (100 m) Roll   |   |
|     | Glue-On<br>Bases                      | Can be screwed<br>or glued onto<br>surfaces where<br>drilling is not an<br>option. | UV protected glass<br>filled nylon<br>Support Bird Wire<br>posts   | BWB100<br>BWB050   | Gray Bases (100 per pack)<br>Gray Bases (50 per pack)  |   |
|     | Stainless<br>Steel<br>Posts           | Used to suspend<br>Bird Wire.  | 4 mm diameter,<br>316 marine grade<br>stainless steel posts<br>Ends are beveled to<br>aid installation into<br>either the anchor<br>rivet or glue-on<br>base | BWSSP60-100<br>BWSSP60-25<br>BWSSP50-100<br>BWSSP50-25<br>BWSSP45-100<br>BWSSP45-25<br>BWSSP35-100<br>BWSSP35-25 | 6" (15.24 cm) Post (100 per pack<br>6" (15.24 cm) Post (25 per pack<br>5" (12.70 cm) Post (100 per pack<br>5" (12.70 cm) Post (25 per pack<br>4.5" (11.43 cm) Post (100 per pack<br>4.5" (11.43 cm) Post (25 per pack<br>3.5" (8.89 cm) Post (100 per pack<br>3.5" (8.89 cm) Post (25 per pack | )<br>k)<br>)<br>ck)<br>k)<br>ck)  |
| 《家》 | Nickel-<br>Plated<br>Copper<br>Crimps | Used to secure bird wire to the posts.   | Nickel-plated for durability   | BWCC-100   | Copper Crimps (100 per pack)   |   |
| 0_  | Railing<br>Clamps                     | Used to attach<br>Bird Wire system<br>to railings or<br>pipes.                     | Adjustable clamps<br>with 3.5" (8.89 cm)<br>Bird Wire posts  | BWRC-1<br>BWRC-2<br>BWRC-3<br>BWRC-4<br>BWRC-4/2<br>BWRC2P-6   | Clamp Size 1" (2.54 cm) 1 Post (10/pk) 2" (5.08 cm) 1 Post (10/pk) 3" (7.62 cm) 1 Post (10/pk) 4" (10.16 cm) 1 Post (10/pk) 4" (10.16 cm) 2 Posts (10/pk) 6" (15.24 cm) 2 Posts (10/pk)  | Railing Size<br>3/4" - 1-1/4" (1.91 cm - 3.18 cm)<br>1-5/6" - 2-1/2" (3.33 cm - 6.35 cm)<br>2-9/16" - 3-1/2" (6.51 cm - 8.89 cm)<br>3-9/16" - 4-1/2" (9.05 cm -11.43 cm)<br>3-9/16" - 4-1/2" (9.05 cm -11.43 cm)<br>5-1/8" - 6" (13.02 cm - 15.24 cm) |
|     | Stainless<br>Steel<br>Springs         | Causes the<br>Bird Wire to be<br>unstable when<br>birds land on it.                | 316 Grade Stainless<br>Steel Springs<br>Two sizes available:<br>Standard & Micro   | BWSSS-100<br>BWSSS-50<br>BWMS1<br>BWMS1-5  | Standard Springs (100 per pack)<br>Standard Springs (50 per pack)<br>Micro Springs (100 per pack)<br>Micro Springs (50 per pack)   |   |
| Î + | Gutter<br>& Girder<br>Clamps          | Used to attach<br>the Bird Wire<br>system to gutters<br>or girders.                | Fits I-beams up to 3/4" (1.91 cm) thick.   | BWBC00<br>BWGC00   | Bird Wire Beam Clamp (10 per p<br>Bird Wire Gutter Clamp (10 per   | ·   |
| I   | Anchor<br>Rivets                      | Support Bird<br>Wire posts when<br>drilled into<br>surface.                        | Use 6.5 mm drill bit   | BN10R<br>BN15R   | 1" (25.4 mm) Anchor Rivet (100/<br>1.5" (38.1 mm) Anchor Rivet (100  | • •   |
| ×   | 3-Post<br>Ridge<br>Bracket            | Designed for<br>roof peaks<br>& special<br>installation<br>areas.                  | Stainless steel<br>brackets perfect<br>for angled surfaces<br>and corners  | BW3PRB   | 3-Post Ridge Bracket (each)<br>(3) 3.5" (8.89 cm) posts  |   |
|     | Gull Wire                             | Gull Wire<br>Polyethylene and<br>Steel Wire  | Prevents gulls & other large birds from landing on flat surfaces Installed 6' - 8' above ground Virtually invisible from below                               | GW-WIRE  | 820 feet per spool   |   |



Bird-OFF™ Gel **BOG-CASE** 

Bird-OFF™ Gel **BOG-AAP/GUN** 

Bird-OFF™ Gel **BOG-5GAL** 

### **ADVANTAGES & BENEFITS**

- Smell and sticky feeling on the feet of birds drives them away
- Will not entrap non-targeted species
- · Made in the USA
- Lasts up to 1 year per application
- · Easy to clean up using soap and water
- · Virtually invisible



Green Product

## **Transparent Bird Gel**



| Coverage |                              | Part #   | Pack Size |
|----------|------------------------------|----------|-----------|
|          | 120' (36.58 m) x 3" (7.6 cm) | TBG-Case | 12/Case   |

Transparent Bird Gel is a sticky gel used to keep pest birds off of horizontal surfaces. Birds can't stand the sticky sensation on their feet and will move on.

### DRIPLESS CAULKING GUN

This ergonomic gun makes installing gels easy. See page 47 for the Dripless Caulking Gun details and job site cleaning supplies.



## Bird-OFF™ Gel

| Bird Species  | All Species  |  |  |
|---------------|--|--|--|
| Where to Use  | Horizontal surfaces including: Ledges, I-beams, parapet walls, conduit, pipes, flat or curved surfaces |  |  |
| Material      | Geraniol white pepper, Mineral Oil, Silica   |  |  |
| Bird Pressure | Light to Medium  |  |  |

Bird-OFF™ Gel is used to keep pest birds off of horizontal surfaces. The unique combination of smells and the sticky sensation on their feet causes birds to stop landing on the surface and leave the area. Bird-OFF™ Gel causes no burning sensation and is safe for installers.

| Description                   | Coverage                     | Part #        |
|-------------------------------|------------------------------|---------------|
| Bird-OFF™ Gel (10 tubes/case) | 100' (36.58 m) x 3" (7.6 cm) | BOG-CASE      |
| Bird-OFF™ Gel (5 Gallons)     | 640' (36.58 m) x 3" (7.6 cm) | BOG-5GAL      |
| Caulking Gun (24 oz.)         | NA                           | BOG-AAP/GUN   |
| Follow Plate (for 24 oz Gun)  | NA                           | BOG-AAP/PLATE |

**To install:** 4 inches wide top to bottom – (2, 3, 4 inch distance between waves, depending on bird pressure) Do not install on a vertical surface.



| Bird Species  | Pigeons and Starlings  |
|---------------|--|
| Where to Use  | Horizontal surfaces including: Ledges, I-beams, parapet walls, conduit, pipes, flat or curved surfaces |
| Material      | Polybutene 93%; Inert 7%   |
| Bird Pressure | Light to Medium  |

### **ADVANTAGES & BENEFITS**

- · Creates a sticky surface that birds cannot stand.
- Not harmful to birds and people.
- · Designed for pigeons and starlings, not for use for non-targeted species of birds.
- · Lasts up to 6 months outdoors.
- Effective from 15° F (-9° C) to 200° F (93° C).
- Virtually invisible.

To install: Gel is applied in a zig-zag pattern about 3" (7.62 cm) high leaving periodic spaces for water drainage. Do not install on a vertical surface.

## **Avian Control**<sup>™</sup>







Avian Control® uses cutting edge technology to efficiently repel undesirable birds without harming the birds, humans or other animals.

| SKU               | AVN-GAL  |
|-------------------|--|
| Where to use      | Crops, airports, dairy barns, other commercial and residential applications. |
| Active ingredient | 20% Methyl Anthranilate (MA),<br>methyl 2-aminobenzoate                      |

The repellent is effective against flocking birds (starlings,blackbirds and others), robins, crows and pigeons.

### **ADVANTAGES & BENEFITS**

- Non-lethal and mild enough to use around people and animals
- · Low cost, effective solution
- · Simple application via ground, aerial spraying, or fogging
- Utilizes 20% active ingredient, Methyl Anthranilate
- EPA approved for use on numerous crops
- For indoor fogging use: Undiluted at a rate not to exceed two (2) fl. oz. per 10,000 cubic ft.
- For outdoor fogging use: Undiluted at a rate of 12-16 fl. oz. per acre Recommended spray
- Recommended spray application rate on turf is 12-42 fl. oz. per acre up to a maximum of 5 gal. per acre.of 5 gals. per acre
- Estimated coverage: 6 acres per gallon on turf; 9 acres per gallon when used with foggers



# Avian Fog Force<sup>™</sup> TF

Avian Fog Force™ TR Bird Repellent is a non-lethal automated time-release aerosol bird repellent.

Avian Fog Force™ TR Bird Repellent is dosed from programmable timed spray mist dispenser cabinets containing disposable aerosol cans. Each dispenser cabinet releases an invisible intermittent aerosol bird repellent mist on a user selected programmable time-release basis. Spray mist dispenser cabinets can be placed strategically in areas where nuisance birds are a problem. Dispenser cabinets are powered by two "D" batteries that last up to six months.

| SKU               | FOG-TR (Canister), FOG-DISP (Dispenser).  |
|-------------------|---|
| Where to use      | Dairy barns, stables, stadiums, marinas, garages and storage buildings, pools and patios, outdoor dining facilities |
| Active ingredient | 14.5% Methyl Anthranilate (MA)  |

Avian Fog Force TR is not available for sale in the state of Alaska, California or Hawaii. Avian Fog Force TR is available for sale to licensed pesticide applicators in the state of New York.

## **Avian Migrate**<sup>™</sup>

Avian Migrate<sup>™</sup> is a non-toxic repellent that discourages geese and other birds from congregating on golf courses, parks, athletic fields, airports, vineyards and other areas where birds are grazing. Using a unique patent pending formula, Avian Migrate irritates the birds' mucous membranes causing them to avoid the





- Does not harm grass, shrubs and other vegetation and is not easily rinsed away by rain or sprinklers
- The ingredients in Avian Migrate are "Generally Regarded As Safe or GRAS by the US Food and Drug Administration



The repellent is effective against geese, mute swans, coots and small birds.

| SKU               | GRGAVN-GAL (Gallon), GRGAVN-HALF (Half Gallon).  |
|-------------------|--|
| Where to us       | Golf courses, parks, athletic fields, airports, vineyards and other areas where birds are grazing. |
| Active ingredient | 14.5% Methyl Anthranilate (MA)   |



Prior to removing birds from inside a building, birds must first be removed from nesting, roosting, and landing sites on the exterior of the building as well as shoring up any entry points.

## **Birds in Buildings**

### How to Remove and Deter Birds from Inside Buildings

For many stores, pest birds, droppings, and nesting materials pose serious health and safety issues which may result in lost revenue and fines. Bird•B•Gone® offers a variety of solutions to help you rid pest birds from stores and other large contained areas.

As with all bird control jobs, evaluate the extent and the root of the problem. Identify the bird species and how birds are entering the building (gaps, broken windows, old pipe chases, etc.). All areas should be repaired; bird nests and bird droppings properly removed. Be sure to remove all food, water, and clean-up any spills that would attract birds. As birds often enter through overhead doors, we suggest the installation of Bird•B•Gone® Vinyl Strip Doors or Bird. B. Gone Bird Net Curtain to help keep birds out.

Once birds occupy the interior of the building, the most effective method for deterring and removing birds will involve a combination of one or more methods depending upon the situation:

Sparrows and other small birds: We highly recommend Bird.B.Gone® Mist Net that can be hung parallel to the point of entry (e.g. loading docks) allowing for the humane capture of multiple birds for proper release. Combine Mist Net with the Bird•B•Gone® Sparrow Charmer™, a field tested audio calling device that lures sparrows into netting and traps through the broadcast of Bird. B. Gone or proprietary sparrow call.

Highly visible and high-traffic locations: Use the Bird-B-Gone® Sparrow Sky Trap, a bird trap that can be hung from the ceiling and includes a tray that securely captures droppings or other debris. Combine with Bird•B•Gone® Sparrow Charmer™ for maximum results.

Large, "open" indoor/outdoor areas: We recommend the use of Agrilaser® Lite and Bird Hazing. Agrilaser® Lite repels birds with patented optical technology. Birds perceive the laser beam as an approaching physical danger and fly away in search for safer grounds. After systematic use, the birds will consider the area in which the Agrilaser® Lite is used as unsafe and will not return. Bird Hazing-dispersing a light haze/fog of Methyl Anthranilate (non-toxic, food-grade ingredient) through the air which irritates the birds' mucous membranes causing them to subsequently avoid the area. However, we do not recommend Bird Hazing for buildings that are heavily occupied by people and have large amounts of foot traffic.

Larger birds including pigeons: A combination of Agrilaser® Lite, humane trapping, and bird hazing is strongly recommended. To ensure you have the correct traps based upon flock size and location, call our Bird Control Experts at 800-392-6915.

While the removal of pest birds may appear to be a challenge, you can safely remove birds from the premises and prevent them from returning with cooperative personnel and the right combination of products. Should you require assistance, please contact our Bird Control Experts at 800.392.6915. We will be more than happy to provide you with the assistance needed to ensure you have the right products specified to resolve the bird problem properly and efficiently.

#### **KEY PRODUCTS**

Sparrow Capture Lasers Trap Pg. 38

Pg. 40



Pg. 40

Sparrow Charmer<sup>™</sup> Mist Netting Pg. 41



Pg. 42



Sparrow Sky Trap Bird Net Curtain Pg. 48















### **Bird Hazing**



#### **BIRD HAZING**

Bird Hazing has proven to be effective in dispersing pest birds where other methods of bird control may be ineffective or impractical. Bird Hazing units efficiently deploy a light fog or haze of bird repellent made with Methyl Anthranilate (a non-toxic, food-grade ingredient). The active ingredient irritates a bird's mucous membranes. Birds find the sensation unpleasant and will subsequently avoid the area. The effect is temporary and will not harm the birds.

#### WHERE IS BIRD HAZING RECOMMENDED?

Bird Hazing is particularly effective in removing birds from large indoor/outdoor areas, warehouses, aircraft hangars, and plant nurseries. It has been proven effective for driving out pigeons, seagulls, geese, starlings, and many other pest birds. We do not, however, recommend Bird Hazing for buildings that are heavily occupied and have large amounts of foot traffic.

#### HAZING VS. FOGGING

Bird Hazing is used when birds are a problem in enclosed to semienclosed areas, semi-enclosed docks, and overhangs. A light haze of bird repellent is created through a Bird Haze unit which, depending upon the features of the unit, can often be programmed or set to run in intervals.

Bird Fogging is used in wide open areas where birds are a nuisance. Bird control fogs are used against flocks of birds that spend time in parks, golf courses, memorial parks and other large open spaces. The fog is created through the use of either a stationary or hand-held fogging unit. The units generate an aerosol of the Methyl Anthranilate. Foggers produce a "wet fog" that will not penetrate shrubs, so fogging is best used in the open areas that birds fly through or graze in. Fogging should be repeated as often as necessary to keep birds away.

| Hazing  | Fogging  |  |
|---|--|--|
| Used in enclosed and semi-<br>enclosed areas                          | Used in wide open spaces                                 |  |
| Moves birds out of areas where they are roosting and nesting          | Moves flocks of birds from open spaces                   |  |
| Creates a small particle mist   | Creates a "wet fog"                                      |  |
| Depending upon the unit, may be programmed or set to run in intervals | Usually applied with hand-held unit on a scheduled basis |  |

### Bird·B·Gone® Bird Hazer

Bird • B • Gone® Bird Hazer<sup>™</sup> is an affordable and advanced hazing system that releases a fine fog of bird repellent into the air to deter pest birds from large open spaces.



- Effective for most pest birds including sparrows.
- Advanced nozzle design distributes fog particle size less than 1 micron.
- Saves money uses significantly less liquid repellent than other hazing units.
- Each Main Control Unit can control up to 6 satellite units to help ensure full perimeter coverage.
- Designed for indoor and outdoor use.

| Item               | Hazer Main Control Unit         |  |
|--------------------|---------------------------------|--|
| Dimensions         | 14" x 16" x 6"                  |  |
| Weight (Empty)     | 32 lbs                          |  |
| Material           | Weatherproof NEMA Polycarbonate |  |
| Haze Particle Size | Less than 1 micron              |  |

| SKU- 3 Piece Kit         | HAZR-3KIT<br>(Includes main control unit and 3<br>satellite units) |
|--------------------------|--|
| SKU- 6 Piece Kit         | HAZR-6KIT<br>(Includes main control unit and 6<br>satellite units) |
| Satellite<br>Dimensions  | 14" x 6" x 6" each   |
| Satellite Weight (Empty) | 4 lbs each   |
| Tank Size                | 1 liter each   |
| Material                 | Powder-coated metal  |

## **Sparrow Capture Trap**

- · The perfect tool for control of pesky sparrows.
- · For maximum effect lure sparrows in with Sparrow Charmer™
- · Looks like any birdhouse but conceals a trap.
- Spring-loaded door snaps when a sparrow enters and lands on a perch beneath the opening.
- · Includes mounting bracket.

| Part #      | Size                                    |
|-------------|---|
| BMP-CAPTURE | Closed: 12"x6.5"x9": Open: 18"x6.5"x11" |





EcoBird® is effective for all birds including: Pigeons, geese, grackle, starlings, dove, black birds, swallows, gulls, water fowl & many other birds that have become a nuisance and/or a health hazard in

affected areas.

### EcoBird® 4.0

#### **ADVANTAGES & BENEFITS**

EcoBird® 4.0 was developed as a non-hazardous bird repellent, made from food-grade materials & is a naturally occurring GRAS (generally recognized as safe) product. The active ingredient is a US EPA listed, & FDA Approved, compound used as a food flavoring and fragrance additive. It is a natural component of concord grapes and other plant materials.

- EPA approved: safe for indoor and outdoor applications.
- Non-hazardous bird repellent made from food-grade materials.
- Utilizes 40% active ingredient, Methyl Anthranilate.
- · Does not harm birds, people, or pets.
- · Ecological and economical.
- For use with mechanical spraying & fogging equipment.
- For indoor fogging use: undiluted at a rate not to exceed one (1) fl. oz. per 10,000 cubic ft.
- For outdoor fogging use: undiluted at a rate of 6-8 fl. oz. per acre.

| SKU               | ECOBRD-40   |
|-------------------|---|
| Where to use      | Grain storage and manufacturing facilities, airports and hangars, parking and car wash facilities, landfills, golf courses, and more. |
| Active ingredient | 40% Methyl Anthranilate   |



## **Patriot Portable Thermal Fogger**

#### **ADVANTAGES & BENEFITS**

- · Reliable performance.
- · Produces large volumes of fog.
- The Patriot's patented Starting System even enables use in areas where poor quality gasoline is all that is available.
- · Designed from over 50 years experience and built to the highest quality standards, the Patriot will give superior performance with simplicity and durability.
- Patented Fuel Priming System eliminates need for pressurized fuel tank.
- A 12 volt starting system ensures reliable starting even when battery power declines!

| GET PRO BIRD CONTROL TIPS    |
|------------------------------|
| EVERY TUESDAY Sign up today! |
| www.birdbgone.com/protips    |



| SKU               | BF-FOGAPP   |
|-------------------|---|
| Туре              | Portable Thermal Fogger   |
| Dimensions        | 29 x 9 x 18 inches (74 x 24 x 46.4 cm) L x W x H  |
| Weight (Empty)    | 27 lbs (12.5 kg)  |
| Formulation Tank  | 0.85 quarts (0.8 liter)   |
| Power Supply      | Eight 1.5V D size alkaline batteries. Any 12V DC vehicle battery; connect to 12V receptacle with auxiliary battery cable. |
| Fog Particle Size | 0.5-50 microns  |



The Bird•B•Gone® Sparrow Charmer™ lures sparrows into netting and traps through the broadcast of our Bird•B•Gone®'s proprietary sparrow call. Field tested and scientifically proven to attract sparrows, Sparrow Charmer™ is the perfect add-on to any mist net kit or trap. For suggested use in big box and retail stores, warehouses, or any large indoor or outdoor space in which you need to capture sparrows.

### **TIPS & TRICKS**

Use Sparrow Charmer<sup>™</sup> to lure sparrows into traps.



### **Sparrow Charmer**<sup>™</sup>

| Bird Species  | Sparrows   |
|---------------|--|
| Where to Use  | Warehouses, big box stores, airplane hangers, grocery stores |
| Dimensions    | 5" x 2" x 1" (12.7 cm x 5.08 cm x 2.54 cm)                   |
| Bird Pressure | Light to Heavy   |
| Part Number   | BIRDCALL-SP  |

#### **ADVANTAGES & BENEFITS**

- Programmed with Bird-B-Gone®'s proprietary sparrow call; field tested and proven to attract sparrows
- Separate remote control functions up to 150 meters away
- Volume control between 85 and 170 db
- · Attracts sparrows up to 2 acres away
- · Programmable adjustable timer
- Built-in speaker with push button controls
- · Easy to use
- · Plays up to 10 continuous hours
- · Rechargeable lithium battery

#### PACKAGE INCLUDES

- Sparrow Charmer<sup>™</sup>
- · USB cord
- · Mounting clip
- · USB power adapter
- Remote control
- · Power cord

## Agrilaser<sup>®</sup> Lite



The Agrilaser Lite repels birds during lighting conditions of 20.000 Lux or less, which you can compare with cloudy weather.

- · Easy to use
- Range up to 1,000 meter
- Fast and long-lasting results
- Suitable for repelling most bird species
- · Animal and environmentally friendly
- 1 year manufacturer's warranty

#### KIT INCLUDES

- Agrilaser® Lite
- Firm storage box
- 1x 18650 rechargeable Li-ion battery
- · Battery charger

## Agrilaser® Handheld



To make operation over long distances more accurate and safe, the Agrilaser Handheld is equipped with a red dot sight. The sight makes it possible for a bird controller to accurately aim the Agrilaser Handheld at the desired target before activating the laser.

- · Easy to use
- · Range up to 2,500 meter
- · Fast and long-lasting results
- · Suitable for repelling most bird species
- · Animal and environmentally friendly
- 1 year manufacturer's warranty

#### KIT INCLUDES

- 1x Agrilaser handheld
- 1x lens cap
- 2x LR14 battery
- 1x aiming sight
- 1x protection cap for aiming sight
- 1x hex screw
- · 1x screw driver
- 1x cleaning cloth
- · 1x storage case





| Part #    | Net Size                     |
|-----------|------------------------------|
| MIST7X10  | 7' x 10' (2.13 m x 3.05 m)   |
| MIST10X20 | 10' x 20' (3.05 m x 6.10 m)  |
| MIST10X30 | 10' x 30' (3.05 m x 9.14 m)  |
| MIST10X40 | 10' x 40' (3.05 m x 12.19 m) |

Mist Net is a simple, humane way to catch and release trapped birds.

### **Mist Net**

| Bird Species  | All Birds  |
|---------------|--|
| Where to Use  | Warehouses, big box stores, airplane hangars, grocery stores |
| Material      | UV protected nylon   |
| Bird Pressure | Light to Heavy   |

#### **ADVANTAGES & BENEFITS**

- · Humanely captures birds for removal
- · Made from extremely fine fibers that birds cannot see
- · Will not harm birds
- Designed to capture multiple birds with 1 net
- · Ideal for big box stores, warehouses, grocery stores or other indoor areas where birds are trapped
- Available in 4 sizes

**TIPS & TRICKS** 

For maximum effect lure sparrows in with Sparrow . Charmer<sup>™</sup>

See Pg. 40



To install: Mist Net is hung directly in birds' flight paths. When birds hit the net, they become immobile which makes it easy to remove and set them free outside of the structure.



| Part #              | Description  |
|---------------------|--|
| MISTCAP-KIT         | Net: 10' x 30' (3.05 m x 9.14 m)                   |
| MISTCAP-KIT/20      | Net: 10' x 20' (3.05 m x 6.10 m)                   |
| MISTCAP-KIT-CHRM    | Net: 10' x 30' (3.05 m x 9.14 m) & Sparrow Charmer |
| MISTCAP-KIT/20-CHRM | Net: 10' x 20' (3.05 m x 6.10 m) & Sparrow Charmer |

### **Mist Net Kit**


Our Mist Net Kit contains everything needed to capture and release trapped birds.


#### MIST NET KIT INCLUDES:

Mist Net 1 per kit (Choose one size) Telescoping Poles 2 each 2 each **Hook Attachments** Magnet Attachments 2 each Laser Pointer 1 each Carrying Case 1 each Magnet Covers 2 each Sparrow Charmer 1 each with MISTCAP-KIT-CHRM and MISTCAP-KIT/20-CHRM

#### MIST NET ACCESSORIES

|               | Item              | Details   | Item Number             |
|---------------|-------------------|---|-------------------------|
|               | Telescoping Pole  | Use to hang Mist Net: 18' (5.4m)  | MISTP18 (One per pack)  |
|               | Hook Attachment   | Attaches to Telescoping Pole to hang Mist Nets from ceiling beams       | MISTHOOK (One per pack) |
|               | Magnet Attachment | Attaches to Telescoping Pole to hang Mist Nets from metal ceiling beams | MISTMGNT (One per pack) |
|               | Laser Pointer     | Use light beam to scare birds into Mist Net                             | MISTLZR (One per pack)  |
| Q top of time | Carrying Case     | Convenient for storing and transporting Mist Net components             | MISTCS1 (One per pack)  |
|               | Magnet Cover      | For easy removal of magnet attachment                                   | MISTRCVR (One per pack) |





## **Sparrow Sky Trap**

**Net Sizes Dimensions** BMP-SW-SKY 24"W x 12"L x 18"H (60.96 cm x 30.48 cm x 45.72 cm)

The Bird·B·Gone® Sparrow Sky Trap is a hanging trap designed for the capture of sparrows and smaller birds in high traffic areas.

#### **ADVANTAGES & BENEFITS**

- Hanging trap designed for high traffic areas.
- Proven V- top entry design enables Sky Trap to hang from the ceiling or sit on a flat surface.
- Pop-up feature makes this trap 24" x 12" x 18" high.
- Wider/longer pan (30" x 16") captures droppings or other debris that may fall from the inside the trap.
- V- top includes built-in feed pan that lures birds to the top of the trap.
- Perch placed inside of the trap calms birds after capture.
- · Includes water/feed containers.
- · Full wire floor.
- · Simple assembly; assembles in minutes.
- Trap and slide-out pan can be easily cleaned.
- · Slide-out pan constructed of heavy 26 gauge sheet metal.

#### **TIPS & TRICKS**

For maximum effect lure sparrows in with Sparrow Charmer™

See Pg. 40



## **Two Minute Tuesday Pro Bird Control Tips**

Each Tuesday, Bird. B. Gone posts a quick video with our bird control tip of the week. Hear from Jeff, Scott, Ian, Mike, Mark, and other members of our bird control team on useful, practical tips related to bird control and successful product installations.

### GET PRO BIRD CONTROL TIPS EVERY TUESDAY


Sign up today! www.birdbgone.com/protips











## **Professional Bird Traps**



#### Large Pigeon Trap with Shade, Food & Water

Part #: BMP-SW/LP-SFW

One 1-gallon water container and feeder pan Six one-way entry doors with door guard Divided trap with two access top doors Hinged shade screen Capacity: 30+ birds 16 lbs. (7.25 kg)

Dimensions: 45" x 24" x 10" (116.84 cm x 60.96 cm x 25.4 cm)



#### Pigeon Trap with Shade, Food & Water

Part #: BMP-SW/SP-SFW

Three one-way entry doors with door guard Centered top access door for easy removal of birds Hinged shade screen Water container and feeder pan Capacity: 12+ birds Lightweight: 10 lbs. (4.53 kg)

Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)



#### Slanted Surface Pigeon Trap with Shade, Food & Water

Part #: BMP-SW/AD-LEGS

One 1-gallon water container and feeder pan Adjustable legs ideal for slanted surfaces Six one-way entry doors with door guard Heavy slide out galvanized flat pan and fold down landing platforms Hinged shade screens Capacity: 20+ birds 23 lbs. (10.43 kg) Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.4 cm)



#### **Large Pigeon Hotel**

Four one-way entry doors

Part #: BMP-SW/HTL

Two top-access doors Two wooden perches Full wire floor Capacity 25+ birds 19 lbs. (8.62 Kg.) Dimensions: 36" x 24" x 26" (91.4 cm x 60.96 cm x 66 cm)

Simple assembly



#### **Grand Pigeon Hotel**

Part #: BMP-SW-GRND-MTY

Six one-way entry doors and two top-access doors

Includes four wooden perches


Capacity 45+ birds

Dimensions: 80" x 24" x 26" (203.2 cm x 60.9 cm x 66 cm), 32 lbs. (14.5 Kg.)

Simple assembly

Shipped unassembled to save on shipping costs

Part #: BMP-SW-GRND-SFW includes 1-gallon water container, feed station and a removable shade screen Part #: BMP-SW-GRND-MTY does not include 1-gallon water container, feed station and a removable shade screen



#### **Snap Trap**

Part #: BMP-SW/SNAP-S: 17" x 17" x 2.5" (43.18 cm x 43.18 cm x 6.35 cm) Part #: BMP-SW/SNAP-M: 24" x 24" x 2.5" (60.96 cm x 60.96 cm x 6.35 cm)

Simple to use with proven results.

When bait tray is triggered, a spring loaded nylon net closes over the birds to trap them quickly and safely. This trap can be mounted on buildings, walls, and trees.

The snap trap is powder coated for rust resistance.

## **Professional Bird Traps**



#### **Sparrow Trap**

Part #: BMP-SP2C


Two chamber Bi-level repeating trap Dual level design eliminates captured feeling by birds Large capacity (can hold a large number of sparrows)

Lightweight: 4 lbs. (1.81 kg)

Dimensions: 16" x 12" x 8" (40.64 cm x 30.48 cm x 20.32 cm)

For maximum effect lure sparrows in with Sparrow Charmer" See Pg. 40






#### **Sparrow Trap with Food and Water**

Part #: BMP-SW/SSP3-WF

Two top access removal doors Bi-level eliminates captured feeling by birds Repeating trap Easy access to service feed and water station Six entry funnel doors (three per compartment) 13 lbs. (5.89 kg) Dimensions: 36" x 24" x 10" (91.44 cm x 60.96 cm x 25.40 cm) For maximum effect lure sparrows in with Sparrow Charmer"

See Pg. 40





#### Collapsible Pigeon Trap

Part #: BMP-PSCP

Easily to assemble and collapses to 1" (2.54 cm) high One door on each side Capacity: 18+ pigeons 14 lbs. (6.35 kg) Dimensions: 40" x 22" x 12" (101.60 cm x 55.88 cm x 30.48 cm)



#### **Pigeon Motel**

Part #: BMP-SW/SPM

Ideal for commercial or residential use Two one-way entry doors Each door has a door guard Easy to store and re-use Portable Capacity: 6+ birds Lightweight 5 lbs. (2.26 kg) Dimensions: 24" x 12" x 8" (60.96 cm x 30.48 cm x 20.32 cm)



#### Collapsible Pigeon Trap with Shade

Part #: BMP-SW/CP-S

Four one way entry doors - one on each side Easily assembles and collapses to 1" (2.54 cm) high Hinged shade screen Capacity: 12+ birds Lightweight 8 lbs. (3.62 kg) Dimensions: 35" x 16" x 8" (88.90 cm x 40.64 cm x 20.32 cm)



#### **Transporters**

Medium Part #: BMP-SW/TRN-M; Large Part #: BMP-SW/TRN-L

Constructed of heavy 14- and 16-gauge welded wire Carrier collapses to 1" tall for storage Full wire floor with slide out galvanized flat pan Medium Capacity: 8+ birds Large Capacity: 25+ birds Medium Dimensions: 24" x 12" x 9" (60.96 cm x 30.48 cm x 22.86 cm) Large Dimensions: 36" x 16" x 9" (91.44 cm x 40.64 cm x 22.86 cm)





#### SIMPLE OUTDOOR SOLUTION

The Bird Chase Super Sonic is an outdoor sound device used to deter pest birds. Distress and predator calls from 24 types of birds are broadcast for two minutes at ten minute intervals to scare pest birds from large open spaces.

#### BIRD CHASE SUPER SONIC™ OPTIONS







Bird Chase Super Sonic Pro Pack 2 IB50-PPII



Bird Chase Super Sonic™ Pro Pack 4 IB50-PPIV

## Bird Chase Super Sonic™

| Bird Species  | All species                            |
|---------------|--|
| Where to Use  | Warehouses, rooftops, yards, open lots |
| Bird Pressure | Light to Medium                        |

#### **ADVANTAGES & BENEFITS**

- Includes goose deterrent sounds.
- Deter birds from large open spaces with bird distress and predator calls.
- Low cost method of protecting your property.
- Features the distress and predator calls of 24 types of birds.
- · Programmable, you can choose your target bird.
- · UV protected and water resistant.
- · Can be programmed to turn on/off automatically at night.
- · Covers 1 acre. Add additional speakers for coverage up to 5 acres.
- · 30-day unconditional money back guarantee.
- · 100 ft of speaker wire for each speaker.

| Part #    | Description                        |
|-----------|------------------------------------|
| IB50-PCOM | Bird Chase Super Sonic™            |
| IB50-PPII | Bird Chase Super Sonic™ Pro Pack 2 |
| IB50-PPIV | Bird Chase Super Sonic™ Pro Pack 4 |
| SONIC-SP2 | Super Sonic Speakers (2)           |



The Solar Bird Chase Super Sonic<sup>™</sup> is ideal for use in large open spaces where there is no access to a power source. Solar panels charge and store energy to

keep the system operating during inclement weather. To install: Place unit in sun for 8 hours to charge.

Optionally, you can plug unit in and charge for 4 hours. Once the unit is fully charged, place the unit on a flat surface where it receives sun for most of the day. This will keep it optimally charged. Select the proper bird setting from the menu, adjust volume, and watch the birds disappear.

## Solar Bird Chase Super Sonic<sup>™</sup>

| Bird Species  | All species                                     |
|---------------|---|
| Where to Use  | Warehouses, rooftops, yards, open lots and more |
| Bird Pressure | Light to Medium                                 |

#### ADVANTAGES & BENEFITS

- · Unit powered by sustainable solar energy.
- · Deters birds from large open spaces with recorded bird distress and predator calls.
- · Covers 1 acre.
- Water resistant meant for outdoor use.
- · Programmable.
- Light sensor automatically powers down the deterrent when the sun goes down.



· Unconditional 30-day money back guarantee.

| Part # | Description                   |
|--------|-------------------------------|
| UR58   | Solar Bird Chase Super Sonic™ |

CANNON-MARK

CANNON-TRIPOD/M



## Part # Description

Cannon

ZON™ Mark IV Bird Scare Cannon™

ZON™ Rotating 4' Tripod for Mark IV

### **ZON™ Mark IV Bird Scare Cannon™**

| Bird Species | All species   |
|--------------|---|
| Where to Use | Vineyards, orchards, row crops, airports, or other large open spaces. |

Designed to produce a regulated sonic blast to scare pest birds and wildlife, ZON™ Mark IV Birds Scare Cannon™ will protect 1 to 5 acres, depending upon topography. Ideal for use in agricultural fields, vineyards, orchards, airports, or any other large open area where pest birds are problematic.

#### ADVANTAGES & BENEFITS

- Detonation intervals adjustable from 40 seconds to 30 minutes.
- Economical 20 lb. propane tank delivers about 17,000 explosions.
- Light for easy mobility weighs only 8.4 kg (18.5 lbs.)
- · Operates in strong wind conditions.
- · Stable frame design prevents movement when detonating.
- Brass seated electrode with fixed-point setting delivers consistent
- Optional ZON Tripod raises & rotates cannon for maximum effect and range.





### **ZON™** Electra Bird Scare Cannon™

| Bird Species | All species   |  |
|--------------|---|--|
| Where to Use | Vineyards, orchards, row crops, airports, or other large open spaces. |  |

#### ADVANTAGES & BENEFITS

- · Built-in timer, multi-shot, automatic, random, on-demand modes, and hose facture protection regulator.
- Three random modes to eliminate animal tolerance by randomly varying the time after each shot series.
- Detonation intervals adjustable from 1 to 60 minutes.
- · No moving parts to replace or adjust.
- Reliable printed circuit board controls gas flow and ignition.
- Can be mounted on vehicles or vessels for aggressive scare tactics.
- Stable frame design prevents movement when detonating.
- · Optional ZON Tripod raises & rotates cannon for maximum effect and range.

| Part #          | Description  |
|-----------------|--|
| CANNON-ELECTRA  | ZON™ Electra Bird Scare Cannon™                        |
| CANNON-TRIPOD/E | ZON™ Rotating 4' Tripod for Electra Bird Scare Cannon™ |



### **Adhesives & Sealants**



#### Sikaflex® Gray Adhesive Glue

Construction grade polyurethane adhesive designed for outdoor use that will not sag, drip or run. Use with Bird Spikes, Bird Jolt Flat Track®, Bird Spider 360°™, Bird Slope™ and Bird Wire.

| It | em #       | Coverage     |
|----|------------|--------------|
| ΑI | D-FLEX-GRY | 25' (7.62 m) |



#### E6100® Adhesive Glue

E6100 is a unique non-sag, non-flammable industrial adhesive formulated to meet high-performance requirements. It permanently adheres to more surfaces than virtually any other adhesive, providing exceptional adhesion to wood, metal, glass, fiberglass, ceramics, masonry, concrete, asphalt, vinyl and many plastics. Use with Bird Spikes, Bird Jolt Flat Track®, Bird Spider 360°™, Bird Slope™, & Bird Wire.

| Item # | Coverage     |
|--------|--------------|
| ADE61  | 25' (7.62 m) |



#### **Ecobond® Clear Adhesive Glue**

Complies with CA Prop 65.

Ecobond Clear Sealant is designed for outdoor use, and will not sag, drip or run. It can be used in applications that require either a vertical or horizontal hold. Use with Bird Spikes, Bird Jolt Flat Track®, Bird Spider 360°™, Bird Slope™, and Bird Wire.

| Item #     | Coverage     |
|------------|--------------|
| ADBOND-CLR | 25' (7.62 m) |



#### 3M Quick Adhere

The Quick Adhere is a fast curing (20 minutes) Scotch-Weld™ epoxy adhesive used to secure the Glue-on Bases, and is ideal for use on surfaces where drilling is not an option.

| Item #    | Item                           |  |
|-----------|--------------------------------|--|
| BWQAA-2   | Quick Adhere (1/pk)            |  |
| BWQAAP    | Quick Adhere Applicator (1/pk) |  |
| BWQAAN-12 | Quick Adhere Nozzles (12/pk)   |  |



#### **Dripless Caulking Gun**

Switch between dripless or standard mode. The grip is designed to keep the wrist in a natural position, while the squeeze handle comfortably accommodates the fingers. Weighs approximately 60% less than comparable guns.

| Item #        | Item                  |
|---------------|-----------------------|
| CAULK-ETS3000 | Dripless Caulking Gun |

## **Cleaning Supplies**



#### 3M® 6000 Series Half-Face Respirator

Protect yourself while cleaning up your job site! Bird feces and nesting materials can carry a host of disease and bacteria that are easily transmitted to humans. Take the proper precautions and protect yourself and your crew from unnecessary contamination and inhalation of dried bird

| Item          | Size     | Item #        |
|---------------|----------|---------------|
| Respirator    | Medium   | RESP-MED      |
| Respirator    | Large    | RESP-LRG      |
| Refill Filter | (2 Pack) | RESP-REFILL/2 |



Refill Filter



#### Microcide SQ™ Disinfectant Cleaner

Concentrate w/ Quart Spray Bottle. 8 ounces makes 16 quarts (4 gallons).

| Item         | Item #  |
|--------------|---------|
| Disinfectant | DIS-SQ8 |



#### Airzyme™ Waste Digester

Airzyme™ is specially formulated to clean, digest and deodorize the accumulation of bird droppings.

| Item           | Size   | Item #     |  |
|----------------|--------|------------|--|
| Waste Digester | Gallon | DISAZ-1GAL |  |

## **Industrial Spring Clamp**



Made in the USA, the rugged Bird•B•Gone® industrial clamps have a variety of applications. Chief among these is their use in securing fumigation tents to prevent gas leakage and keep out pets and children.

- · 1" grip opening
- · Steel jaws for longer tool life
- Heavy duty tempered wire springs for fast, reliable opening and closing
- · Point-of-pressure remains near jaw tips for positive clamping
- The spring action in each clamp is designed for one-handed operation, so attaching/detaching is quick and easy

| Part #         | Pack Size    |
|----------------|--------------|
| CLAMP-IND1-100 | 100 per pack |

### **Vinyl Strip Doors**

- Stop birds from entering buildings, warehouses and loading docks
- Can be used in conjunction with Bird Net 2000™, and other Bird • B • Gone® products
- Custom sizes available
- · Complete with hardware and ready to hang

CUSTOM SIZE STRIP DOORS FLAT STRIP


| Part #   | Door Width x Height               | % of Overlap |
|----------|-----------------------------------|--------------|
| VSD-08CS | 8" x .080" (20.32 cm x .20 cm)    | 50%          |
| VSD-12CS | 12" x .120" (30.48 cm x .3048 cm) | 66%          |
| VSD-16CS | 16" x .160" (40.64 cm x .406 cm)  | 50%          |

STANDARD SIZE STRIP DOORS WITH STANDARD FLAT STRIP

| Part #    | Door Width x Height             | % of Overlap |
|-----------|---------------------------------|--------------|
| VSD-3X7   | 3' w x 7' h (.914 m x 2.13 m)   | 50%          |
| VSD-4X8   | 4' w x 8' h (1.21 m x 2.44 m)   | 50%          |
| VSD-6X8   | 6' w x 8' h (1.83 m x 2.44 m)   | 50%          |
| VSD-8X8   | 8' w x 8' h (2.44 m x 2.44 m)   | 50%          |
| VSD-8X10  | 8' w x 10' h (2.44 m x 3.05 m)  | 66%          |
| VSD-10X10 | 10' w x 10' h (3.05 m x 3.05 m) | 66%          |
| VSD-12X12 | 12' w x 12' h (3.66 m x 3.66 m) | 66%          |



### **Bird Net Curtain**



Bird B Gone® Bird Net Curtains enable roll up doors to remain open for ventilation during working hours and significantly reduces the opportunity for birds to enter the building. Each Bird Net Curtain is custom cut based upon your specifications and door frame size. Choose from three sizes of bird net - 3/4", 1-1/8" & 2" mesh depending upon the type of bird you wish to keep out. Bird B Gone® Bird Net Curtains easily open and close to allow for in and out traffic.

- · Keeps birds from entering warehouses, loading docks, and manufacturing plants
- Uses Heavy Duty Bird Net 2000<sup>™</sup> hung as a curtain to keep birds out
- Easily installed using the included bird net hardware and industrial curtain track

### **Defender Premium Vent Cover**





Birds and squirrels can be persistent in making a home inside your house. The Defender keeps them out.

- · Zinc coated steel delivers lasting protection
- · Vertical bars keep creatures out while minimizing lint buildup and making it easy to clean
- Helps hide unsightly vents
- · Works on all siding types
- Available in white finish and 2 sizes: 6.5" and 8"

| Part #       | Dimensions                           |
|--------------|--------------------------------------|
| VENT-DFR6-SM | 6.5" THE DEFENDER PREMIUM VENT COVER |
| VENT-DFR8-SM | 8" THE DEFENDER PREMIUM VENT COVER   |

### **Visual & Physical Bird Deterrents**

#### Repeller 360°™

Part #: RPL360

## Uses sustainable wind

- Ideal for docks and boats
- UV protected designed for outdoor use
- Sweeps birds continually in a 6' diameter

#### Solar Bird Repeller

Part #: RPL-SLR1. Part#: RPLR-ARMS (2 Replacement Telescoping Rods)



- Solar powered with rechargeable batteries that store power for use in low or no light
- Sweeps birds continually in a 5 diameter

#### **Bird Scare Attack Spider**

Part #: ATTK-SPIDER



- ideal to keep woodpeckers and other pest birds from attacking the sides of your home or business
- Battery operated (not included)
- Sound or vibration activated

#### Flash Tape

Part #: MMFT-050: 1" Wide (3-50' rolls) MMAFT-SIL: 2" Wide (1-150' roll)

#### **Reflective Scare Bird Diverters**

Part #: SED-5

#### Bird • B • Gone® Balloon

Part #: SEB-1



- Iridescent foil tape scares birds away with reflective surface
- Ideal for use in gardens. trees, pool areas, outdoor patios, gazebos, and more



- · Iridescent foil "predator" eye scares birds away
- Easy to install
- Will not damage trees or plants
- 5 diverters per pack



- Inflatable visual scare
- Confuses birds with lifelike reflective "predator" eyes
- Includes flash tape
- Ideal for use in fruit trees. patio covers, pool areas, gazebos, etc.

#### **Red Tail Hawk**

#### Part #: MMRTH1

#### **Copper Mesh**

Part #: CMS-20 20' (6.10 m) CMS-100 100' (30.48 m)

· Ideal for roof tiles and



Packs tightly into cracks and holes for exclusion



Part #:

WPK-BG-BRN (Portabello), WPK-BG-STN (Sand Stone), WPK-BG-GRY (Whetstone), WPK-BG-WHT (Nova White), WPK-BG-CUSTOM (Custom).





- of pests and birds



- Environmentally friendly deterrent coating; will not harm woodpeckers
- Easy to apply to almost any surface
- · Durable and weather-resistant
- Effective quickly after application
- · Custom colors available
- Coverage 180 sq. ft. (16.72 sq. m)

#### Display Case

#### Interactive **Display Case**

#### Custom **Sell Sheets**

#### Authorized Installer Logo Sticker



Our display case is the perfect visual tool to bring along when giving a sales presentation on bird control services.

#### **FREE**



USB flash drive that contains a digital interactive display case showcasing our products, case studies and specs.

#### **FREE**



We offer free customized "sell sheets" you can give to existing or potential customers to let them know you provide bird control as a service.

#### **FREE**



When displayed on your vehicle, this waterproof vinyl sticker is perfect for letting customers know you can help them with their bird control needs.











Through your continued support of Bird B Gone® products, we have been able to provide COTN in Sierra Leone with a brick making machine. This machine creates bricks out of local materials to create homes, classrooms and hospitals.



BIRD • B • GONE ® DORMITORY









#### UTILITY

Pacific Gas And Electric South Carolina Electric and Gas Socal Edison XCEL Energy BC Hydro LA Dept Water & Power Sierra Pacific Power Georgia Power Florida Power & Light TXU Generation Co Duke Energy American Electric Power Entergy Genon Energy Centerpoint Energy Bonneville Power Administration, Seattle **Detroit Edison Power** 



#### GOVERNMENT

United States Postal Service Ellis Island Monument Yosemite National Park Jackson County Courthouse, MS NASA City of Austin, Texas Orange County (FL) Convention Center USDA City of Phoenix US Bureau of Land Management City of Portland US Fish & Wildlife **CA** Department of Corrections City of Ithaca Consolidated Transit City of Minneapolis Port of Portland Port of Seattle San Francisco Housing Auth. SEPTA - Philadelphia

Federal Aviation Administration

#### **MILITARY**

Camp Pendleton Scott Air Force Base Andrews Air Force Base Camp Lejeune United States Coast Guard Fort Stewart Fort Bragg Nellis Air Force Base Travis Air Force Base Vandenberg Air Force Base Hurlburt Field MCAS Miramar March Air Force Base US Army Corps of Engineers Offuit Air Force Base Navy Public Works Altus Air Force Base McGuire Air Force Base **Buckley Air Force Base** 



#### TRANSPORTATION

Union Pacific Railroad Delta Airlines New York State DOT Bay Area Rapid Transit Chicago Transit Authority Pennsylvania DOT Long Island Railroad Southwest Airlines Fort Worth Transportation Center American Airlines Continental Airlines MTA - New York Amtrak Minnesota DOT MTA Los Angeles Delaware DOT Oats Transit Missouri Dallas Area Rapid Transit Miami-Dade DOT Jacksonville, FL DOT



#### CONSTRUCTION

Trammell Crow Lusardi Construction Whiting Turner Construction FineLine Construction **ABM Engineering** Walsh Construction Archer Daniels Midland **Barton Malow Company** Skanska **Bouis Lend Lease Clark Construction** FH Paschen CIANBRO Corporation S.J. Amoroso **Swinerton Builders** Kiewit McCarthy Contstruction Flintco Construction Cadence McShane Hoffman Construction **Turner Construction** 

#### **HOSPITALS**

Kaiser Permanente V.A. Medical Center - Long Beach, CA Cedars-Sinai Medical Center Mayo Clinic Cardinal Health St. John's Hospital - MI St. Mary's Hospital - MN LSU Medical Center Three Rivers Med Center NYS Psychiatric Institute Tyco Healthcare Mercy Medical Elmhurst Memorial Hospital Presbyterian Hospital Charlotte, NC Bergan Mercy Hospital Omaha, NE Texas Children's Hospital University of Utah Huntsman Cancer Institute

Florida Hospital Ormond Memorial Terrebonne General Medical Center

#### **AIRPORTS**

Delta Airlines Southwest Airlines American Airlines **Continental Airlines Gerald Ford Airport** Portland International Airport Seattle-Tacoma Airport Long Beach Airport, CA San Diego County Regional Airport Raleigh Durham International Airport Pitt Greenville Airport - NC Boston Regional Airport -

Manchester, NH Philadelphia International Airport Dallas-Fort Worth International Airport

Rochester International Airport **Denver International Airport** Asheville Regional Airport - NC Tulsa Airport Authority, OK Kahului Airport, HI

#### **MUNICIPALITIES**

Minneapolis, MN Austin, TX Phoenix, AZ Portland, OR Dallas, TX Houston, TX Las Vegas, NV Los Angeles, CA Milwaukee, WI Sacramento, CA Tucson, AZ Salt Lake City, UT Tampa, FL Wichita, KS Chattanooga, TN Columbus, OH Cedar Rapids, IA Santa Monica CA Baltimore, MD

#### RETAIL

Ace Hardware Home Depot Walmart McDonald's Nordstrom Costco Sears Kmart Walgreens Hewlett-Packard PetSmart Lowe's CVS Ethan Allen Carmax Target Burger King Meiier Publix Super Markets Kraft Foods Safeway Stores

#### **STADIUMS**

Yankee Stadium Soldier Field Citi Field Ball Park Wrigley Field Oklahoma State University Camden Yards Lincoln Financial Field Citizens Bank Park Texas A&M Olsen Field Texas A&M Kyle Field Sacramento City College Hughes Stadium Chesapeake Energy Arena Kentucky Horse Park Petco Field - San Diego, CA Swayze Field - Mississippi Flagler Dog Track

#### **EDUCATION**

LA Unified School District School District of Philadelphia University of Arizona University of Southern California Purdue University Tulane University Texas Tech University Louisiana State University UCI A University of Oklahoma University of Texas University of Georgia University of Missouri UC Santa Barbara Cal Poly San Luis Obispo UC San Francisco Cornell University University of Washington Portland State University California Institute of Technology Hewlett School

#### **MISCELLANEOUS**

Seaworld Gallo Winerv Hertz Rent A Car Ritz-Carlton Marriott Hotels Florida Aquarium Six Flags Caesar's Palace Lincoln Center for the Performing Arts Disney Tropicana Products Leprino Foods Life Foods Kennedy Space Center Valero Loury Park Tampa Zoo Alcatraz 9/11 Memorial - NJ Exxon BP, and more!

©2017 Bird•B•Gone® Inc. All rights reserved. Bird•B•Gone®, the Gull and Landing Pigeon are the registered trademarks of Bird•B•Gone® Inc.





# Make your business soar



### Partner with the best

- Lead generation
- · Quoting assistance
- On-the-job training for big jobs

**2** 📶

### **Grow profits**

- · Increase pest control business
- Expand customer base
- Build recurring business

3111

### Train to win

- Free training
- · Become an authorized installer
- Learn to market bird control



Bird•B•Gone® revolutionized the bird control industry in 1992 by inventing and patenting the **first plastic bird spike.** 



We continuously innovate and strive to provide the highest quality, most effective, efficient and reliable bird control methods on the market. 42
patents

With 42 issued patents worldwide and 35 pending applications, Bird•B•Gone®, is known as a manufacturer of quality bird control products.